

System Properties

Name ↓	Value
JENKINS_HOME	/var/lib/jenkins
com.ibm.cpu.endian	little
com.ibm.jcl.checkClassPath	
com.ibm.oti.configuration	scar
com.ibm.oti.jcl.build	20091130_1518
com.ibm.oti.shared.enabled	FALSE
com.ibm.oti.vm.bootstrap.library.path	/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/amd64/default:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/amd64
com.ibm.oti.vm.library.version	24
com.ibm.util.extralibs.properties	
com.ibm.vm.bitmode	64
executable-war	/usr/lib/jenkins/jenkins.war
file.encoding	UTF-8
file.separator	/
hudson.diyChunking	TRUE
ibm.signalhandling.rs	FALSE
ibm.signalhandling.sigchain	TRUE
ibm.signalhandling.sigint	TRUE
ibm.system.encoding	UTF-8
java.assistive	ON
java.awt.fonts	
java.awt.graphicsenv	sun.awt.X11GraphicsEnvironment
java.awt.headless	TRUE
java.awt.printerjob	sun.print.PSPrinterJob
java.class.path	/usr/lib/jenkins/jenkins.war
java.class.version	50
java.compiler	j9jit24
java.endorsed.dirs	/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/endorsed
java.ext.dirs	/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/ext
java.fullversion	JRE 1.6.0 IBM J9 2.4 Linux amd64-64 jvmtxa6460sr7-20091214_49398 (JIT enabled, AOT enabled) J9VM - 20091214_049398 JIT - r9_20091123_13891 GC - 20091111_AA
java.home	/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre
java.io.tmpdir	/tmp
java.jcl.version	20091202_01
java.library.path	/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/amd64/default:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/amd64:/c4shares/auto/tools/lib/mysql:/opt/pegasus/lib:/usr/lib
java.runtime.name	Java(TM) SE Runtime Environment
java.runtime.version	pxa6460sr7-20091215_02 (SR7)

java.specification.name	Java Platform API Specification
java.specification.vendor	Sun Microsystems Inc.
java.specification.version	1.6
java.util.prefs.PreferencesFactory	java.util.prefs.FileSystemPreferencesFactory
java.vendor	IBM Corporation
java.vendor.url	http://www.ibm.com/
java.version	1.6.0
java.vm.info	JRE 1.6.0 IBM J9 2.4 Linux amd64-64 jvmtxa6460sr7-20091214_49398 (JIT enabled, AOT enabled) J9VM - 20091214_049398 JIT - r9_20091123_13891 GC - 20091111_AA
java.vm.name	IBM J9 VM
java.vm.specification.name	Java Virtual Machine Specification
java.vm.specification.vendor	Sun Microsystems Inc.
java.vm.specification.version	1
java.vm.vendor	IBM Corporation
java.vm.version	2.4
jna.platform.library.path	/usr/lib64:/lib64:/usr/lib:/lib
jxe.current.romimage.version	15
jxe.lowest.romimage.version	15
line.separator	
mail.smtp.sendpartial	TRUE
mail.smtps.sendpartial	TRUE
os.arch	amd64
os.name	Linux
os.version	2.6.32.12-0.7-default
path.separator	:
sun.arch.data.model	64

sun.boot.class.path	/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/amd64/default/jclSC160/vm.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/annotation.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/beans.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/java.util.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/jndi.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/logging.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/security.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/sql.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/ibmorib.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/ibmorbapi.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/ibmcfw.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/rt.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/charsets.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/resources.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/ibmpkcs.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/ibmcertpathfw.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/ibmjgssfw.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/ibmjssefw.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/ibmsaslfw.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/ibmjcefw.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/ibmjgssprovider.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/ibmjsseprovider2.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/ibmcertpathprovider.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/ibmxmlcrypto.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/management-agent.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/xml.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/jlm.jar:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/javascript.jar
sun.boot.library.path	/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/amd64/default:/usr/lib64/jvm/java-1_6_0-ibm-1.6.0/jre/lib/amd64
sun.io.unicode.encoding	UnicodeLittle
sun.java.command	/usr/lib/jenkins/jenkins.war --javaHome=/usr/lib64/jvm/jre --logfile=/var/log/jenkins/jenkins.log --webroot=/var/cache/jenkins/war --httpPort=8080 --ajp13Port=8009 --debug=5 --handlerCountMax=100 --handlerCountMaxIdle=20
sun.java.launcher	SUN_STANDARD
sun.java.launcher.pid	26188
sun.java2d.fontpath	
sun.jnu.encoding	UTF-8
svnkit.http.methods	Digest,Basic,NTLM,Negotiate
svnkit.ssh2.persistent	FALSE
user.country	US
user.dir	/var/lib/jenkins
user.home	/var/lib/jenkins
user.language	en
user.name	jenkins
user.timezone	America/New_York
user.variant	

Environment Variables

Name ↓	Value
ANT_HOME	/re/thirdparty_tools/ant/tags/Production
CFG_BUILDRROOT	/build
COLORTERM	1
CPU	x86_64
CSHEDIT	emacs
ENV	/etc/bash.bashrc
FROM_HEADER	
GEM_PATH	file:/var/lib/jenkins/plugins/ruby-runtime/WEB-INF/lib/stapler-jruby-1.177.jar!/gem
G_BROKEN_FILENAMES	1
G_FILENAME_ENCODING	@locale,UTF-8,ISO-8859-15,CP1252
HISTSIZE	1000
HOME	/var/lib/jenkins
HOST	khawk-dev-DevEco
HOSTNAME	khawk-dev-DevEco
HOSTTYPE	x86_64
IBM_JAVA_COMMAND_LINE	/usr/lib64/jvm/jre/bin/java -Djava.awt.headless=true -XX:+PrintClassHistogram -XX:HeapDumpPath=/home/jenkins/dumps -XX:+HeapDumpOnOutOfMemoryError -DJENKINS_HOME=/var/lib/jenkins -jar /usr/lib/jenkins/jenkins.war --javaHome=/usr/lib64/jvm/jre --logfile=/var/log/jenkins/jenkins.log --webroot=/var/cache/jenkins/war --httpPort=8080 --ajp13Port=8009 --debug=5 --handlerCountMax=100 --handlerCountMaxIdle=20
INFODIR	/usr/local/info:/usr/share/info:/usr/info
INFOPATH	/usr/local/info:/usr/share/info:/usr/info
INPUTRC	/etc/inputrc
JAVA_BINDIR	/usr/lib64/jvm/jre/bin
JAVA_HOME	/re/thirdparty_tools/java/tags/linux/Production
JAVA_ROOT	/usr/lib64/jvm/jre
JRE_HOME	/usr/lib64/jvm/jre
LANG	en_US.UTF-8
LD_LIBRARY_PATH	/c4shares/auto/tools/lib/mysql::/opt/pegasus/lib
LESS	-M -I
LESSCLOSE	lessclose.sh %s %s
LESSKEY	/etc/lesskey.bin
LESSOPEN	lessopen.sh %s
LESS_ADVANCED_PREPROCESSOR	no
LOGNAME	jenkins
LS_COLORS	
LS_OPTIONS	-N --color=none -T 0
MACHTYPE	x86_64-suse-linux
MAIL	/var/spool/mail/jenkins
MANPATH	/usr/local/man:/usr/share/man

MINICOM	-c on
MODSETUP_ARTIFACTS_DIR	/c4shares/Public/Artifacts
MORE	-sl
NNTPSERVER	news
NXDIR	/usr/NX
OSTYPE	linux
PAGER	less
PATH	/c4shares/auto/tools/bin:/usr/local/bin:/usr/bin:/bin:/usr/bin/X11:/usr/X11R6/bin:/usr/games:/opt/accurev/bin:/opt/CmTools/shbin:/usr/lib64/jvm/jre/bin:/re/bin:/re/thirdparty_tools/java/tags/linux/Production/bin:/opt/pegasus/bin:/re/thirdparty_tools/ant/tags/Production/bin:/c4shares/auto/devutils/bin:/usr/lib/mit/bin:/usr/lib/mit/sbin:/usr/NX/bin
PEGASUS_HOME	/opt/pegasus
PERL5LIB	/c4shares/auto/tools/lib/perl:/usr/lib/perl5/vendor_perl/5.10.0:/usr/csx/c4global/c4perl/lib
PROFILEREAD	TRUE
PWD	/var/lib/jenkins
PYTHONPATH	/c4shares/auto/tools/lib/python:
PYTHONSTARTUP	/etc/pythonstart
QT_SYSTEM_DIR	/usr/share/desktop-data
SHELL	/bin/bash
SHLVL	1
USER	jenkins
WINDOWMANAGER	/usr/bin/gnome
XCURSOR_THEME	DMZ
XDG_CONFIG_DIRS	/etc/xdg
XDG_DATA_DIRS	/usr/share:/etc/opt/kde3/share:/opt/kde3/share
XKEYSYMDB	/usr/share/X11/XKeysymDB
XNLSPATH	/usr/share/X11/nls
_	/usr/lib64/jvm/jre/bin/java

Plugins

Name ↓	Version	Enabled	Pinned
accurev	0.6.18	TRUE	FALSE
active-directory	1.29	TRUE	FALSE
all-changes	1.3	TRUE	FALSE
analysis-collector	1.34	TRUE	FALSE
analysis-core	1.48	TRUE	FALSE
AnchorChain	1	TRUE	FALSE
ant	1.1	TRUE	FALSE
audit-trail	1.7	TRUE	FALSE
backup	1.6.1	TRUE	FALSE
build-metrics	1	TRUE	FALSE
build-timeout	1.1	TRUE	FALSE

build-user-vars-plugin	1.1	TRUE	FALSE
built-on-column	1.1	TRUE	FALSE
checkstyle	3.31	TRUE	FALSE
clearcase	1.3.8	FALSE	FALSE
clearcase-release	0.3	FALSE	FALSE
cobertura	1.6	TRUE	FALSE
collabnet	1.1.6	FALSE	FALSE
compact-columns	1.9	TRUE	FALSE
configure-job-column-plugin	1	TRUE	FALSE
console-column-plugin	1.5	TRUE	FALSE
covcomplot	1.1.1	TRUE	FALSE
coverity	1.1.3	TRUE	FALSE
createjobadvanced	1.6	TRUE	FALSE
cvs	2.5	FALSE	TRUE
dashboard-view	2.3	TRUE	FALSE
description-column-plugin	1.3	TRUE	FALSE
disk-usage	0.18	TRUE	FALSE
dry	2.33	TRUE	FALSE
email-ext	2.24.1	TRUE	FALSE
external-monitor-job	1.1	FALSE	TRUE
extra-columns	1.5	TRUE	FALSE
favorite-view	1	TRUE	FALSE
findbugs	4.44	TRUE	FALSE
flashlog-plugin	1	FALSE	FALSE
global-build-stats	1.3	TRUE	FALSE
greenballs	1.12	TRUE	FALSE
htmlpublisher	1	TRUE	FALSE
hudson-pview-plugin	1.8	TRUE	FALSE
instant-messaging	1.22	FALSE	FALSE
jabber	1.23	FALSE	FALSE
javadoc	1	FALSE	FALSE
javancss	1.1	TRUE	FALSE
job-import-plugin	1	FALSE	FALSE
jobConfigHistory	1.13	TRUE	FALSE
ldap	1.1	TRUE	FALSE
ldapemail	0.7	TRUE	FALSE
log-parser	1.0.8	TRUE	FALSE
mail-watcher-plugin	1.3	FALSE	FALSE
mask-passwords	2.7.2	TRUE	FALSE
maven-plugin	1.481	TRUE	TRUE
pam-auth	1	FALSE	FALSE
parameterized-trigger	2.15	FALSE	FALSE
pathignore	0.6	TRUE	FALSE
plot	1.5	TRUE	FALSE

pmd	3.33	TRUE	FALSE
project-description-setter	1.1	TRUE	FALSE
project-stats-plugin	0.4	TRUE	FALSE
promoted-builds	2.6.2	FALSE	FALSE
pwauth	0.4	FALSE	FALSE
qc	1.2.1	FALSE	FALSE
read-only-configurations	1.7	TRUE	FALSE
regression-report-plugin	1	TRUE	FALSE
role-strategy	1.1.2	TRUE	FALSE
ruby-runtime	0.1	TRUE	FALSE
sidebar-link	1.6	TRUE	FALSE
slave-setup	1.6	FALSE	FALSE
slave-status	1.6	TRUE	FALSE
sonar	1.8	FALSE	FALSE
ssh-slaves	0.21	FALSE	FALSE
subversion	1.42	TRUE	TRUE
summary_report	1.5	TRUE	FALSE
tasks	4.34	FALSE	FALSE
token-macro	1.5.1	TRUE	FALSE
translation	1.9	FALSE	TRUE
view-job-filters	1.22	TRUE	FALSE
violations	0.7.11	TRUE	FALSE
warnings	4.18	TRUE	FALSE
xunit	1.48	FALSE	FALSE