














-  [New Item](#)
-  [People](#)
-  [Build History](#)
-  [Project Relationship](#)
-  [Check File Fingerprint](#)
-  [Manage Jenkins](#)
-  [Credentials](#)
-  [Maven Repository](#)
-  [My Views](#)
-  [Disk usage](#)
-  [Restart Safely](#)

Build Queue ▾

No builds in the queue.

Build Executor Status ▾

- 1 Idle
- 2 Idle

System Properties

Name ↓	Value
com.ibm.cpu.endian	little
com.ibm.jcl.checkClassPath	
com.ibm.oti.configuration	scar
com.ibm.oti.jcl.build	20140416_196573
com.ibm.oti.shared.enabled	false
com.ibm.oti.vm.bootstrap.library.path	/opt/IBM/WebSphere/AppServer/java/jre/lib/amd64/default:/opt/IBM/WebSphere/AppServer/java/jre/lib/amd64
com.ibm.oti.vm.library.version	24
com.ibm.util.extralibs.properties	
com.ibm.vm.bitmode	64

executable-war	/usr/lib/jenkins/jenkins.war
file.encoding	UTF-8
file.separator	/
hudson.diyChunking	true
ibm.signalhandling.rs	false
ibm.signalhandling.sigchain	true
ibm.signalhandling.sigint	true
ibm.system.encoding	UTF-8
java.assistive	ON
java.awt.fonts	
java.awt.graphicsenv	sun.awt.X11GraphicsEnvironment
java.awt.headless	true
java.awt.printerjob	sun.print.PSPrinterJob
java.class.path	/usr/lib/jenkins/jenkins.war
java.class.version	50.0
java.compiler	j9jit24
java.endorsed.dirs	/opt/IBM/WebSphere/AppServer/java/jre/lib/endorsed
java.ext.dirs	/opt/IBM/WebSphere/AppServer/java/jre/lib/ext
java.fullversion	JRE 1.6.0 IBM J9 2.4 Linux amd64-64 jvmsx6460sr16-20140416_196573 (JIT enabled, AOT enabled)>J9VM - 20140416_196573>JIT - r9_20130920_46510ifx5>GC - GA24_Java6_SR16_20140416_1614_B196573
java.home	/opt/IBM/WebSphere/AppServer/java/jre
java.io.tmpdir	/tmp
java.jcl.version	20140406_01
java.library.path	/opt/IBM/WebSphere/AppServer/java/jre/lib/amd64/default:/opt/IBM/WebSphere/AppServer/java/jre/lib/amd64:/opt/IBM/db2/client/lib64:/home/db2inst1/sqllib/lib64:/home/db2inst1/sqllib/lib32:/usr/lib
java.runtime.name	Java(TM) SE Runtime Environment
java.runtime.version	pxa6460sr16ifx-20140425_01 (SR16)
java.specification.name	Java Platform API Specification
java.specification.vendor	Sun Microsystems Inc.
java.specification.version	1.6
java.util.prefs.PreferencesFactory	java.util.prefs.FileSystemPreferencesFactory
java.vendor	IBM Corporation
java.vendor.url	http://www.ibm.com/
java.version	1.6.0
java.vm.info	JRE 1.6.0 IBM J9 2.4 Linux amd64-64 jvmsx6460sr16-20140416_196573 (JIT enabled, AOT enabled)>J9VM - 20140416_196573>JIT - r9_20130920_46510ifx5>GC - GA24_Java6_SR16_20140416_1614_B196573
java.vm.name	IBM J9 VM
java.vm.specification.name	Java Virtual Machine Specification

java.vm.specification.vendor	Sun Microsystems Inc.
java.vm.specification.version	1.0
java.vm.vendor	IBM Corporation
java.vm.version	2.4
javeloady.About Monitoring	https://wiki.jenkins-ci.org/display/JENKINS/Monitoring
javeloady.analytics-id	UA-1335263-7
javeloady.custom-reports	Jenkins Info,About Monitoring
javeloady.gzip-compression-disabled	true
javeloady.http-transform-pattern	^d+//site/.+ avadoc/.+ ws/.+ obertura/.+ estReport/.+ iolations/file /.+ /user/.+ /static/w+//adjuncts/w+//bound/[w-]+
javeloady.Jenkins Info	/systemInfo
javeloady.no-database	true
javeloady.storage-directory	//var/lib/jenkins/monitoring
javeloady.system-actions-enabled	true
JENKINS_HOME	/var/lib/jenkins
jna.platform.library.path	/usr/lib64:/lib64:/usr/lib:/lib
jxe.current.romimage.version	15
jxe.lowest.romimage.version	15
line.separator	
mail.smtp.sendpartial	true
mail.smtps.sendpartial	true
os.arch	amd64
os.encoding	UTF-8
os.name	Linux
os.version	2.6.32-431.el6.x86_64
path.separator	:
pid	11932
sun.arch.data.model	64
sun.boot.class.path	/opt/IBM/WebSphere/AppServer/java/jre/lib/amd64/default/jclISC160/vm.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/annotation.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/beans.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/java.util.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/jndi.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/logging.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/security.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/sql.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/ibmorib.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/ibmoribapi.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/ibmcfw.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/rt.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/charsets.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/resources.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/ibmpkcs.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/ibmcertpathfw.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/ibmjgssfw.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/ibmjssefw.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/ibmsas1fw.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/ibmjcefw.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/ibmjgssprovider.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/ibmjsseprovider2.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/ibmcertpathprovider.jar:/opt/IBM

	/WebSphere/AppServer/java/jre/lib/management-agent.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/xml.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/jlm.jar:/opt/IBM/WebSphere/AppServer/java/jre/lib/javascript.jar
sun.boot.library.path	/opt/IBM/WebSphere/AppServer/java/jre/lib/amd64/default:/opt/IBM/WebSphere/AppServer/java/jre/lib/amd64
sun.cpu.endian	little
sun.io.unicode.encoding	UnicodeLittle
sun.java.command	/usr/lib/jenkins/jenkins.war --logfile=/var/log/jenkins/jenkins.log --webroot=/var/cache/jenkins/war --httpPort=8080 --ajp13Port=8009 --debug=5 --handlerCountMax=100 --handlerCountMaxIdle=20
sun.java.launcher	SUN_STANDARD
sun.java.launcher.pid	11932
sun.java2d.fontpath	
sun.jnu.encoding	UTF-8
svnkit.http.methods	Digest,Basic,NTLM,Negotiate
svnkit.ssh2.persistent	false
user.country	US
user.dir	/home/wasadmin
user.home	/home/wasadmin
user.language	en
user.name	wasadmin
user.timezone	America/Regina
user.variant	

Environment Variables

Name ↓	Value
_	/usr/bin/nohup
CLASSPATH	/home/db2inst1/sqllib/java/db2java.zip:/home/db2inst1/sqllib/java/sqlj.zip:/home/db2inst1/sqllib/function:/home/db2inst1/sqllib/java/db2jcc_license_cu.jar:/home/db2inst1/sqllib/tools/clppplus.jar:/home/db2inst1/sqllib/tools/antlr-3.2.jar:/home/db2inst1/sqllib/tools/jline-0.9.93.jar:/home/db2inst1/sqllib/java/db2jcc.jar.
CVS_RSH	ssh
DB2_HOME	/home/db2inst1/sqllib
DB2INSTANCE	db2inst1
DB2LIB	/home/db2inst1/sqllib/lib
G_BROKEN_FILENAMES	1
HISTCONTROL	ignoredups
HISTSIZE	1000
HOME	/home/wasadmin
HOSTNAME	fsr3vlecombl1
IBM_DB_DIR	/home/db2inst1/sqllib
IBM_DB_INCLUDE	/home/db2inst1/sqllib/include

IBM_DB_LIB	/home/db2inst1/sqllib/lib
IBM_JAVA_COMMAND_LINE	/opt/IBM/WebSphere/AppServer/java/jre/bin/java -Xms1024M -Xmx2048M -Djava.awt.headless=true -DJENKINS_HOME=/var/lib/jenkins -jar /usr/lib/jenkins/jenkins.war --logfile=/var/log/jenkins/jenkins.log --webroot=/var/cache/jenkins/war --httpPort=8080 --ajp13Port=8009 --debug=5 --handlerCountMax=100 --handlerCountMaxIdle=20
LANG	en_US.UTF-8
LD_LIBRARY_PATH	/opt/IBM/db2/client/lib64:/home/db2inst1/sqllib/lib64:/home/db2inst1/sqllib/lib32
LESSOPEN	/usr/bin/lesspipe.sh %s
LIBPATH	:/opt/IBM/WebSphere/CommerceServer70/bin
LOGNAME	wasadmin
LS_COLORS	rs=0:di=01;34:ln=01;36:mh=00:pi=40;33:so=01;35:do=01;35:bd=40;33;01:cd=40;33;01:or=40;31;01:mi=01;05;37;41:su=37;41:sg=30;43:ca=30;41:tw=30;42:ow=34;42:st=37;44:ex=01;32:*.tar=01;31:*.tgz=01;31:*.arj=01;31:*.taz=01;31:*.lzh=01;31:*.lzma=01;31:*.tlz=01;31:*.txz=01;31:*.zip=01;31:*.z=01;31:*.Z=01;31:*.dz=01;31:*.gz=01;31:*.lz=01;31:*.xz=01;31:*.bz2=01;31:*.tbz=01;31:*.tbz2=01;31:*.bz=01;31:*.tz=01;31:*.deb=01;31:*.rpm=01;31:*.jar=01;31:*.rar=01;31:*.ace=01;31:*.zoo=01;31:*.cpio=01;31:*.7z=01;31:*.rz=01;31:*.jpg=01;35:*.jpeg=01;35:*.gif=01;35:*.bmp=01;35:*.pbm=01;35:*.pgm=01;35:*.ppm=01;35:*.tga=01;35:*.xbm=01;35:*.xpm=01;35:*.tif=01;35:*.tiff=01;35:*.png=01;35:*.svg=01;35:*.svgz=01;35:*.mng=01;35:*.pcx=01;35:*.mov=01;35:*.mpg=01;35:*.mpeg=01;35:*.m2v=01;35:*.mkv=01;35:*.ogm=01;35:*.mp4=01;35:*.m4v=01;35:*.mp4v=01;35:*.vob=01;35:*.qt=01;35:*.nuv=01;35:*.wmv=01;35:*.asf=01;35:*.rm=01;35:*.rmvb=01;35:*.flc=01;35:*.avi=01;35:*.fli=01;35:*.flv=01;35:*.gl=01;35:*.dl=01;35:*.xcf=01;35:*.xwd=01;35:*.yuv=01;35:*.cgm=01;35:*.emf=01;35:*.axv=01;35:*.anx=01;35:*.ogv=01;35:*.ogx=01;35:*.aac=01;36:*.au=01;36:*.flac=01;36:*.mid=01;36:*.midi=01;36:*.mka=01;36:*.mp3=01;36:*.mpc=01;36:*.ogg=01;36:*.ra=01;36:*.wav=01;36:*.axa=01;36:*.oga=01;36:*.spx=01;36:*.xspf=01;36:
MAIL	/var/spool/mail/wasadmin
PATH	/usr/lib64/qt-3.3/bin:/usr/local/bin:/bin:/usr/bin:/usr/local/sbin:/usr/sbin:/sbin:/home/wasadmin/bin:/home/wasadmin/bin:/home/db2inst1/sqllib/bin:/home/db2inst1/sqllib/adm:/home/db2inst1/sqllib/misc
PWD	/home/wasadmin
QTDIR	/usr/lib64/qt-3.3
QTINC	/usr/lib64/qt-3.3/include
QTLIB	/usr/lib64/qt-3.3/lib
SHELL	/bin/bash
SHLVL	1
SSH_AGENT_PID	11776
SSH_AUTH_SOCK	/tmp/ssh-OxPON11774/agent.11774
TERM	xterm
USER	wasadmin

Plugins

Name ↓	Version	Enabled	Pinned
ant	1.2	true	false

antisamy-markup-formatter	1.2	true	true
artifactory	2.2.4	true	false
bitbucket	1.0	true	false
build-pipeline-plugin	1.4.3	true	false
buildresult-trigger	0.17	true	false
config-file-provider	2.7.5	true	false
credentials	1.16.1	true	true
cvs	2.12	true	true
dashboard-view	2.9.4	true	false
deploy	1.10	true	false
disk-usage	0.24	true	false
email-ext	2.38.2	true	false
email-ext-recipients-column	1.0	true	false
emailext-template	0.2	true	false
external-monitor-job	1.2	true	false
fstrigger	0.39	true	false
git	2.2.5	true	false
git-client	1.10.1	true	false
git-parameter	0.3.2	true	false
ivytrigger	0.32	true	false
javadoc	1.2	true	true
jenkins-jira-issue-updater	1.7	true	false
jira	1.39	true	false
jquery	1.7.2-1	true	false
junit	1.1	true	true
jython	1.9	true	false
ldap	1.10.2	true	true
m2release	0.14.0	true	false
mail-watcher-plugin	1.8	true	false
mailer	1.11	true	true
mapdb-api	1.0.1.0	true	false
mask-passwords	2.7.2	true	false
matrix-auth	1.2	true	true
matrix-project	1.3	true	false
maven-dependency-update-trigger	1.4	true	false
maven-info	0.2.0	true	false
maven-plugin	2.6	true	true
maven-repo-cleaner	1.2	true	false
monitoring	1.52.1	true	false
pam-auth	1.2	true	true
parameterized-trigger	2.25	true	false

repository	1.2	true	false
repository-connector	1.0.1	true	false
saferestart	0.3	true	false
scm-api	0.2	true	false
scm-sync-configuration	0.0.8	true	false
scp	1.8	true	false
scripttrigger	0.31	true	false
sitemonitor	0.4	true	false
ssh-credentials	1.9	true	true
ssh-slaves	1.6	true	true
strawboss	1.1	true	false
subversion	2.4.3	true	true
timestamper	1.5.14	true	false
token-macro	1.10	true	false
translation	1.11	true	true
urltrigger	0.37	true	false
view-job-filters	1.26	true	false
windows-slaves	1.0	true	false
xtrigger	0.54	true	false
xvfb	1.0.12	true	false

Thread Dumps

Visit [this page](#) for master and slave thread dumps.