



- Up
- Status
- Configure**
- Scan Multibranch Pipeline Now
- Scan Multibranch Pipeline Log
- Multibranch Pipeline Events
- Delete Multibranch Pipeline
- People
- Build History
- Project Relationship
- Check File Fingerprint
- Open Blue Ocean
- Pipeline Syntax
- Credentials

Build Queue -

No builds in the queue.

Build Executor Status -

1 Idle

2 Idle

Name

Display Name

Description

[Plain text] [Preview](#)

Branch Sources

Git

Project Repository ?

Credentials Add ?

Behaviors *Within Repository*

Discover branches ?

Advanced checkout behaviours

Timeout (in minutes) for checkout operation

Delete

Advanced clone behaviours

Shallow clone

Shallow clone depth

Do not fetch tags

Honor refspec on initial clone

Path of the reference repo to use during clone

Timeout (in minutes) for clone and fetch operations

Delete

Wipe out repository & force clone

Delete

Add

Property strategy

Exceptions

Add exception

Defaults

Add property

Delete source

Add source

Build Configuration

Mode

Script Path

Scan Multibranch Pipeline Triggers

Periodically if not otherwise run

Orphaned Item Strategy

Discard old items

Days to keep old items

if not empty, old items are only kept up to this number of days

Max # of old items to keep

if not empty, only up to this number of old ite

Health metrics

Save

Apply

Properties

Pipeline Libraries

Sharable libraries available to any Pipeline jobs inside this folder. These libraries will be untrusted, meaning their code runs in the Groovy sandbox.

Add

Pipeline Model Definition

Docker Label



Docker registry URL



Registry credentials

- none -



Add

Save

Apply