




























-  [New Item](#)
-  [People](#)
-  [Build History](#)
-  [Edit View](#)
-  [Project Relationship](#)
-  [Check File Fingerprint](#)
-  [Manage Jenkins](#)
-  [My Views](#)
-  [Disk Usage](#)
-  [Job Config History](#)
-  [Job Priorities](#)
-  [Credentials](#)

## Cloud Statistics ▾

|                                                                                                           |       |
|-----------------------------------------------------------------------------------------------------------|-------|
|  BM-OpenStack           | 99.8% |
|  min-ubuntu-trusty-x64 | 100%  |
|  os-stretch-x64        | 100%  |
|  min-xenial-x64        | 100%  |
|  os-yakkety-x64        | 91.5% |
|  os-centos-7-x64       | 98.1% |
|  os-trusty-x64         | 100%  |
|  min-centos-6-x64      | 100%  |
|  min-centos-6-x32      | 100%  |
|  os-trusty-i386        | 100%  |
|  os-zesty-x64          | 100%  |
|  os-centos-6-x64       | 100%  |
|  os-jessie-x32         | 100%  |
|  os-jessie-x64         | 100%  |
|  os-wheezy-x32         | 100%  |

🔧 os-wheezy-x64

96.4%












🔧 os-centos-6-x32

100%

🔧 os-xenial-x64

93.7%

### Build Queue (17)

- [mysql-5.7-param » release,ubuntu-zesty-64bit](#) 
- [mysql-5.7-param » release,ubuntu-yakkety-64bit](#)
- [mysql-5.7-param » release,ubuntu-xenial-64bit](#) 
- [mysql-5.7-param » release,ubuntu-trusty-64bit](#) 
- [mysql-5.7-param » release,debian-wheezy-x64](#) 
- [mysql-5.7-param » release,debian-stretch-64bit](#)
- [mysql-5.7-param » release,debian-jessie-64bit](#) 
- [mysql-5.7-param » release,centos6-64](#)
- [mysql-5.7-param » release,centos6-32](#)
- [mysql-5.7-param » debug,ubuntu-zesty-64bit](#) 
- [mysql-5.7-param » debug,ubuntu-yakkety-64bit](#)
- [mysql-5.7-param » debug,ubuntu-xenial-64bit](#) 
- [mysql-5.7-param » debug,ubuntu-trusty-64bit](#) 
- [mysql-5.7-param » debug,debian-wheezy-x64](#) 
- [mysql-5.7-param » debug,debian-stretch-64bit](#)
- [mysql-5.7-param » debug,debian-jessie-64bit](#) 
- [percona-xtrabackup-2.4-redhat-source\\_test1](#) 



### Build Executor Status

#### master

- 1 Idle
- 2 Idle
- 3 Idle
- 4 Idle
- 5 Idle
- 6 Idle

[mysql-5.7-param](#)



#1157



[mysql-5.7-param](#)



#1160



#### docker-01

- 1 Idle
- 2 Idle

- 3 Idle
- 4 Idle
- 5 Idle
- 6 Idle
- 7 Idle
- 8 Idle
- 9 Idle
- 10 Idle
- 11 Idle
- 12 Idle

 **evgeniy-dont-stop**

- 1 Idle

 **jenkins-centos-6.x32-3200d0c8-c71b-4bbc-b710-f5d83a416ca5**

- 1 [mysql-5.7-param » debug,centos6-32](#) #1160 

 **jenkins-centos-6.x64-096555cf-45f1-431f-8bc4-8fe19edda7a1**

- 1 [mysql-5.7-param » debug,centos6-64](#) #1160 

 **jenkins-centos-7.x64-1809fc6e-36ad-4cfb-9af3-7352fe002c8a**

- 1 [mysql-5.7-param » release,centos7-64](#) #1160 

 **jenkins-centos-7.x64-1c43f3dc-1a54-433e-b840-6437fcd60554**

- 1 [mysql-5.7-param » debug,centos7-64](#) #1157 

 **jenkins-centos-7.x64-49d1cf00-8be5-4381-8072-84a4f9ed5e96**

- 1 [mysql-5.7-param » debug,centos7-64](#) #1160 

 **jenkins-debian-jessie.x64-9ed47a50-f58c-457b-bd1f-d2ec8c48102f** (offline)

 **jenkins-debian-stretch.x64-7b162cbd-e6e6-4b74-816a-dbeaef4786b8**

- 1 [mysql-5.7-param » debug,debian-stretch-64bit](#) #1157 

 **jenkins-debian-stretch.x64-e72f2649-d849-4848-b84f-fe920c70a573** (offline)

 **jenkins-debian-wheezy.x64-66330381-f0a2-49d0-b97b-d3c0b9d7e2c3** (offline)

 **jenkins-ubuntu-yakkety.x64-aaf7123f-0c41-42fa-8c78-e25b43ca946a**

- 1 [mysql-5.7-param » debug,ubuntu-yakkety-64bit](#) #1157 

 **percona-testbench-01** (offline)

 **pxc-perf**

1 Idle

 **qa-chef**

1 Idle

 **qa-fusion1** (offline)

 **qa-hppro1** (offline)

 **qa-pkg-1**

1 Idle

 **qaserver-01**

1 Idle

 **qaserver-02**

1 Idle

2 Idle

3 Idle

4 Idle

 **qaserver-03**

1 Idle

 **qaserver-04**

1 Idle

 **qaserver-07**

1 Idle

 **qaserver-08**

1 Idle

 **sles12sp2**

1 Idle

 **vbox-01**

1 Idle

2 Idle

3 Idle

4

[pmm-testsuite](#)

[#149](#)

(Test:  
PXC)



# Thread Dump

[\\_docker-01](#) [\\_evgeniy-dont-stop](#) [\\_jenkins-centos-6.x32-3200d0c8-c71b-4bbc-b710-f5d83a416ca5](#) [\\_jenkins-centos-6.x64-096555cf-45f1-431f-8bc4-8fe19edda7a1](#) [\\_jenkins-centos-7.x64-1809fc6e-36ad-4cfb-9af3-7352fe002c8a](#) [\\_jenkins-centos-7.x64-1c43f3dc-1a54-433e-b840-6437fcd60554](#) [\\_jenkins-centos-7.x64-49d1cf00-8be5-4381-8072-84a4f9ed5e96](#) [\\_jenkins-debian-jessie.x64-9ed47a50-f58c-457b-bd1f-d2ec8c48102f](#) [\\_jenkins-debian-stretch.x64-7b162cbd-e6e6-4b74-816a-dbeaef4786b8](#) [\\_jenkins-debian-stretch.x64-e72f2649-d849-4848-b84f-fe920c70a573](#) [\\_jenkins-ubuntu-yakkety.x64-aaf7123f-0c41-42fa-8c78-e25b43ca946a](#) [\\_percona-testbench-01](#) [\\_pxc-perf](#) [\\_qa-chef](#) [\\_qa-fusion1](#) [\\_qa-hppro1](#) [\\_qa-pkg-1](#) [\\_qaserver-01](#) [\\_qaserver-02](#) [\\_qaserver-03](#) [\\_qaserver-04](#) [\\_qaserver-07](#) [\\_qaserver-08](#) [\\_sles12sp2](#) [\\_vbox-01](#)

## AtmostOneTaskExecutor[Periodic Jenkins queue maintenance] [#3202]

```
"AtmostOneTaskExecutor[Periodic Jenkins queue maintenance] [#3202]" Id=153063 Group=main
WAITING on java.util.concurrent.locks.ReentrantLock$NonfairSync@3d905e81 owned by
"Computer.threadPoolForRemoting [#1717]" Id=152936
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.locks.ReentrantLock$NonfairSync@3d905e81
    at java.util.concurrent.locks.LockSupport.park(LockSupport.java:175)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(AbstractQueuedSynchronizer.java:836)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(AbstractQueuedSynchronizer.java:870)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(AbstractQueuedSynchronizer.java:1199)
    at
java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(ReentrantLock.java:209)
    at java.util.concurrent.locks.ReentrantLock.lock(ReentrantLock.java:285)
    at hudson.model.Queue.maintain(Queue.java:1420)
    at hudson.model.Queue$1.call(Queue.java:321)
    at hudson.model.Queue$1.call(Queue.java:318)
    at jenkins.util.AtmostOneTaskExecutor$1.call(AtmostOneTaskExecutor.java:108)
    at jenkins.util.AtmostOneTaskExecutor$1.call(AtmostOneTaskExecutor.java:98)
    at
jenkins.security.ImpersonatingExecutorService$2.call(ImpersonatingExecutorService.java:71)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
    at
udson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:110)
    at java.lang.Thread.run(Thread.java:748)
```

## bzr revision-info -d lp:percona-pam-for-mysql: stderr copier

```
"bzr revision-info -d lp:percona-pam-for-mysql: stderr copier" Id=153052 Group=main
RUNNABLE (in native)
```

```
at java.io.FileInputStream.readBytes(Native Method)
at java.io.FileInputStream.read(FileInputStream.java:255)
at java.io.BufferedInputStream.read1(BufferedInputStream.java:284)
at java.io.BufferedInputStream.read(BufferedInputStream.java:345)
- locked java.lang.UNIXProcess$ProcessPipeInputStream@3d7df47a
at java.io.FilterInputStream.read(FilterInputStream.java:107)
at hudson.util.StreamCopyThread.run(StreamCopyThread.java:60)
```

## **bzr revision-info -d lp:percona-pam-for-mysql: stdout copier**

"bzr revision-info -d lp:percona-pam-for-mysql: stdout copier" Id=153050 Group=main  
RUNNABLE (in native)

```
at java.io.FileInputStream.readBytes(Native Method)
at java.io.FileInputStream.read(FileInputStream.java:255)
at java.io.BufferedInputStream.read1(BufferedInputStream.java:284)
at java.io.BufferedInputStream.read(BufferedInputStream.java:345)
- locked java.lang.UNIXProcess$ProcessPipeInputStream@3942770d
at java.io.FilterInputStream.read(FilterInputStream.java:107)
at hudson.util.StreamCopyThread.run(StreamCopyThread.java:60)
```

## **Channel reader thread: docker-01**

"Channel reader thread: docker-01" Id=321 Group=main WAITING on  
com.trilead.ssh2.channel.Channel@5290e4d5

```
at java.lang.Object.wait(Native Method)
- waiting on com.trilead.ssh2.channel.Channel@5290e4d5
at java.lang.Object.wait(Object.java:502)
at com.trilead.ssh2.channel.FifoBuffer.read(FifoBuffer.java:212)
at com.trilead.ssh2.channel.Channel$Output.read(Channel.java:127)
at
```

com.trilead.ssh2.channel.ChannelManager.getChannelData(ChannelManager.java:936)

```
at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:58)
at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:79)
at
```

hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)

```
at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
at
```

hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)

```
at
```

hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)

```
at
```

hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)

```
at
```

hudson.remoting.SynchronousCommandTransport\$ReaderThread.run(SynchronousCommandTransport.java:59)

## **Channel reader thread: evgeniy-dont-stop**

```
"Channel reader thread: evgeniy-dont-stop" Id=323 Group=main WAITING on
com.trilead.ssh2.channel.Channel@3908902
    at java.lang.Object.wait(Native Method)
    - waiting on com.trilead.ssh2.channel.Channel@3908902
    at java.lang.Object.wait(Object.java:502)
    at com.trilead.ssh2.channel.FifoBuffer.read(FifoBuffer.java:212)
    at com.trilead.ssh2.channel.Channel$Output.read(Channel.java:127)
    at
com.trilead.ssh2.channel.ChannelManager.getChannelData(ChannelManager.java:936)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:58)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:79)
    at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByt
eArrayCommandTransport.java:34)
    at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport
.java:59)
```

## **Channel reader thread: jenkins-centos-6.x32-3200d0c8-c71b-4bbc-b710-f5d83a416ca5**

```
"Channel reader thread: jenkins-centos-6.x32-3200d0c8-c71b-4bbc-b710-f5d83a416ca5"
Id=153036 Group=main WAITING on com.trilead.ssh2.channel.Channel@7c40fe41
    at java.lang.Object.wait(Native Method)
    - waiting on com.trilead.ssh2.channel.Channel@7c40fe41
    at java.lang.Object.wait(Object.java:502)
    at com.trilead.ssh2.channel.FifoBuffer.read(FifoBuffer.java:212)
    at com.trilead.ssh2.channel.Channel$Output.read(Channel.java:127)
    at
com.trilead.ssh2.channel.ChannelManager.getChannelData(ChannelManager.java:936)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:58)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:79)
    at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByt
eArrayCommandTransport.java:34)
    at
```

```
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport
.java:59)
```

## Channel reader thread: jenkins-centos-6.x64-096555cf-45f1-431f-8bc4-8fe19edda7a1

```
"Channel reader thread: jenkins-centos-6.x64-096555cf-45f1-431f-8bc4-8fe19edda7a1"
Id=153032 Group=main WAITING on com.trilead.ssh2.channel.Channel@1f7a5c40
  at java.lang.Object.wait(Native Method)
  - waiting on com.trilead.ssh2.channel.Channel@1f7a5c40
  at java.lang.Object.wait(Object.java:502)
  at com.trilead.ssh2.channel.FifoBuffer.read(FifoBuffer.java:212)
  at com.trilead.ssh2.channel.Channel$Output.read(Channel.java:127)
  at
com.trilead.ssh2.channel.ChannelManager.getChannelData(ChannelManager.java:936)
  at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:58)
  at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:79)
  at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
  at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
  at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
  at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
  at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByt
eArrayCommandTransport.java:34)
  at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport
.java:59)
```

## Channel reader thread: jenkins-centos-7.x64-1809fc6e-36ad-4cfb-9af3-7352fe002c8a

```
"Channel reader thread: jenkins-centos-7.x64-1809fc6e-36ad-4cfb-9af3-7352fe002c8a"
Id=153059 Group=main WAITING on com.trilead.ssh2.channel.Channel@33ba1c7d
  at java.lang.Object.wait(Native Method)
  - waiting on com.trilead.ssh2.channel.Channel@33ba1c7d
  at java.lang.Object.wait(Object.java:502)
  at com.trilead.ssh2.channel.FifoBuffer.read(FifoBuffer.java:212)
  at com.trilead.ssh2.channel.Channel$Output.read(Channel.java:127)
  at
com.trilead.ssh2.channel.ChannelManager.getChannelData(ChannelManager.java:936)
  at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:58)
  at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:79)
  at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
  at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
  at
```



```
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
    at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

## **Channel reader thread: jenkins-centos-7.x64-1c43f3dc-1a54-433e-b840-6437fcd60554**

```
"Channel reader thread: jenkins-centos-7.x64-1c43f3dc-1a54-433e-b840-6437fcd60554"
Id=135013 Group=main WAITING on com.trilead.ssh2.channel.Channel@5643116e
    at java.lang.Object.wait(Native Method)
    -   waiting on com.trilead.ssh2.channel.Channel@5643116e
    at java.lang.Object.wait(Object.java:502)
    at com.trilead.ssh2.channel.FifoBuffer.read(FifoBuffer.java:212)
    at com.trilead.ssh2.channel.Channel$Output.read(Channel.java:127)
    at
com.trilead.ssh2.channel.ChannelManager.getChannelData(ChannelManager.java:936)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:58)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:79)
    at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
    at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

## **Channel reader thread: jenkins-centos-7.x64-49d1cf00-8be5-4381-8072-84a4f9ed5e96**

```
"Channel reader thread: jenkins-centos-7.x64-49d1cf00-8be5-4381-8072-84a4f9ed5e96"
Id=152782 Group=main WAITING on com.trilead.ssh2.channel.Channel@291ba864
    at java.lang.Object.wait(Native Method)
    -   waiting on com.trilead.ssh2.channel.Channel@291ba864
    at java.lang.Object.wait(Object.java:502)
    at com.trilead.ssh2.channel.FifoBuffer.read(FifoBuffer.java:212)
    at com.trilead.ssh2.channel.Channel$Output.read(Channel.java:127)
    at
```

```
com.trilead.ssh2.channel.ChannelManager.getChannelData(ChannelManager.java:936)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:58)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:79)
    at
udson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
udson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
udson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
udson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByte
eArrayCommandTransport.java:34)
    at
udson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport
.java:59)
```

## **Channel reader thread: jenkins-debian-stretch.x64-7b162cbd-e6e6-4b74-816a-dbeaef4786b8**

```
"Channel reader thread: jenkins-debian-stretch.x64-7b162cbd-e6e6-4b74-816a-dbeaef4786b8"
Id=135826 Group=main WAITING on com.trilead.ssh2.channel.Channel@77fc9d82
    at java.lang.Object.wait(Native Method)
    - waiting on com.trilead.ssh2.channel.Channel@77fc9d82
    at java.lang.Object.wait(Object.java:502)
    at com.trilead.ssh2.channel.FifoBuffer.read(FifoBuffer.java:212)
    at com.trilead.ssh2.channel.Channel$Output.read(Channel.java:127)
    at
com.trilead.ssh2.channel.ChannelManager.getChannelData(ChannelManager.java:936)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:58)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:79)
    at
udson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
udson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
udson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
udson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByt
eArrayCommandTransport.java:34)
    at
udson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport
.java:59)
```

## **Channel reader thread: jenkins-ubuntu-yakkety.x64-aaf7123f-0c41-42fa-8c78-e25b43ca946a**

```
"Channel reader thread: jenkins-ubuntu-yakkety.x64-aaf7123f-0c41-42fa-8c78-e25b43ca946a"
```

```
Id=135985 Group=main WAITING on com.trilead.ssh2.channel.Channel@14aad89a
  at java.lang.Object.wait(Native Method)
  - waiting on com.trilead.ssh2.channel.Channel@14aad89a
  at java.lang.Object.wait(Object.java:502)
  at com.trilead.ssh2.channel.FifoBuffer.read(FifoBuffer.java:212)
  at com.trilead.ssh2.channel.Channel$Output.read(Channel.java:127)
  at
com.trilead.ssh2.channel.ChannelManager.getChannelData(ChannelManager.java:936)
  at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:58)
  at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:79)
  at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
  at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
  at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
  at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
  at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
  at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

## Channel reader thread: pxc-perf

```
"Channel reader thread: pxc-perf" Id=336 Group=main WAITING on
com.trilead.ssh2.channel.Channel@7ef5f499
  at java.lang.Object.wait(Native Method)
  - waiting on com.trilead.ssh2.channel.Channel@7ef5f499
  at java.lang.Object.wait(Object.java:502)
  at com.trilead.ssh2.channel.FifoBuffer.read(FifoBuffer.java:212)
  at com.trilead.ssh2.channel.Channel$Output.read(Channel.java:127)
  at
com.trilead.ssh2.channel.ChannelManager.getChannelData(ChannelManager.java:936)
  at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:58)
  at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:79)
  at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
  at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
  at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
  at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
  at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
  at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

## Channel reader thread: qa-chef

```
"Channel reader thread: qa-chef" Id=337 Group=main WAITING on
com.trilead.ssh2.channel.Channel@73d6c85c
    at java.lang.Object.wait(Native Method)
    - waiting on com.trilead.ssh2.channel.Channel@73d6c85c
    at java.lang.Object.wait(Object.java:502)
    at com.trilead.ssh2.channel.FifoBuffer.read(FifoBuffer.java:212)
    at com.trilead.ssh2.channel.Channel$Output.read(Channel.java:127)
    at
com.trilead.ssh2.channel.ChannelManager.getChannelData(ChannelManager.java:936)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:58)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:79)
    at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByte
eArrayCommandTransport.java:34)
    at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport
.java:59)
```

## Channel reader thread: qa-pkg-1

```
"Channel reader thread: qa-pkg-1" Id=349 Group=main WAITING on
com.trilead.ssh2.channel.Channel@518b94b3
    at java.lang.Object.wait(Native Method)
    - waiting on com.trilead.ssh2.channel.Channel@518b94b3
    at java.lang.Object.wait(Object.java:502)
    at com.trilead.ssh2.channel.FifoBuffer.read(FifoBuffer.java:212)
    at com.trilead.ssh2.channel.Channel$Output.read(Channel.java:127)
    at
com.trilead.ssh2.channel.ChannelManager.getChannelData(ChannelManager.java:936)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:58)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:79)
    at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
```

```
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByt
eArrayCommandTransport.java:34)
    at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport
.java:59)
```

## Channel reader thread: qaserver-01

```
"Channel reader thread: qaserver-01" Id=318 Group=main WAITING on
com.trilead.ssh2.channel.Channel@2c1d83df
    at java.lang.Object.wait(Native Method)
    - waiting on com.trilead.ssh2.channel.Channel@2c1d83df
    at java.lang.Object.wait(Object.java:502)
    at com.trilead.ssh2.channel.FifoBuffer.read(FifoBuffer.java:212)
    at com.trilead.ssh2.channel.Channel$Output.read(Channel.java:127)
    at
com.trilead.ssh2.channel.ChannelManager.getChannelData(ChannelManager.java:936)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:58)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:79)
    at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByt
eArrayCommandTransport.java:34)
    at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport
.java:59)
```

## Channel reader thread: qaserver-02

```
"Channel reader thread: qaserver-02" Id=315 Group=main WAITING on
com.trilead.ssh2.channel.Channel@6a3dd957
    at java.lang.Object.wait(Native Method)
    - waiting on com.trilead.ssh2.channel.Channel@6a3dd957
    at java.lang.Object.wait(Object.java:502)
    at com.trilead.ssh2.channel.FifoBuffer.read(FifoBuffer.java:212)
    at com.trilead.ssh2.channel.Channel$Output.read(Channel.java:127)
    at
com.trilead.ssh2.channel.ChannelManager.getChannelData(ChannelManager.java:936)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:58)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:79)
    at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
```

```
at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByte
eArrayCommandTransport.java:34)
at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport
.java:59)
```

## Channel reader thread: qaserver-03

```
"Channel reader thread: qaserver-03" Id=319 Group=main WAITING on
com.trilead.ssh2.channel.Channel@63feeed3
at java.lang.Object.wait(Native Method)
- waiting on com.trilead.ssh2.channel.Channel@63feeed3
at java.lang.Object.wait(Object.java:502)
at com.trilead.ssh2.channel.FifoBuffer.read(FifoBuffer.java:212)
at com.trilead.ssh2.channel.Channel$Output.read(Channel.java:127)
at
com.trilead.ssh2.channel.ChannelManager.getChannelData(ChannelManager.java:936)
at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:58)
at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:79)
at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByt
eArrayCommandTransport.java:34)
at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport
.java:59)
```

## Channel reader thread: qaserver-04

```
"Channel reader thread: qaserver-04" Id=317 Group=main WAITING on
com.trilead.ssh2.channel.Channel@2b42c7c7
at java.lang.Object.wait(Native Method)
- waiting on com.trilead.ssh2.channel.Channel@2b42c7c7
at java.lang.Object.wait(Object.java:502)
at com.trilead.ssh2.channel.FifoBuffer.read(FifoBuffer.java:212)
at com.trilead.ssh2.channel.Channel$Output.read(Channel.java:127)
at
com.trilead.ssh2.channel.ChannelManager.getChannelData(ChannelManager.java:936)
```

```
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:58)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:79)
    at
  hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
  hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
  hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
  hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
    at
  hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

## Channel reader thread: qaserver-07

```
"Channel reader thread: qaserver-07" Id=316 Group=main WAITING on
com.trilead.ssh2.channel.Channel@7e212836
    at java.lang.Object.wait(Native Method)
    -   waiting on com.trilead.ssh2.channel.Channel@7e212836
    at java.lang.Object.wait(Object.java:502)
    at com.trilead.ssh2.channel.FifoBuffer.read(FifoBuffer.java:212)
    at com.trilead.ssh2.channel.Channel$Output.read(Channel.java:127)
    at
  com.trilead.ssh2.channel.ChannelManager.getChannelData(ChannelManager.java:936)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:58)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:79)
    at
  hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
  hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
  hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
  hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
    at
  hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

## Channel reader thread: qaserver-08

```
"Channel reader thread: qaserver-08" Id=345 Group=main WAITING on
com.trilead.ssh2.channel.Channel@2a6ba1c5
    at java.lang.Object.wait(Native Method)
    -   waiting on com.trilead.ssh2.channel.Channel@2a6ba1c5
```

```
at java.lang.Object.wait(Object.java:502)
at com.trilead.ssh2.channel.FifoBuffer.read(FifoBuffer.java:212)
at com.trilead.ssh2.channel.Channel$Output.read(Channel.java:127)
at
com.trilead.ssh2.channel.ChannelManager.getChannelData(ChannelManager.java:936)
at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:58)
at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:79)
at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByte
eArrayCommandTransport.java:34)
at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport
.java:59)
```

## Channel reader thread: sles12sp2

"Channel reader thread: sles12sp2" Id=327 Group=main WAITING on  
com.trilead.ssh2.channel.Channel@46413dbe

```
at java.lang.Object.wait(Native Method)
- waiting on com.trilead.ssh2.channel.Channel@46413dbe
at java.lang.Object.wait(Object.java:502)
at com.trilead.ssh2.channel.FifoBuffer.read(FifoBuffer.java:212)
at com.trilead.ssh2.channel.Channel$Output.read(Channel.java:127)
at
com.trilead.ssh2.channel.ChannelManager.getChannelData(ChannelManager.java:936)
at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:58)
at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:79)
at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByt
eArrayCommandTransport.java:34)
at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport
.java:59)
```

## Channel reader thread: vbox-01



```
"Channel reader thread: vbox-01" Id=328 Group=main WAITING on
com.trilead.ssh2.channel.Channel@967070b
    at java.lang.Object.wait(Native Method)
    - waiting on com.trilead.ssh2.channel.Channel@967070b
    at java.lang.Object.wait(Object.java:502)
    at com.trilead.ssh2.channel.FifoBuffer.read(FifoBuffer.java:212)
    at com.trilead.ssh2.channel.Channel$Output.read(Channel.java:127)
    at
com.trilead.ssh2.channel.ChannelManager.getChannelData(ChannelManager.java:936)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:58)
    at com.trilead.ssh2.channel.ChannelInputStream.read(ChannelInputStream.java:79)
    at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByte
eArrayCommandTransport.java:34)
    at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport
.java:59)
```

## Computer.threadPoolForRemoting [#1706]

```
"Computer.threadPoolForRemoting [#1706]" Id=151527 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@327b38f2
    at sun.misc.Unsafe.park(Native Method)
    - waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@327b38f2
    at java.util.concurrent.locks.LockSupport.park(LockSupport.java:175)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueu
edSynchronizer.java:2039)
    at org.apache.http.pool.PoolEntryFuture.await(PoolEntryFuture.java:138)
    at
org.apache.http.pool.AbstractConnPool.getPoolEntryBlocking(AbstractConnPool.java:306)
    at org.apache.http.pool.AbstractConnPool.access$000(AbstractConnPool.java:64)
    at
org.apache.http.pool.AbstractConnPool$2.getPoolEntry(AbstractConnPool.java:192)
    at
org.apache.http.pool.AbstractConnPool$2.getPoolEntry(AbstractConnPool.java:185)
    at org.apache.http.pool.PoolEntryFuture.get(PoolEntryFuture.java:107)
    at
org.apache.http.impl.conn.PoolingHttpClientConnectionManager.leaseConnection(PoolingHttp
ClientConnectionManager.java:276)
    at
org.apache.http.impl.conn.PoolingHttpClientConnectionManager$1.get(PoolingHttpClientConn
```

```
ectionManager.java:263)
    at
org.apache.http.impl.execchain.MainClientExec.execute(MainClientExec.java:190)
    at org.apache.http.impl.execchain.ProtocolExec.execute(ProtocolExec.java:184)
    at org.apache.http.impl.execchain.RetryExec.execute(RetryExec.java:88)
    at org.apache.http.impl.execchain.RedirectExec.execute(RedirectExec.java:110)
    at
org.apache.http.impl.client.InternalHttpClient.doExecute(InternalHttpClient.java:184)
    at
org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:82)
    at
org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:107)
    at
org.openstack4j.connectors.httpclient.HttpCommand.execute(HttpCommand.java:112)
    at
org.openstack4j.connectors.httpclient.HttpExecutorServiceImpl.invokeRequest(HttpExecutor
ServiceImpl.java:65)
    at
org.openstack4j.connectors.httpclient.HttpExecutorServiceImpl.invokeRequest(HttpExecutor
ServiceImpl.java:73)
    at
org.openstack4j.connectors.httpclient.HttpExecutorServiceImpl.invoke(HttpExecutorService
Impl.java:56)
    at
org.openstack4j.connectors.httpclient.HttpExecutorServiceImpl.execute(HttpExecutorServic
eImpl.java:32)
    at
org.openstack4j.core.transport.internal.HttpExecutor.execute(HttpExecutor.java:51)
    at
org.openstack4j.openstack.internal.BaseOpenStackService$Invocation.execute(BaseOpenStack
Service.java:208)
    at
org.openstack4j.openstack.internal.BaseOpenStackService$Invocation.execute(BaseOpenStack
Service.java:202)
    at
org.openstack4j.openstack.compute.internal.ServerServiceImpl.get(ServerServiceImpl.java:
120)
    at
jenkins.plugins.openstack.compute.internal.Openstack.getServerById(Openstack.java:293)
    at
jenkins.plugins.openstack.compute.JCloudsSlave.getPublicAddressIpv4(JCloudsSlave.java:12
6)
    at
jenkins.plugins.openstack.compute.JCloudsCloud$SlaveType$1.isReady(JCloudsCloud.java:129
)
    at
jenkins.plugins.openstack.compute.JCloudsCloud.isSlaveReadyToLaunch(JCloudsCloud.java:36
4)
    at
jenkins.plugins.openstack.compute.JCloudsSlaveTemplate.provisionSlave(JCloudsSlaveTempla
```

```
te.java:185)
    at
jenkins.plugins.openstack.compute.JCloudsCloud$NodeCallable.call(JCloudsCloud.java:355)
    at
jenkins.plugins.openstack.compute.JCloudsCloud$NodeCallable.call(JCloudsCloud.java:341)
    at
jenkins.util.ContextResettingExecutorService$2.call(ContextResettingExecutorService.java
:46)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@2f66d6ab
```

## Computer.threadPoolForRemoting [#1711]

```
"Computer.threadPoolForRemoting [#1711]" Id=152272 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@3357a69b
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@3357a69b
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:4
60)
    at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1073)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

## Computer.threadPoolForRemoting [#1712]

```
"Computer.threadPoolForRemoting [#1712]" Id=152289 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@3357a69b
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@3357a69b
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:4
60)
    at
```

```
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1073)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

## Computer.threadPoolForRemoting [#1713]

```
"Computer.threadPoolForRemoting [#1713]" Id=152484 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@3357a69b
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@3357a69b
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
    at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1073)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

## Computer.threadPoolForRemoting [#1715]

```
"Computer.threadPoolForRemoting [#1715]" Id=152784 Group=main TIMED_WAITING
    at java.lang.Thread.sleep(Native Method)
    at
com.dubture.jenkins.digitalocean.ComputerLauncher.sleep(ComputerLauncher.java:368)
    at
com.dubture.jenkins.digitalocean.ComputerLauncher.connectToSsh(ComputerLauncher.java:301)
    at
com.dubture.jenkins.digitalocean.ComputerLauncher.launch(ComputerLauncher.java:151)
    at hudson.slaves.SlaveComputer$1.call(SlaveComputer.java:262)
    at
jenkins.util.ContextResettingExecutorService$2.call(ContextResettingExecutorService.java:46)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
```

at java.lang.Thread.run(Thread.java:748)

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@3f3de0f8

## Computer.threadPoolForRemoting [#1716]

"Computer.threadPoolForRemoting [#1716]" Id=152935 Group=main WAITING on  
java.util.concurrent.FutureTask@1c6f010e

at sun.misc.Unsafe.park(Native Method)

- waiting on java.util.concurrent.FutureTask@1c6f010e

at java.util.concurrent.locks.LockSupport.park(LockSupport.java:175)

at java.util.concurrent.FutureTask.awaitDone(FutureTask.java:429)

at java.util.concurrent.FutureTask.get(FutureTask.java:191)

at com.dubture.jenkins.digitalocean.Cloud\$1.call(Cloud.java:227)

at com.dubture.jenkins.digitalocean.Cloud\$1.call(Cloud.java:216)

at

jenkins.util.ContextResettingExecutorService\$2.call(ContextResettingExecutorService.java  
:46)

at java.util.concurrent.FutureTask.run(FutureTask.java:266)

at

java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)

at

java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)

at java.lang.Thread.run(Thread.java:748)

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@3ff2849c

## Computer.threadPoolForRemoting [#1717]

"Computer.threadPoolForRemoting [#1717]" Id=152936 Group=main RUNNABLE

at java.net.SocketInputStream.socketRead0(Native Method)

at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)

at java.net.SocketInputStream.read(SocketInputStream.java:171)

at java.net.SocketInputStream.read(SocketInputStream.java:141)

at sun.security.ssl.InputRecord.readFully(InputRecord.java:465)

at sun.security.ssl.InputRecord.read(InputRecord.java:503)

at sun.security.ssl.SSLSocketImpl.readRecord(SSLSocketImpl.java:983)

- locked java.lang.Object@4d76a5f1

at sun.security.ssl.SSLSocketImpl.readDataRecord(SSLSocketImpl.java:940)

at sun.security.ssl.AppInputStream.read(AppInputStream.java:105)

- locked sun.security.ssl.AppInputStream@67a6594d

at

org.apache.http.impl.io.SessionInputBufferImpl.streamRead(SessionInputBufferImpl.java:13  
9)

at

org.apache.http.impl.io.SessionInputBufferImpl.fillBuffer(SessionInputBufferImpl.java:15  
5)

```
    at
org.apache.http.impl.io.SessionInputBufferImpl.readLine(SessionInputBufferImpl.java:284)
    at
org.apache.http.impl.conn.DefaultHttpResponseParser.parseHead(DefaultHttpResponseParser.
java:140)
    at
org.apache.http.impl.conn.DefaultHttpResponseParser.parseHead(DefaultHttpResponseParser.
java:57)
    at
org.apache.http.impl.io.AbstractMessageParser.parse(AbstractMessageParser.java:261)
    at
org.apache.http.impl.DefaultBHttpClientConnection.receiveResponseHeader(DefaultBHttpClie
ntConnection.java:165)
    at
org.apache.http.impl.conn.CPoolProxy.receiveResponseHeader(CPoolProxy.java:167)
    at
org.apache.http.protocol.HttpRequestExecutor.doReceiveResponse(HttpRequestExecutor.java:
272)
    at
org.apache.http.protocol.HttpRequestExecutor.execute(HttpRequestExecutor.java:124)
    at
org.apache.http.impl.execchain.MainClientExec.execute(MainClientExec.java:271)
    at org.apache.http.impl.execchain.ProtocolExec.execute(ProtocolExec.java:184)
    at org.apache.http.impl.execchain.RetryExec.execute(RetryExec.java:88)
    at org.apache.http.impl.execchain.RedirectExec.execute(RedirectExec.java:110)
    at
org.apache.http.impl.client.InternalHttpClient.doExecute(InternalHttpClient.java:184)
    at
org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:82)
    at
org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:107)
    at
com.myjeeva.digitalocean.impl.DigitalOceanClient.executeHttpRequest(DigitalOceanClient.j
ava:1152)
    at
com.myjeeva.digitalocean.impl.DigitalOceanClient.doGet(DigitalOceanClient.java:1105)
    at
com.myjeeva.digitalocean.impl.DigitalOceanClient.perform(DigitalOceanClient.java:1072)
    at
com.myjeeva.digitalocean.impl.DigitalOceanClient.getAvailableDroplets(DigitalOceanClient
.java:240)
    at
com.dubture.jenkins.digitalocean.DigitalOcean.getDroplets(DigitalOcean.java:247)
    at
com.dubture.jenkins.digitalocean.SlaveTemplate.isInstanceCapReached(SlaveTemplate.java:1
85)
    at
com.dubture.jenkins.digitalocean.Cloud.getTemplateBelowInstanceCap(Cloud.java:289)
    at com.dubture.jenkins.digitalocean.Cloud.canProvision(Cloud.java:249)
    - locked java.lang.Object@724056ca
```

```
at hudson.model.Label.getClouds(Label.java:227)
at hudson.model.Label.isEmpty(Label.java:436)
at jenkins.model.Jenkins.trimLabels(Jenkins.java:2162)
at jenkins.model.Nodes$2.run(Nodes.java:138)
at hudson.model.Queue._withLock(Queue.java:1342)
at hudson.model.Queue.withLock(Queue.java:1219)
at jenkins.model.Nodes.addNode(Nodes.java:133)
at jenkins.model.Jenkins.addNode(Jenkins.java:2116)
at com.dubture.jenkins.digitalocean.Cloud$1.call(Cloud.java:226)
at com.dubture.jenkins.digitalocean.Cloud$1.call(Cloud.java:216)
at
```

```
jenkins.util.ContextResettingExecutorService$2.call(ContextResettingExecutorService.java:46)
```

```
at java.util.concurrent.FutureTask.run(FutureTask.java:266)
at
```

```
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
```

```
at
```

```
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
```

```
at java.lang.Thread.run(Thread.java:748)
```

Number of locked synchronizers = 2

- java.util.concurrent.ThreadPoolExecutor\$Worker@63773366

- java.util.concurrent.locks.ReentrantLock\$NonfairSync@3d905e81

## Computer.threadPoolForRemoting [#1718]

"Computer.threadPoolForRemoting [#1718]" Id=152937 Group=main TIMED\_WAITING on

```
java.util.concurrent.SynchronousQueue$TransferStack@3357a69b
```

```
at sun.misc.Unsafe.park(Native Method)
```

```
- waiting on java.util.concurrent.SynchronousQueue$TransferStack@3357a69b
```

```
at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
```

```
at
```

```
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
```

```
at
```

```
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
```

```
at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
```

```
at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1073)
```

```
at
```

```
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
```

```
at
```

```
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
```

```
at java.lang.Thread.run(Thread.java:748)
```

## Computer.threadPoolForRemoting [#1719]

"Computer.threadPoolForRemoting [#1719]" Id=152938 Group=main TIMED\_WAITING on

```
java.util.concurrent.SynchronousQueue$TransferStack@3357a69b
```

```
at sun.misc.Unsafe.park(Native Method)
```

```
- waiting on java.util.concurrent.SynchronousQueue$TransferStack@3357a69b
at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1073)
at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
at java.lang.Thread.run(Thread.java:748)
```

## Computer.threadPoolForRemoting [#1720]

```
"Computer.threadPoolForRemoting [#1720]" Id=152963 Group=main TIMED_WAITING
at java.lang.Thread.sleep(Native Method)
at
com.dubture.jenkins.digitalocean.ComputerLauncher.sleep(ComputerLauncher.java:368)
at
com.dubture.jenkins.digitalocean.ComputerLauncher.connectToSsh(ComputerLauncher.java:301)
at
com.dubture.jenkins.digitalocean.ComputerLauncher.launch(ComputerLauncher.java:151)
at hudson.slaves.SlaveComputer$1.call(SlaveComputer.java:262)
at
jenkins.util.ContextResettingExecutorService$2.call(ContextResettingExecutorService.java:46)
at java.util.concurrent.FutureTask.run(FutureTask.java:266)
at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
at java.lang.Thread.run(Thread.java:748)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@37d4e36f
```

## Computer.threadPoolForRemoting [#1721]

```
"Computer.threadPoolForRemoting [#1721]" Id=153026 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@3357a69b
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.SynchronousQueue$TransferStack@3357a69b
at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:4
```



60)

at

```
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
  at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
  at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1073)
  at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
  at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
  at java.lang.Thread.run(Thread.java:748)
```

## Computer.threadPoolForRemoting [#1722]

```
"Computer.threadPoolForRemoting [#1722]" Id=153035 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@3357a69b
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.SynchronousQueue$TransferStack@3357a69b
  at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
  at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:4
60)
```

at

```
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
  at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
  at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1073)
  at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
  at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
  at java.lang.Thread.run(Thread.java:748)
```

## Computer.threadPoolForRemoting [#1723]

```
"Computer.threadPoolForRemoting [#1723]" Id=153039 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@3357a69b
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.SynchronousQueue$TransferStack@3357a69b
  at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
  at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:4
60)
```

at

```
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
  at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
  at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1073)
  at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
  at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
```

at java.lang.Thread.run(Thread.java:748)

## Computer.threadPoolForRemoting [#1724]

```
"Computer.threadPoolForRemoting [#1724]" Id=153053 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@3357a69b
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@3357a69b
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:4
60)
    at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1073)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

## Computer.threadPoolForRemoting [#1725]

```
"Computer.threadPoolForRemoting [#1725]" Id=153058 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@3d905e81 owned by
"Computer.threadPoolForRemoting [#1717]" Id=152936
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.locks.ReentrantLock$NonfairSync@3d905e81
    at java.util.concurrent.locks.LockSupport.park(LockSupport.java:175)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(AbstractQueu
edSynchronizer.java:836)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(AbstractQueuedSynchr
onizer.java:870)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(AbstractQueuedSynchronizer
.java:1199)
    at
java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(ReentrantLock.java:209)
    at java.util.concurrent.locks.ReentrantLock.lock(ReentrantLock.java:285)
    at hudson.model.Queue._withLock(Queue.java:1340)
    at hudson.model.Queue.withLock(Queue.java:1219)
    at jenkins.model.Nodes.addNode(Nodes.java:133)
    at jenkins.model.Jenkins.addNode(Jenkins.java:2116)
    at com.dubture.jenkins.digitalocean.Cloud$1.call(Cloud.java:226)
    at com.dubture.jenkins.digitalocean.Cloud$1.call(Cloud.java:216)
    at
```

```
jenkins.util.ContextResettingExecutorService$2.call(ContextResettingExecutorService.java:46)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@502baef5

## DestroyJavaVM

"DestroyJavaVM" Id=32 Group=main RUNNABLE

## Executor #-1 for master : executing mysql-5.7-param #1157

"Executor #-1 for master : executing mysql-5.7-param #1157" Id=135467 Group=main  
TIMED\_WAITING

at java.lang.Thread.sleep(Native Method)

at

hudson.matrix.DefaultMatrixExecutionStrategyImpl.waitForCompletion(DefaultMatrixExecutionStrategyImpl.java:299)

at

hudson.matrix.DefaultMatrixExecutionStrategyImpl.run(DefaultMatrixExecutionStrategyImpl.java:164)

at hudson.matrix.MatrixBuild\$MatrixBuildExecution.doRun(MatrixBuild.java:364)

at hudson.model.AbstractBuild\$AbstractBuildExecution.run(AbstractBuild.java:490)

at hudson.model.Run.execute(Run.java:1735)

at hudson.matrix.MatrixBuild.run(MatrixBuild.java:313)

at hudson.model.ResourceController.execute(ResourceController.java:97)

at hudson.model.Executor.run(Executor.java:405)

## Executor #-1 for master : executing mysql-5.7-param #1160

"Executor #-1 for master : executing mysql-5.7-param #1160" Id=152797 Group=main  
TIMED\_WAITING

at java.lang.Thread.sleep(Native Method)

at

hudson.matrix.DefaultMatrixExecutionStrategyImpl.waitForCompletion(DefaultMatrixExecutionStrategyImpl.java:299)

at

hudson.matrix.DefaultMatrixExecutionStrategyImpl.run(DefaultMatrixExecutionStrategyImpl.java:164)

at hudson.matrix.MatrixBuild\$MatrixBuildExecution.doRun(MatrixBuild.java:364)

at hudson.model.AbstractBuild\$AbstractBuildExecution.run(AbstractBuild.java:490)

at hudson.model.Run.execute(Run.java:1735)

```
at hudson.matrix.MatrixBuild.run(MatrixBuild.java:313)
at hudson.model.ResourceController.execute(ResourceController.java:97)
at hudson.model.Executor.run(Executor.java:405)
```

## **Executor #0 for jenkins-centos-6.x32-3200d0c8-c71b-4bbc-b710-f5d83a416ca5**

```
"Executor #0 for jenkins-centos-6.x32-3200d0c8-c71b-4bbc-b710-f5d83a416ca5" Id=152933
Group=main WAITING on java.util.concurrent.locks.ReentrantLock$NonfairSync@3d905e81
owned by "Computer.threadPoolForRemoting [#1717]" Id=152936
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.ReentrantLock$NonfairSync@3d905e81
  at java.util.concurrent.locks.LockSupport.park(LockSupport.java:175)
  at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(AbstractQueuedSynchronizer.java:836)
  at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(AbstractQueuedSynchronizer.java:870)
  at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(AbstractQueuedSynchronizer.java:1199)
  at
java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(ReentrantLock.java:209)
  at java.util.concurrent.locks.ReentrantLock.lock(ReentrantLock.java:285)
  at hudson.model.Queue._withLock(Queue.java:1399)
  at hudson.model.Queue.withLock(Queue.java:1262)
  at hudson.model.Executor.run(Executor.java:338)
```

## **Executor #0 for jenkins-centos-6.x64-096555cf-45f1-431f-8bc4-8fe19edda7a1**

```
"Executor #0 for jenkins-centos-6.x64-096555cf-45f1-431f-8bc4-8fe19edda7a1" Id=152939
Group=main WAITING on java.util.concurrent.locks.ReentrantLock$NonfairSync@3d905e81
owned by "Computer.threadPoolForRemoting [#1717]" Id=152936
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.ReentrantLock$NonfairSync@3d905e81
  at java.util.concurrent.locks.LockSupport.park(LockSupport.java:175)
  at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(AbstractQueuedSynchronizer.java:836)
  at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(AbstractQueuedSynchronizer.java:870)
  at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(AbstractQueuedSynchronizer.java:1199)
  at
java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(ReentrantLock.java:209)
```

```
at java.util.concurrent.locks.ReentrantLock.lock(ReentrantLock.java:285)
at hudson.model.Queue._withLock(Queue.java:1399)
at hudson.model.Queue.withLock(Queue.java:1262)
at hudson.model.Executor.run(Executor.java:338)
```

## **Executor #0 for jenkins-centos-7.x64-1c43f3dc-1a54-433e-b840-6437fcd60554 : executing mysql-5.7-param/BUILD\_TYPE=debug,Host=centos7-64 #1157 / waiting for jenkins-centos-7.x64-1c43f3dc-1a54-433e-b840-6437fcd60554 id=299440**

```
"Executor #0 for jenkins-centos-7.x64-1c43f3dc-1a54-433e-b840-6437fcd60554 : executing mysql-5.7-param/BUILD_TYPE=debug,Host=centos7-64 #1157 / waiting for jenkins-centos-7.x64-1c43f3dc-1a54-433e-b840-6437fcd60554 id=299440" Id=135440 Group=main TIMED_WAITING on hudson.remoting.UserRequest@674440cd
```

```
at java.lang.Object.wait(Native Method)
- waiting on hudson.remoting.UserRequest@674440cd
at hudson.remoting.Request.call(Request.java:147)
at hudson.remoting.Channel.call(Channel.java:829)
at
```

```
hudson.remoting.RemoteInvocationHandler.invoke(RemoteInvocationHandler.java:257)
at com.sun.proxy.$Proxy108.join(Unknown Source)
at hudson.Launcher$RemoteLauncher$ProcImpl.join(Launcher.java:1029)
at hudson.tasks.CommandInterpreter.join(CommandInterpreter.java:155)
at hudson.tasks.CommandInterpreter.perform(CommandInterpreter.java:109)
at hudson.tasks.CommandInterpreter.perform(CommandInterpreter.java:66)
at hudson.plugins.templateproject.ProxyBuilder.perform(ProxyBuilder.java:116)
at hudson.tasks.BuildStepMonitor$1.perform(BuildStepMonitor.java:20)
at
```

```
hudson.model.AbstractBuild$AbstractBuildExecution.perform(AbstractBuild.java:735)
at hudson.model.Build$BuildExecution.build(Build.java:206)
at hudson.model.Build$BuildExecution.doRun(Build.java:163)
at hudson.model.AbstractBuild$AbstractBuildExecution.run(AbstractBuild.java:490)
at hudson.model.Run.execute(Run.java:1735)
at hudson.matrix.MatrixRun.run(MatrixRun.java:146)
at hudson.model.ResourceController.execute(ResourceController.java:97)
at hudson.model.Executor.run(Executor.java:405)
```

## **Executor #0 for jenkins-centos-7.x64-49d1cf00-8be5-4381-8072-84a4f9ed5e96 : executing mysql-5.7-param/BUILD\_TYPE=debug,Host=centos7-64 #1160 / waiting for jenkins-centos-7.x64-49d1cf00-8be5-4381-8072-84a4f9ed5e96 id=337235**

```
"Executor #0 for jenkins-centos-7.x64-49d1cf00-8be5-4381-8072-84a4f9ed5e96 : executing mysql-5.7-param/BUILD_TYPE=debug,Host=centos7-64 #1160 / waiting for jenkins-centos-7.x64-49d1cf00-8be5-4381-8072-84a4f9ed5e96 id=337235" Id=153020 Group=main TIMED_WAITING on hudson.remoting.UserRequest@3832ab21
```

```
at java.lang.Object.wait(Native Method)
- waiting on hudson.remoting.UserRequest@3832ab21
at hudson.remoting.Request.call(Request.java:147)
```

```
at hudson.remoting.Channel.call(Channel.java:829)
at
org.jenkinsci.plugins.gitclient.RemoteGitImpl$CommandInvocationHandler.execute(RemoteGit
Impl.java:146)
at sun.reflect.GeneratedMethodAccessor1316.invoke(Unknown Source)
at
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at
org.jenkinsci.plugins.gitclient.RemoteGitImpl$CommandInvocationHandler.invoke(RemoteGitI
mpl.java:132)
at com.sun.proxy.$Proxy104.execute(Unknown Source)
at hudson.plugins.git.GitSCM.retrieveChanges(GitSCM.java:1075)
at hudson.plugins.git.GitSCM.checkout(GitSCM.java:1115)
at hudson.scm.SCM.checkout(SCM.java:495)
at hudson.model.AbstractProject.checkout(AbstractProject.java:1276)
at
 HudsonModel$AbstractBuild$AbstractBuildExecution.defaultCheckout(AbstractBuild.java:560
)
at jenkins.scm.SCMCheckoutStrategy.checkout(SCMCheckoutStrategy.java:86)
at hudson.model.AbstractBuild$AbstractBuildExecution.run(AbstractBuild.java:485)
at hudson.model.Run.execute(Run.java:1735)
at hudson.matrix.MatrixRun.run(MatrixRun.java:146)
at hudson.model.ResourceController.execute(ResourceController.java:97)
at hudson.model.Executor.run(Executor.java:405)
```

## **Executor #0 for jenkins-debian-stretch.x64-7b162cbd-e6e6-4b74-816a-dbeaef4786b8 : executing mysql-5.7-param/BUILD\_TYPE=debug,Host=debian-stretch-64bit #1157 / waiting for jenkins-debian-stretch.x64-7b162cbd-e6e6-4b74-816a-dbeaef4786b8 id=299480**

```
"Executor #0 for jenkins-debian-stretch.x64-7b162cbd-e6e6-4b74-816a-dbeaef4786b8 :
executing mysql-5.7-param/BUILD_TYPE=debug,Host=debian-stretch-64bit #1157 / waiting for
jenkins-debian-stretch.x64-7b162cbd-e6e6-4b74-816a-dbeaef4786b8 id=299480" Id=135701
Group=main TIMED_WAITING on hudson.remoting.UserRequest@6e74db02
at java.lang.Object.wait(Native Method)
- waiting on hudson.remoting.UserRequest@6e74db02
at hudson.remoting.Request.call(Request.java:147)
at hudson.remoting.Channel.call(Channel.java:829)
at
 HudsonModel$RemoteInvocationHandler.invoke(RemoteInvocationHandler.java:257)
at com.sun.proxy.$Proxy108.join(Unknown Source)
at hudson.Launcher$RemoteLauncher$ProcImpl.join(Launcher.java:1029)
at hudson.tasks.CommandInterpreter.join(CommandInterpreter.java:155)
at hudson.tasks.CommandInterpreter.perform(CommandInterpreter.java:109)
at hudson.tasks.CommandInterpreter.perform(CommandInterpreter.java:66)
at hudson.plugins.templateproject.ProxyBuilder.perform(ProxyBuilder.java:116)
at hudson.tasks.BuildStepMonitor$1.perform(BuildStepMonitor.java:20)
at
```

```
hudson.model.AbstractBuild$AbstractBuildExecution.perform(AbstractBuild.java:735)
  at hudson.model.Build$BuildExecution.build(Build.java:206)
  at hudson.model.Build$BuildExecution.doRun(Build.java:163)
  at hudson.model.AbstractBuild$AbstractBuildExecution.run(AbstractBuild.java:490)
  at hudson.model.Run.execute(Run.java:1735)
  at hudson.matrix.MatrixRun.run(MatrixRun.java:146)
  at hudson.model.ResourceController.execute(ResourceController.java:97)
  at hudson.model.Executor.run(Executor.java:405)
```

## **Executor #0 for jenkins-ubuntu-yakkety.x64-aaf7123f-0c41-42fa-8c78-e25b43ca946a : executing mysql-5.7-param/BUILD\_TYPE=debug,Host=ubuntu-yakkety-64bit #1157 / waiting for jenkins-ubuntu-yakkety.x64-aaf7123f-0c41-42fa-8c78-e25b43ca946a id=299523**

```
"Executor #0 for jenkins-ubuntu-yakkety.x64-aaf7123f-0c41-42fa-8c78-e25b43ca946a :
executing mysql-5.7-param/BUILD_TYPE=debug,Host=ubuntu-yakkety-64bit #1157 / waiting for
jenkins-ubuntu-yakkety.x64-aaf7123f-0c41-42fa-8c78-e25b43ca946a id=299523" Id=135726
Group=main TIMED_WAITING on hudson.remoting.UserRequest@4f4feff6
  at java.lang.Object.wait(Native Method)
  - waiting on hudson.remoting.UserRequest@4f4feff6
  at hudson.remoting.Request.call(Request.java:147)
  at hudson.remoting.Channel.call(Channel.java:829)
  at
hudson.remoting.RemoteInvocationHandler.invoke(RemoteInvocationHandler.java:257)
  at com.sun.proxy.$Proxy108.join(Unknown Source)
  at hudson.Launcher$RemoteLauncher$ProcImpl.join(Launcher.java:1029)
  at hudson.tasks.CommandInterpreter.join(CommandInterpreter.java:155)
  at hudson.tasks.CommandInterpreter.perform(CommandInterpreter.java:109)
  at hudson.tasks.CommandInterpreter.perform(CommandInterpreter.java:66)
  at hudson.plugins.templateproject.ProxyBuilder.perform(ProxyBuilder.java:116)
  at hudson.tasks.BuildStepMonitor$1.perform(BuildStepMonitor.java:20)
  at
hudson.model.AbstractBuild$AbstractBuildExecution.perform(AbstractBuild.java:735)
  at hudson.model.Build$BuildExecution.build(Build.java:206)
  at hudson.model.Build$BuildExecution.doRun(Build.java:163)
  at hudson.model.AbstractBuild$AbstractBuildExecution.run(AbstractBuild.java:490)
  at hudson.model.Run.execute(Run.java:1735)
  at hudson.matrix.MatrixRun.run(MatrixRun.java:146)
  at hudson.model.ResourceController.execute(ResourceController.java:97)
  at hudson.model.Executor.run(Executor.java:405)
```

## **FilePath.localPool [#473]**

```
"FilePath.localPool [#473]" Id=153070 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@338c9f10
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.SynchronousQueue$TransferStack@338c9f10
  at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
```

```
at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1073)
at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
at java.lang.Thread.run(Thread.java:748)
```

## FilePath.localPool [#474]

```
"FilePath.localPool [#474]" Id=153072 Group=main RUNNABLE
at sun.management.ThreadImpl.dumpThreads0(Native Method)
at sun.management.ThreadImpl.dumpAllThreads(ThreadImpl.java:454)
at hudson.Functions.getThreadInfos(Functions.java:1225)
at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
at hudson.remoting.LocalChannel$1.call(LocalChannel.java:52)
at
jenkins.util.ContextResettingExecutorService$2.call(ContextResettingExecutorService.java:46)
at java.util.concurrent.FutureTask.run(FutureTask.java:266)
at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
at java.lang.Thread.run(Thread.java:748)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@522678b6
```

## Handling GET /threadDump from 10.10.117.4 : RequestHandlerThread[#837] Jenkins/threadDump.jelly

```
"Handling GET /threadDump from 10.10.117.4 : RequestHandlerThread[#837]
Jenkins/threadDump.jelly" Id=153018 Group=main RUNNABLE
at java.lang.Throwable.getStackTraceElement(Native Method)
at java.lang.Throwable.getOurStackTrace(Throwable.java:827)
at java.lang.Throwable.writeObject(Throwable.java:979)
- locked hudson.remoting.Command$Source@58767302
at sun.reflect.GeneratedMethodAccessor21.invoke(Unknown Source)
at
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
```



```
at java.lang.reflect.Method.invoke(Method.java:498)
at java.io.ObjectStreamClass.invokeWriteObject(ObjectStreamClass.java:1028)
at java.io.ObjectOutputStream.writeSerialData(ObjectOutputStream.java:1496)
at java.io.ObjectOutputStream.writeOrdinaryObject(ObjectOutputStream.java:1432)
at java.io.ObjectOutputStream.writeObject0(ObjectOutputStream.java:1178)
at java.io.ObjectOutputStream.defaultWriteFields(ObjectOutputStream.java:1548)
at java.io.ObjectOutputStream.writeSerialData(ObjectOutputStream.java:1509)
at java.io.ObjectOutputStream.writeOrdinaryObject(ObjectOutputStream.java:1432)
at java.io.ObjectOutputStream.writeObject0(ObjectOutputStream.java:1178)
at java.io.ObjectOutputStream.writeObject(ObjectOutputStream.java:348)
at hudson.remoting.Command.writeTo(Command.java:88)
at
 Hudson.remoting.AbstractSynchronousByteArrayCommandTransport.write(AbstractSynchronousBy
teArrayCommandTransport.java:43)
  at hudson.remoting.Channel.send(Channel.java:609)
  - locked hudson.remoting.Channel@3794c23a
  at hudson.remoting.Request.callAsync(Request.java:205)
  at hudson.remoting.Channel.callAsync(Channel.java:856)
  at
 Hudson.util.RemotingDiagnostics.getThreadDumpAsync(RemotingDiagnostics.java:92)
  at jenkins.model.Jenkins.getAllThreadDumps(Jenkins.java:3826)
  at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
  at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
  at
 Sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
  at java.lang.reflect.Method.invoke(Method.java:498)
  at
 Org.apache.commons.jexl.util.introspection.UberspectImpl$VelMethodImpl.invoke(UberspectI
mpl.java:258)
  at org.apache.commons.jexl.parser.ASTMethod.execute(ASTMethod.java:104)
  at org.apache.commons.jexl.parser.ASTReference.execute(ASTReference.java:83)
  at org.apache.commons.jexl.parser.ASTReference.value(ASTReference.java:57)
  at
 Org.apache.commons.jexl.parser.ASTReferenceExpression.value(ASTReferenceExpression.java:
51)
  at org.apache.commons.jexl.ExpressionImpl.evaluate(ExpressionImpl.java:80)
  at hudson.ExpressionFactory2$JexlExpression.evaluate(ExpressionFactory2.java:74)
  at
 Org.apache.commons.jelly.tags.core.CoreTagLibrary$3.run(CoreTagLibrary.java:134)
  at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
  at org.kohsuke.stapler.jelly.CallTagLibScript$1.run(CallTagLibScript.java:99)
  at
 Org.apache.commons.jelly.tags.define.InvokeBodyTag.doTag(InvokeBodyTag.java:91)
  at org.apache.commons.jelly.impl.TagScript.run(TagScript.java:269)
  at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
  at
 Org.apache.commons.jelly.tags.core.CoreTagLibrary$1.run(CoreTagLibrary.java:98)
  at org.apache.commons.jelly.impl.ScriptBlock.run(ScriptBlock.java:95)
  at
 Org.apache.commons.jelly.tags.core.CoreTagLibrary$2.run(CoreTagLibrary.java:105)
```



```
a:51)
    at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
    at
jenkins.security.ExceptionTranslationFilter.doFilter(ExceptionTranslationFilter.java:117
)
    at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
    at
org.acegisecurity.providers.anonymous.AnonymousProcessingFilter.doFilter(AnonymousProces
singFilter.java:125)
    at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
    at
org.acegisecurity.ui.rememberme.RememberMeProcessingFilter.doFilter(RememberMeProcessing
Filter.java:142)
    at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
    at
org.acegisecurity.ui.AbstractProcessingFilter.doFilter(AbstractProcessingFilter.java:271
)
    at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
    at jenkins.security.BasicHeaderProcessor.doFilter(BasicHeaderProcessor.java:92)
    at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
    at
org.acegisecurity.context.HttpSessionContextIntegrationFilter.doFilter(HttpSessionContex
tIntegrationFilter.java:249)
    at
 HudsonSecurity.HttpSessionContextIntegrationFilter2.doFilter(HttpSessionContextIntegrat
ionFilter2.java:67)
    at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
    at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
    at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
    at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
    at
org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
    at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
    at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
    at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
    at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:
30)
    at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
    at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:585)
    at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
    at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:553)
    at
org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
    at
org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
```

```
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
at
org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
at
org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at
org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
at org.eclipse.jetty.server.Server.handle(Server.java:499)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:311)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:544)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
at java.lang.Thread.run(Thread.java:748)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@3a47d7cf

## Handling POST /cloud/BM-OpenStack/provision from 10.10.117.4 : RequestHandlerThread[#835]

```
"Handling POST /cloud/BM-OpenStack/provision from 10.10.117.4 :
RequestHandlerThread[#835]" Id=152931 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@513ad69f
at sun.misc.Unsafe.park(Native Method)
- waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@513ad69f
at java.util.concurrent.locks.LockSupport.park(LockSupport.java:175)
at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2039)
at org.apache.http.pool.PoolEntryFuture.await(PoolEntryFuture.java:138)
at
org.apache.http.pool.AbstractConnPool.getPoolEntryBlocking(AbstractConnPool.java:306)
at org.apache.http.pool.AbstractConnPool.access$000(AbstractConnPool.java:64)
at
org.apache.http.pool.AbstractConnPool$2.getPoolEntry(AbstractConnPool.java:192)
at
org.apache.http.pool.AbstractConnPool$2.getPoolEntry(AbstractConnPool.java:185)
at org.apache.http.pool.PoolEntryFuture.get(PoolEntryFuture.java:107)
at
org.apache.http.impl.conn.PoolingHttpClientConnectionManager.leaseConnection(PoolingHttpClientConnectionManager.java:276)
at
org.apache.http.impl.conn.PoolingHttpClientConnectionManager$1.get(PoolingHttpClientConnectionManager.java:263)
```

```
    at
org.apache.http.impl.execchain.MainClientExec.execute(MainClientExec.java:190)
    at org.apache.http.impl.execchain.ProtocolExec.execute(ProtocolExec.java:184)
    at org.apache.http.impl.execchain.RetryExec.execute(RetryExec.java:88)
    at org.apache.http.impl.execchain.RedirectExec.execute(RedirectExec.java:110)
    at
org.apache.http.impl.client.InternalHttpClient.doExecute(InternalHttpClient.java:184)
    at
org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:82)
    at
org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:107)
    at
org.openstack4j.connectors.httpclient.HttpCommand.execute(HttpCommand.java:112)
    at
org.openstack4j.connectors.httpclient.HttpExecutorServiceImpl.invokeRequest(HttpExecutorService
ServiceImpl.java:65)
    at
org.openstack4j.connectors.httpclient.HttpExecutorServiceImpl.invoke(HttpExecutorService
Impl.java:56)
    at
org.openstack4j.connectors.httpclient.HttpExecutorServiceImpl.execute(HttpExecutorService
Impl.java:32)
    at
org.openstack4j.core.transport.internal.HttpExecutor.execute(HttpExecutor.java:51)
    at
org.openstack4j.openstack.internal.BaseOpenStackService$Invocation.execute(BaseOpenStack
Service.java:208)
    at
org.openstack4j.openstack.internal.BaseOpenStackService$Invocation.execute(BaseOpenStack
Service.java:202)
    at
org.openstack4j.openstack.compute.internal.ServerServiceImpl.list(ServerServiceImpl.java
:97)
    at
org.openstack4j.openstack.compute.internal.ServerServiceImpl.list(ServerServiceImpl.java
:82)
    at
jenkins.plugins.openstack.compute.internal.Openstack.getRunningNodes(Openstack.java:218)
    at
jenkins.plugins.openstack.compute.JCloudsCloud.doProvision(JCloudsCloud.java:411)
    at java.lang.invoke.LambdaForm$DMH/1423499858.invokeVirtual_L4_V(LambdaForm$DMH)
    at java.lang.invoke.LambdaForm$BMH/1141217985.reinvoke(LambdaForm$BMH)
    at java.lang.invoke.LambdaForm$MH/381367857.invoker(LambdaForm$MH)
    at java.lang.invoke.LambdaForm$MH/2018736160.invokeExact_MT(LambdaForm$MH)
    at java.lang.invoke.MethodHandle.invokeWithArguments(MethodHandle.java:627)
    at org.kohsuke.stapler.Function$MethodFunction.invoke(Function.java:343)
    at org.kohsuke.stapler.Function.bindAndInvoke(Function.java:184)
    at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:117)
    at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
    at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
```

```
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$5.doDispatch(MetaClass.java:248)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:812)
at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1669)
  at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:135)
  at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:138)
  at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
  at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:49)
  at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
  at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
  at
hudson.security.UnwrapSecurityExceptionFilter.doFilter(UnwrapSecurityExceptionFilter.java:51)
  at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
  at
jenkins.security.ExceptionTranslationFilter.doFilter(ExceptionTranslationFilter.java:117)
)
  at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
  at
org.acegisecurity.providers.anonymous.AnonymousProcessingFilter.doFilter(AnonymousProcessingFilter.java:125)
  at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
  at
org.acegisecurity.ui.rememberme.RememberMeProcessingFilter.doFilter(RememberMeProcessingFilter.java:142)
  at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
  at
org.acegisecurity.ui.AbstractProcessingFilter.doFilter(AbstractProcessingFilter.java:271)
)
  at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
  at jenkins.security.BasicHeaderProcessor.doFilter(BasicHeaderProcessor.java:92)
  at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
  at
org.acegisecurity.context.HttpSessionContextIntegrationFilter.doFilter(HttpSessionContextIntegrationFilter.java:249)
  at
hudson.security.HttpSessionContextIntegrationFilter2.doFilter(HttpSessionContextIntegrationFilter2.java:67)
  at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
  at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
```

```
    at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
    at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
    at
org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
    at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
    at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
    at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
    at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:
30)
    at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
    at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:585)
    at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
    at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:553)
    at
org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
    at
org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
    at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
    at
org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
    at
org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
    at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
    at
org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
    at org.eclipse.jetty.server.Server.handle(Server.java:499)
    at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:311)
    at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
    at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:544)
    at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@6a2b6f1c

## Handling POST /cloud/BM-OpenStack/provision from 188.163.21.27 : RequestHandlerThread[#818]

"Handling POST /cloud/BM-OpenStack/provision from 188.163.21.27 :

RequestHandlerThread[#818]" Id=150653 Group=main WAITING on

java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject@5544e2f7

```
    at sun.misc.Unsafe.park(Native Method)
    - waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@5544e2f7
    at java.util.concurrent.locks.LockSupport.park(LockSupport.java:175)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2039)
    at org.apache.http.pool.PoolEntryFuture.await(PoolEntryFuture.java:138)
    at
org.apache.http.pool.AbstractConnPool.getPoolEntryBlocking(AbstractConnPool.java:306)
    at org.apache.http.pool.AbstractConnPool.access$000(AbstractConnPool.java:64)
    at
org.apache.http.pool.AbstractConnPool$2.getPoolEntry(AbstractConnPool.java:192)
    at
org.apache.http.pool.AbstractConnPool$2.getPoolEntry(AbstractConnPool.java:185)
    at org.apache.http.pool.PoolEntryFuture.get(PoolEntryFuture.java:107)
    at
org.apache.http.impl.conn.PoolingHttpClientConnectionManager.leaseConnection(PoolingHttpClientConnectionManager.java:276)
    at
org.apache.http.impl.conn.PoolingHttpClientConnectionManager$1.get(PoolingHttpClientConnectionManager.java:263)
    at
org.apache.http.impl.execchain.MainClientExec.execute(MainClientExec.java:190)
    at org.apache.http.impl.execchain.ProtocolExec.execute(ProtocolExec.java:184)
    at org.apache.http.impl.execchain.RetryExec.execute(RetryExec.java:88)
    at org.apache.http.impl.execchain.RedirectExec.execute(RedirectExec.java:110)
    at
org.apache.http.impl.client.InternalHttpClient.doExecute(InternalHttpClient.java:184)
    at
org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:82)
    at
org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:107)
    at
org.openstack4j.connectors.httpclient.HttpCommand.execute(HttpCommand.java:112)
    at
org.openstack4j.connectors.httpclient.HttpExecutorServiceImpl.invokeRequest(HttpExecutorServiceImpl.java:65)
    at
org.openstack4j.connectors.httpclient.HttpExecutorServiceImpl.invokeRequest(HttpExecutorServiceImpl.java:73)
    at
org.openstack4j.connectors.httpclient.HttpExecutorServiceImpl.invoke(HttpExecutorServiceImpl.java:56)
    at
org.openstack4j.connectors.httpclient.HttpExecutorServiceImpl.execute(HttpExecutorServiceImpl.java:32)
    at
org.openstack4j.core.transport.internal.HttpExecutor.execute(HttpExecutor.java:51)
    at
```



```
org.openstack4j.openstack.internal.BaseOpenStackService$Invocation.execute(BaseOpenStack
Service.java:208)
    at
org.openstack4j.openstack.internal.BaseOpenStackService$Invocation.execute(BaseOpenStack
Service.java:202)
    at
org.openstack4j.openstack.compute.internal.ServerServiceImpl.get(ServerServiceImpl.java:
120)
    at
jenkins.plugins.openstack.compute.internal.Openstack.getServerById(Openstack.java:293)
    at
jenkins.plugins.openstack.compute.JCloudsSlave.getPublicAddressIpv4(JCloudsSlave.java:12
6)
    at
jenkins.plugins.openstack.compute.JCloudsCloud$SlaveType$1.createLauncher(JCloudsCloud.j
ava:105)
    at jenkins.plugins.openstack.compute.JCloudsSlave.<init>(JCloudsSlave.java:72)
    at
jenkins.plugins.openstack.compute.JCloudsSlaveTemplate.provisionSlave(JCloudsSlaveTempla
te.java:181)
    at
jenkins.plugins.openstack.compute.JCloudsCloud.doProvision(JCloudsCloud.java:443)
    at java.lang.invoke.LambdaForm$DMH/1423499858.invokeVirtual_L4_V(LambdaForm$DMH)
    at java.lang.invoke.LambdaForm$BMH/1141217985.reinvoke(LambdaForm$BMH)
    at java.lang.invoke.LambdaForm$MH/381367857.invoker(LambdaForm$MH)
    at java.lang.invoke.LambdaForm$MH/2018736160.invokeExact_MT(LambdaForm$MH)
    at java.lang.invoke.MethodHandle.invokeWithArguments(MethodHandle.java:627)
    at org.kohsuke.stapler.Function$MethodFunction.invoke(Function.java:343)
    at org.kohsuke.stapler.Function.bindAndInvoke(Function.java:184)
    at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:117)
    at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
    at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
    at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
    at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
    at org.kohsuke.stapler.MetaClass$5.doDispatch(MetaClass.java:248)
    at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
    at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
    at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
    at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
    at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
    at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
    at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:812)
    at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1669)
    at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:135)
    at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:138)
    at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
    at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:49)
    at
```

```
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
    at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
    at
    hudson.security.UnwrapSecurityExceptionFilter.doFilter(UnwrapSecurityExceptionFilter.java:51)
        at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
        at
jenkins.security.ExceptionTranslationFilter.doFilter(ExceptionTranslationFilter.java:117)
    )
        at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
        at
org.acegisecurity.providers.anonymous.AnonymousProcessingFilter.doFilter(AnonymousProcessingFilter.java:125)
    at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
    at
org.acegisecurity.ui.rememberme.RememberMeProcessingFilter.doFilter(RememberMeProcessingFilter.java:142)
    at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
    at
org.acegisecurity.ui.AbstractProcessingFilter.doFilter(AbstractProcessingFilter.java:271)
    )
        at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
        at jenkins.security.BasicHeaderProcessor.doFilter(BasicHeaderProcessor.java:92)
        at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
        at
org.acegisecurity.context.HttpSessionContextIntegrationFilter.doFilter(HttpSessionContextIntegrationFilter.java:249)
    at
    hudson.security.HttpSessionContextIntegrationFilter2.doFilter(HttpSessionContextIntegrationFilter2.java:67)
        at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
        at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
        at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
        at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
    at
org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
    at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
    at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
    at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
    at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:30)
    at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
    at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:585)
    at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
    at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:553)
```

```
at
org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
at
org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
at
org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
at
org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
at
org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
at org.eclipse.jetty.server.Server.handle(Server.java:499)
at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:311)
at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:544)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
at java.lang.Thread.run(Thread.java:748)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@40a777b9

## Handling POST /cloud/BM-OpenStack/provision from 188.163.21.27 : RequestHandlerThread[#824]

```
"Handling POST /cloud/BM-OpenStack/provision from 188.163.21.27 :
RequestHandlerThread[#824]" Id=151306 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@7779a0d9
at sun.misc.Unsafe.park(Native Method)
- waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@7779a0d9
at java.util.concurrent.locks.LockSupport.park(LockSupport.java:175)
at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2039)
at org.apache.http.pool.PoolEntryFuture.await(PoolEntryFuture.java:138)
at
org.apache.http.pool.AbstractConnPool.getPoolEntryBlocking(AbstractConnPool.java:306)
at org.apache.http.pool.AbstractConnPool.access$000(AbstractConnPool.java:64)
at
org.apache.http.pool.AbstractConnPool$2.getPoolEntry(AbstractConnPool.java:192)
at
org.apache.http.pool.AbstractConnPool$2.getPoolEntry(AbstractConnPool.java:185)
at org.apache.http.pool.PoolEntryFuture.get(PoolEntryFuture.java:107)
at
org.apache.http.impl.conn.PoolingHttpClientConnectionManager.leaseConnection(PoolingHttp
```

```
ClientConnectionManager.java:276)
    at
org.apache.http.impl.conn.PoolingHttpClientConnectionManager$1.get(PoolingHttpClientConn
ectionManager.java:263)
    at
org.apache.http.impl.execchain.MainClientExec.execute(MainClientExec.java:190)
    at org.apache.http.impl.execchain.ProtocolExec.execute(ProtocolExec.java:184)
    at org.apache.http.impl.execchain.RetryExec.execute(RetryExec.java:88)
    at org.apache.http.impl.execchain.RedirectExec.execute(RedirectExec.java:110)
    at
org.apache.http.impl.client.InternalHttpClient.doExecute(InternalHttpClient.java:184)
    at
org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:82)
    at
org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:107)
    at
org.openstack4j.connectors.httpclient.HttpCommand.execute(HttpCommand.java:112)
    at
org.openstack4j.connectors.httpclient.HttpExecutorServiceImpl.invokeRequest(HttpExecutor
ServiceImpl.java:65)
    at
org.openstack4j.connectors.httpclient.HttpExecutorServiceImpl.invoke(HttpExecutorService
Impl.java:56)
    at
org.openstack4j.connectors.httpclient.HttpExecutorServiceImpl.execute(HttpExecutorServic
eImpl.java:32)
    at
org.openstack4j.core.transport.internal.HttpExecutor.execute(HttpExecutor.java:51)
    at
org.openstack4j.openstack.internal.BaseOpenStackService$Invocation.execute(BaseOpenStack
Service.java:208)
    at
org.openstack4j.openstack.internal.BaseOpenStackService$Invocation.execute(BaseOpenStack
Service.java:202)
    at
org.openstack4j.openstack.compute.internal.ServerServiceImpl.list(ServerServiceImpl.java
:97)
    at
org.openstack4j.openstack.compute.internal.ServerServiceImpl.list(ServerServiceImpl.java
:82)
    at
jenkins.plugins.openstack.compute.internal.Openstack.getRunningNodes(Openstack.java:218)
    at
jenkins.plugins.openstack.compute.JCloudsCloud.doProvision(JCloudsCloud.java:411)
    at java.lang.invoke.LambdaForm$DMH/1423499858.invokeVirtual_L4_V(LambdaForm$DMH)
    at java.lang.invoke.LambdaForm$BMH/1141217985.reinvoke(LambdaForm$BMH)
    at java.lang.invoke.LambdaForm$MH/381367857.invoker(LambdaForm$MH)
    at java.lang.invoke.LambdaForm$MH/2018736160.invokeExact_MT(LambdaForm$MH)
    at java.lang.invoke.MethodHandle.invokeWithArguments(MethodHandle.java:627)
    at org.kohsuke.stapler.Function$MethodFunction.invoke(Function.java:343)
```

```
at org.kohsuke.stapler.Function.bindAndInvoke(Function.java:184)
at org.kohsuke.stapler.Function.bindAndInvokeAndServeResponse(Function.java:117)
at org.kohsuke.stapler.MetaClass$1.doDispatch(MetaClass.java:129)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.MetaClass$5.doDispatch(MetaClass.java:248)
at org.kohsuke.stapler.NameBasedDispatcher.dispatch(NameBasedDispatcher.java:58)
at org.kohsuke.stapler.Stapler.tryInvoke(Stapler.java:715)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:845)
at org.kohsuke.stapler.Stapler.invoke(Stapler.java:649)
at org.kohsuke.stapler.Stapler.service(Stapler.java:238)
at javax.servlet.http.HttpServlet.service(HttpServlet.java:790)
at org.eclipse.jetty.servlet.ServletHolder.handle(ServletHolder.java:812)
at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1669)
  at hudson.util.PluginServletFilter$1.doFilter(PluginServletFilter.java:135)
  at hudson.util.PluginServletFilter.doFilter(PluginServletFilter.java:138)
  at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
  at hudson.security.csrf.CrumbFilter.doFilter(CrumbFilter.java:49)
  at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
  at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:84)
  at
hudson.security.UnwrapSecurityExceptionFilter.doFilter(UnwrapSecurityExceptionFilter.java:51)
  at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
  at
jenkins.security.ExceptionTranslationFilter.doFilter(ExceptionTranslationFilter.java:117)
)
  at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
  at
org.acegisecurity.providers.anonymous.AnonymousProcessingFilter.doFilter(AnonymousProcessingFilter.java:125)
  at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
  at
org.acegisecurity.ui.rememberme.RememberMeProcessingFilter.doFilter(RememberMeProcessingFilter.java:142)
  at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
  at
org.acegisecurity.ui.AbstractProcessingFilter.doFilter(AbstractProcessingFilter.java:271)
)
  at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
  at jenkins.security.BasicHeaderProcessor.doFilter(BasicHeaderProcessor.java:92)
  at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
  at
org.acegisecurity.context.HttpSessionContextIntegrationFilter.doFilter(HttpSessionContextIntegrationFilter.java:249)
  at
```

```
hudson.security.HttpSessionContextIntegrationFilter2.doFilter(HttpSessionContextIntegrat
ionFilter2.java:67)
    at hudson.security.ChainedServletFilter$1.doFilter(ChainedServletFilter.java:87)
    at hudson.security.ChainedServletFilter.doFilter(ChainedServletFilter.java:90)
    at hudson.security.HudsonFilter.doFilter(HudsonFilter.java:171)
    at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
    at
org.kohsuke.stapler.compression.CompressionFilter.doFilter(CompressionFilter.java:49)
    at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
    at hudson.util.CharacterEncodingFilter.doFilter(CharacterEncodingFilter.java:82)
    at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
    at
org.kohsuke.stapler.DiagnosticThreadNameFilter.doFilter(DiagnosticThreadNameFilter.java:
30)
    at
org.eclipse.jetty.servlet.ServletHandler$CachedChain.doFilter(ServletHandler.java:1652)
    at org.eclipse.jetty.servlet.ServletHandler.doHandle(ServletHandler.java:585)
    at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:143)
    at org.eclipse.jetty.security.SecurityHandler.handle(SecurityHandler.java:553)
    at
org.eclipse.jetty.server.session.SessionHandler.doHandle(SessionHandler.java:223)
    at
org.eclipse.jetty.server.handler.ContextHandler.doHandle(ContextHandler.java:1127)
    at org.eclipse.jetty.servlet.ServletHandler.doScope(ServletHandler.java:515)
    at
org.eclipse.jetty.server.session.SessionHandler.doScope(SessionHandler.java:185)
    at
org.eclipse.jetty.server.handler.ContextHandler.doScope(ContextHandler.java:1061)
    at org.eclipse.jetty.server.handler.ScopedHandler.handle(ScopedHandler.java:141)
    at
org.eclipse.jetty.server.handler.HandlerWrapper.handle(HandlerWrapper.java:97)
    at org.eclipse.jetty.server.Server.handle(Server.java:499)
    at org.eclipse.jetty.server.HttpChannel.handle(HttpChannel.java:311)
    at org.eclipse.jetty.server.HttpConnection.onFillable(HttpConnection.java:257)
    at org.eclipse.jetty.io.AbstractConnection$2.run(AbstractConnection.java:544)
    at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@71c48709

**Handling POST /job/pmm-testsuite/149/logText/progressiveHtml from**

## 176.37.55.60 : RequestHandlerThread[#833]

```
"Handling POST /job/pmm-testsuite/149/logText/progressiveHtml from 176.37.55.60 :
RequestHandlerThread[#833]" Id=152684 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@4d1b6a55
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@4d1b6a55
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:4
60)
    at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1073)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

## IOHub#1: Selector[keys:0, gen:0] / Computer.threadPoolForRemoting [#1430]

```
"IOHub#1: Selector[keys:0, gen:0] / Computer.threadPoolForRemoting [#1430]" Id=128733
Group=main RUNNABLE (in native)
    at sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)
    at sun.nio.ch.EPollArrayWrapper.poll(EPollArrayWrapper.java:269)
    at sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:93)
    at sun.nio.ch.SelectorImpl.lockAndDoSelect(SelectorImpl.java:86)
    - locked sun.nio.ch.Util$3@6f76ec4a
    - locked java.util.Collections$UnmodifiableSet@356be987
    - locked sun.nio.ch.EPollSelectorImpl@432e7b1d
    at sun.nio.ch.SelectorImpl.select(SelectorImpl.java:97)
    at sun.nio.ch.SelectorImpl.select(SelectorImpl.java:101)
    at org.jenkinsci.remoting.protocol.IOHub.run(IOHub.java:436)
    at
jenkins.util.ContextResettingExecutorService$1.run(ContextResettingExecutorService.java:
28)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@18bfd3e6

## Jenkins cron thread

```
"Jenkins cron thread" Id=33 Group=main TIMED_WAITING on java.util.TaskQueue@6028d09a
  at java.lang.Object.wait(Native Method)
  - waiting on java.util.TaskQueue@6028d09a
  at java.util.TimerThread.mainLoop(Timer.java:552)
  at java.util.TimerThread.run(Timer.java:505)
```

## Jenkins UDP 33848 monitoring thread

```
"Jenkins UDP 33848 monitoring thread" Id=373 Group=main RUNNABLE (in native)
  at java.net.PlainDatagramSocketImpl.receive0(Native Method)
  - locked java.net.PlainDatagramSocketImpl@24431a24
  at
```

```
java.net.AbstractPlainDatagramSocketImpl.receive(AbstractPlainDatagramSocketImpl.java:143)
```

```
  - locked java.net.PlainDatagramSocketImpl@24431a24
  at java.net.DatagramSocket.receive(DatagramSocket.java:812)
  - locked java.net.DatagramPacket@3af83c63
  - locked java.net.MulticastSocket@3ff457b4
  at hudson.UDPBroadcastThread.run(UDPBroadcastThread.java:84)
```

## jenkins.util.Timer [#10]

```
"jenkins.util.Timer [#10]" Id=338 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@3d905e81 owned by
```

```
"Computer.threadPoolForRemoting [#1717]" Id=152936
```

```
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.locks.ReentrantLock$NonfairSync@3d905e81
  at java.util.concurrent.locks.LockSupport.park(LockSupport.java:175)
  at
```

```
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(AbstractQueuedSynchronizer.java:836)
```

```
  at
```

```
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(AbstractQueuedSynchronizer.java:870)
```

```
  at
```

```
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(AbstractQueuedSynchronizer.java:1199)
```

```
  at
```

```
java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(ReentrantLock.java:209)
```

```
  at java.util.concurrent.locks.ReentrantLock.lock(ReentrantLock.java:285)
```

```
  at hudson.model.Queue._withLock(Queue.java:1340)
```

```
  at hudson.model.Queue.withLock(Queue.java:1219)
```

```
  at hudson.slaves.NodeProvisioner.update(NodeProvisioner.java:207)
```

```
  at hudson.slaves.NodeProvisioner.access$000(NodeProvisioner.java:61)
```

```
  at
```

```
hudson.slaves.NodeProvisioner$NodeProvisionerInvoker.doRun(NodeProvisioner.java:809)
```

```
  at hudson.triggers.SafeTimerTask.run(SafeTimerTask.java:51)
```

```
  at
```

```
jenkins.security.ImpersonatingScheduledExecutorService$1.run(ImpersonatingScheduledExecu
```



```
torService.java:58)
    at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
    at java.util.concurrent.FutureTask.runAndReset(FutureTask.java:308)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.access$301(Schedule
dThreadPoolExecutor.java:180)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(ScheduledThread
PoolExecutor.java:294)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

Number of locked synchronizers = 2

- java.util.concurrent.ThreadPoolExecutor\$Worker@d7455c6
- java.util.concurrent.locks.ReentrantLock\$NonfairSync@1f285a65

## jenkins.util.Timer [#1]

```
"jenkins.util.Timer [#1]" Id=34 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@373f0acb
    at sun.misc.Unsafe.park(Native Method)
    - waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@373f0acb
    at java.util.concurrent.locks.LockSupport.park(LockSupport.java:175)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueu
edSynchronizer.java:2039)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPo
olExecutor.java:1088)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPo
olExecutor.java:809)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1074)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

## jenkins.util.Timer [#2]

```
"jenkins.util.Timer [#2]" Id=91 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@373f0acb
    at sun.misc.Unsafe.park(Native Method)
    - waiting on
```

```
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@373f0acb
    at java.util.concurrent.locks.LockSupport.park(LockSupport.java:175)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2039)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:1088)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:809)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1074)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

### jenkins.util.Timer [#3]

```
"jenkins.util.Timer [#3]" Id=92 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@373f0acb
    at sun.misc.Unsafe.park(Native Method)
    - waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@373f0acb
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(AbstractQueuedSynchronizer.java:2078)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:1093)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:809)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1074)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

### jenkins.util.Timer [#4]

```
"jenkins.util.Timer [#4]" Id=93 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@373f0acb
    at sun.misc.Unsafe.park(Native Method)
    - waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@373f0acb
```

```
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(AbstractQueuedSynchronizer.java:2078)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:1093)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:809)
        at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1074)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

## jenkins.util.Timer [#5]

```
"jenkins.util.Timer [#5]" Id=94 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@373f0acb
    at sun.misc.Unsafe.park(Native Method)
    - waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@373f0acb
    at java.util.concurrent.locks.LockSupport.park(LockSupport.java:175)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2039)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:1088)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:809)
        at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1074)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

## jenkins.util.Timer [#6]

```
"jenkins.util.Timer [#6]" Id=95 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@3d905e81 owned by
"Computer.threadPoolForRemoting [#1717]" Id=152936
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.locks.ReentrantLock$NonfairSync@3d905e81
    at java.util.concurrent.locks.LockSupport.park(LockSupport.java:175)
```

```
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(AbstractQueuedSynchronizer.java:836)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(AbstractQueuedSynchronizer.java:870)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(AbstractQueuedSynchronizer.java:1199)
    at
java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(ReentrantLock.java:209)
    at java.util.concurrent.locks.ReentrantLock.lock(ReentrantLock.java:285)
    at hudson.model.Queue.maintain(Queue.java:1420)
    at hudson.model.Queue$MaintainTask.doRun(Queue.java:2770)
    at hudson.triggers.SafeTimerTask.run(SafeTimerTask.java:51)
    at
jenkins.security.ImpersonatingScheduledExecutorService$1.run(ImpersonatingScheduledExecutorService.java:58)
    at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
    at java.util.concurrent.FutureTask.runAndReset(FutureTask.java:308)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.access$301(ScheduledThreadPoolExecutor.java:180)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(ScheduledThreadPoolExecutor.java:294)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@4af2ff8a
```

## jenkins.util.Timer [#7]

```
"jenkins.util.Timer [#7]" Id=96 Group=main WAITING on
java.util.concurrent.locks.ReentrantLock$NonfairSync@3d905e81 owned by
"Computer.threadPoolForRemoting [#1717]" Id=152936
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.locks.ReentrantLock$NonfairSync@3d905e81
    at java.util.concurrent.locks.LockSupport.park(LockSupport.java:175)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer.parkAndCheckInterrupt(AbstractQueuedSynchronizer.java:836)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquireQueued(AbstractQueuedSynchronizer.java:870)
    at
```

```
java.util.concurrent.locks.AbstractQueuedSynchronizer.acquire(AbstractQueuedSynchronizer
.java:1199)
    at
java.util.concurrent.locks.ReentrantLock$NonfairSync.lock(ReentrantLock.java:209)
    at java.util.concurrent.locks.ReentrantLock.lock(ReentrantLock.java:285)
    at hudson.model.Queue._withLock(Queue.java:1340)
    at hudson.model.Queue.withLock(Queue.java:1219)
    at hudson.slaves.ComputerRetentionWork.doRun(ComputerRetentionWork.java:63)
    at hudson.triggers.SafeTimerTask.run(SafeTimerTask.java:51)
    at
jenkins.security.ImpersonatingScheduledExecutorService$1.run(ImpersonatingScheduledExecu
torService.java:58)
    at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
    at java.util.concurrent.FutureTask.runAndReset(FutureTask.java:308)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.access$301(Schedule
dThreadPoolExecutor.java:180)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$ScheduledFutureTask.run(ScheduledThread
PoolExecutor.java:294)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@1da90dcf
```

## jenkins.util.Timer [#8]

```
"jenkins.util.Timer [#8]" Id=97 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@373f0acb
    at sun.misc.Unsafe.park(Native Method)
    - waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@373f0acb
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Abstrac
tQueuedSynchronizer.java:2078)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPo
olExecutor.java:1093)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPo
olExecutor.java:809)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1074)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
    at
```

```
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

## jenkins.util.Timer [#9]

```
"jenkins.util.Timer [#9]" Id=98 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@373f0acb
    at sun.misc.Unsafe.park(Native Method)
    - waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@373f0acb
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Abstrac
tQueuedSynchronizer.java:2078)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPo
olExecutor.java:1093)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPo
olExecutor.java:809)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1074)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

## JGit-WorkQueue

```
"JGit-WorkQueue" Id=737 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@bc4f059
    at sun.misc.Unsafe.park(Native Method)
    - waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@bc4f059
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Abstrac
tQueuedSynchronizer.java:2078)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPo
olExecutor.java:1093)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPo
olExecutor.java:809)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1074)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
```

at java.lang.Thread.run(Thread.java:748)

## JmDNS(10-10-6-254.local.).State.Timer

```
"JmDNS(10-10-6-254.local.).State.Timer" Id=380 Group=main TIMED_WAITING on
java.util.TaskQueue@8ab89e1
    at java.lang.Object.wait(Native Method)
    - waiting on java.util.TaskQueue@8ab89e1
    at java.util.TimerThread.mainLoop(Timer.java:552)
    at java.util.TimerThread.run(Timer.java:505)
```

## JmDNS(10-10-6-254.local.).Timer

```
"JmDNS(10-10-6-254.local.).Timer" Id=379 Group=main TIMED_WAITING on
java.util.TaskQueue@4cf5a0b7
    at java.lang.Object.wait(Native Method)
    - waiting on java.util.TaskQueue@4cf5a0b7
    at java.util.TimerThread.mainLoop(Timer.java:552)
    at java.util.TimerThread.run(Timer.java:505)
```

## LauncherControlThread[ControlPort=-1]

```
"LauncherControlThread[ControlPort=-1]" Id=30 Group=main TIMED_WAITING
    at java.lang.Thread.sleep(Native Method)
    at winstone.Launcher.run(Launcher.java:243)
    at java.lang.Thread.run(Thread.java:748)
```

## NioChannelHub keys=0 gen=0: Computer.threadPoolForRemoting [#1424]

```
"NioChannelHub keys=0 gen=0: Computer.threadPoolForRemoting [#1424]" Id=128578
Group=main RUNNABLE (in native)
    at sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)
    at sun.nio.ch.EPollArrayWrapper.poll(EPollArrayWrapper.java:269)
    at sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:93)
    at sun.nio.ch.SelectorImpl.lockAndDoSelect(SelectorImpl.java:86)
    - locked sun.nio.ch.Util$3@3401f6b7
    - locked java.util.Collections$UnmodifiableSet@6c4d58c1
    - locked sun.nio.ch.EPollSelectorImpl@680a31e
    at sun.nio.ch.SelectorImpl.select(SelectorImpl.java:97)
    at sun.nio.ch.SelectorImpl.select(SelectorImpl.java:101)
    at org.jenkinsci.remoting.nio.NioChannelHub.run(NioChannelHub.java:545)
    at
jenkins.util.ContextResettingExecutorService$1.run(ContextResettingExecutorService.java:
28)
    at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
```

at

java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)

at

java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)

at java.lang.Thread.run(Thread.java:748)

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@165177e9

## OpenStack slave cleanup thread

"OpenStack slave cleanup thread" Id=152173 Group=main WAITING on

java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject@7ca2f03b

at sun.misc.Unsafe.park(Native Method)

- waiting on

java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject@7ca2f03b

at java.util.concurrent.locks.LockSupport.park(LockSupport.java:175)

at

java.util.concurrent.locks.AbstractQueuedSynchronizer\$ConditionObject.await(AbstractQueuedSynchronizer.java:2039)

at org.apache.http.pool.PoolEntryFuture.await(PoolEntryFuture.java:138)

at

org.apache.http.pool.AbstractConnPool.getPoolEntryBlocking(AbstractConnPool.java:306)

at org.apache.http.pool.AbstractConnPool.access\$000(AbstractConnPool.java:64)

at

org.apache.http.pool.AbstractConnPool\$2.getPoolEntry(AbstractConnPool.java:192)

at

org.apache.http.pool.AbstractConnPool\$2.getPoolEntry(AbstractConnPool.java:185)

at org.apache.http.pool.PoolEntryFuture.get(PoolEntryFuture.java:107)

at

org.apache.http.impl.conn.PoolingHttpClientConnectionManager.leaseConnection(PoolingHttpClientConnectionManager.java:276)

at

org.apache.http.impl.conn.PoolingHttpClientConnectionManager\$1.get(PoolingHttpClientConnectionManager.java:263)

at

org.apache.http.impl.execchain.MainClientExec.execute(MainClientExec.java:190)

at org.apache.http.impl.execchain.ProtocolExec.execute(ProtocolExec.java:184)

at org.apache.http.impl.execchain.RetryExec.execute(RetryExec.java:88)

at org.apache.http.impl.execchain.RedirectExec.execute(RedirectExec.java:110)

at

org.apache.http.impl.client.InternalHttpClient.doExecute(InternalHttpClient.java:184)

at

org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:82)

at

org.apache.http.impl.client.CloseableHttpClient.execute(CloseableHttpClient.java:107)

at

org.openstack4j.connectors.httpclient.HttpCommand.execute(HttpCommand.java:112)

at

org.openstack4j.connectors.httpclient.HttpExecutorServiceImpl.invokeRequest(HttpExecutor



```
ServiceImpl.java:65)
    at
org.openstack4j.connectors.httpclient.HttpExecutorServiceImpl.invoke(HttpExecutorService
Impl.java:56)
    at
org.openstack4j.connectors.httpclient.HttpExecutorServiceImpl.execute(HttpExecutorServic
eImpl.java:32)
    at
org.openstack4j.core.transport.internal.HttpExecutor.execute(HttpExecutor.java:51)
    at
org.openstack4j.openstack.internal.BaseOpenStackService$Invocation.execute(BaseOpenStack
Service.java:208)
    at
org.openstack4j.openstack.internal.BaseOpenStackService$Invocation.execute(BaseOpenStack
Service.java:202)
    at
org.openstack4j.openstack.compute.internal.ServerServiceImpl.list(ServerServiceImpl.java
:97)
    at
org.openstack4j.openstack.compute.internal.ServerServiceImpl.list(ServerServiceImpl.java
:82)
    at
jenkins.plugins.openstack.compute.internal.Openstack.getRunningNodes(Openstack.java:218)
    at
jenkins.plugins.openstack.compute.JCloudsCleanupThread.destroyServersOutOfScope(JCloudsC
leanupThread.java:161)
    at
jenkins.plugins.openstack.compute.JCloudsCleanupThread.execute(JCloudsCleanupThread.java
:68)
    at hudson.model.AsyncPeriodicWork$1.run(AsyncPeriodicWork.java:101)
    at java.lang.Thread.run(Thread.java:748)
```

## **org.eclipse.jetty.server.session.HashSessionManager@1ed4004bTimer**

```
"org.eclipse.jetty.server.session.HashSessionManager@1ed4004bTimer" Id=20 Group=main
TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@7b392219
    at sun.misc.Unsafe.park(Native Method)
    - waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@7b392219
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Abstrac
tQueuedSynchronizer.java:2078)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPo
olExecutor.java:1093)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPo
olExecutor.java:809)
```

```
at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1074)
at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
at java.lang.Thread.run(Thread.java:748)
```

## **Ping thread for channel hudson.remoting.Channel@1a6bc74e:jenkins-centos-7.x64-1c43f3dc-1a54-433e-b840-6437fcd60554**

```
"Ping thread for channel hudson.remoting.Channel@1a6bc74e:jenkins-centos-7.x64-1c43f3dc-1a54-433e-b840-6437fcd60554" Id=135014 Group=main TIMED_WAITING
at java.lang.Thread.sleep(Native Method)
at hudson.remoting.PingThread.run(PingThread.java:91)
```

## **Ping thread for channel hudson.remoting.Channel@1af9ac08:jenkins-centos-7.x64-1809fc6e-36ad-4cfb-9af3-7352fe002c8a**

```
"Ping thread for channel hudson.remoting.Channel@1af9ac08:jenkins-centos-7.x64-1809fc6e-36ad-4cfb-9af3-7352fe002c8a" Id=153060 Group=main TIMED_WAITING
at java.lang.Thread.sleep(Native Method)
at hudson.remoting.PingThread.run(PingThread.java:91)
```

## **Ping thread for channel hudson.remoting.Channel@287a666f:evgeniy-dont-stop**

```
"Ping thread for channel hudson.remoting.Channel@287a666f:evgeniy-dont-stop" Id=341
Group=main TIMED_WAITING
at java.lang.Thread.sleep(Native Method)
at hudson.remoting.PingThread.run(PingThread.java:91)
```

## **Ping thread for channel hudson.remoting.Channel@296c99e8:qaserver-03**

```
"Ping thread for channel hudson.remoting.Channel@296c99e8:qaserver-03" Id=335 Group=main
TIMED_WAITING
at java.lang.Thread.sleep(Native Method)
at hudson.remoting.PingThread.run(PingThread.java:91)
```

## **Ping thread for channel hudson.remoting.Channel@3794c23a:docker-01**

```
"Ping thread for channel hudson.remoting.Channel@3794c23a:docker-01" Id=334 Group=main
TIMED_WAITING
at java.lang.Thread.sleep(Native Method)
at hudson.remoting.PingThread.run(PingThread.java:91)
```

## **Ping thread for channel hudson.remoting.Channel@3bd96422:qaserver-04**

```
"Ping thread for channel hudson.remoting.Channel@3bd96422:qaserver-04" Id=331 Group=main  
TIMED_WAITING  
    at java.lang.Thread.sleep(Native Method)  
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## **Ping thread for channel hudson.remoting.Channel@40da693f:jenkins-centos-6.x32-3200d0c8-c71b-4bbc-b710-f5d83a416ca5**

```
"Ping thread for channel hudson.remoting.Channel@40da693f:jenkins-centos-6.x32-3200d0c8-  
c71b-4bbc-b710-f5d83a416ca5" Id=153049 Group=main TIMED_WAITING  
    at java.lang.Thread.sleep(Native Method)  
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## **Ping thread for channel hudson.remoting.Channel@467fb295:pxc-perf**

```
"Ping thread for channel hudson.remoting.Channel@467fb295:pxc-perf" Id=350 Group=main  
TIMED_WAITING  
    at java.lang.Thread.sleep(Native Method)  
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## **Ping thread for channel hudson.remoting.Channel@46a91178:qaserver-08**

```
"Ping thread for channel hudson.remoting.Channel@46a91178:qaserver-08" Id=356 Group=main  
TIMED_WAITING  
    at java.lang.Thread.sleep(Native Method)  
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## **Ping thread for channel hudson.remoting.Channel@4da166d0:sles12sp2**

```
"Ping thread for channel hudson.remoting.Channel@4da166d0:sles12sp2" Id=348 Group=main  
TIMED_WAITING  
    at java.lang.Thread.sleep(Native Method)  
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## **Ping thread for channel hudson.remoting.Channel@4ec1d0c0:qaserver-02**

```
"Ping thread for channel hudson.remoting.Channel@4ec1d0c0:qaserver-02" Id=326 Group=main  
TIMED_WAITING  
    at java.lang.Thread.sleep(Native Method)  
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## **Ping thread for channel hudson.remoting.Channel@543cbe42:vbox-01**

```
"Ping thread for channel hudson.remoting.Channel@543cbe42:vbox-01" Id=347 Group=main  
TIMED_WAITING  
    at java.lang.Thread.sleep(Native Method)  
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## **Ping thread for channel hudson.remoting.Channel@55323b64:jenkins-ubuntu-yakkety.x64-aaf7123f-0c41-42fa-8c78-e25b43ca946a**

```
"Ping thread for channel hudson.remoting.Channel@55323b64:jenkins-ubuntu-yakkety.x64-  
aaf7123f-0c41-42fa-8c78-e25b43ca946a" Id=135992 Group=main TIMED_WAITING  
    at java.lang.Thread.sleep(Native Method)  
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## **Ping thread for channel hudson.remoting.Channel@553b5715:jenkins-centos-6.x64-096555cf-45f1-431f-8bc4-8fe19edda7a1**

```
"Ping thread for channel hudson.remoting.Channel@553b5715:jenkins-centos-6.x64-096555cf-  
45f1-431f-8bc4-8fe19edda7a1" Id=153038 Group=main TIMED_WAITING  
    at java.lang.Thread.sleep(Native Method)  
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## **Ping thread for channel hudson.remoting.Channel@700971c0:jenkins-debian-stretch.x64-7b162cbd-e6e6-4b74-816a-dbeaef4786b8**

```
"Ping thread for channel hudson.remoting.Channel@700971c0:jenkins-debian-stretch.x64-  
7b162cbd-e6e6-4b74-816a-dbeaef4786b8" Id=135828 Group=main TIMED_WAITING  
    at java.lang.Thread.sleep(Native Method)  
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## **Ping thread for channel hudson.remoting.Channel@78e5ae07:qaserver-01**

```
"Ping thread for channel hudson.remoting.Channel@78e5ae07:qaserver-01" Id=329 Group=main  
TIMED_WAITING  
    at java.lang.Thread.sleep(Native Method)  
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## **Ping thread for channel hudson.remoting.Channel@7baa50c3:qa-pkg-1**

```
"Ping thread for channel hudson.remoting.Channel@7baa50c3:qa-pkg-1" Id=357 Group=main  
TIMED_WAITING  
    at java.lang.Thread.sleep(Native Method)  
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## Ping thread for channel hudson.remoting.Channel@7cdb9ea7:qa-chef

```
"Ping thread for channel hudson.remoting.Channel@7cdb9ea7:qa-chef" Id=353 Group=main  
TIMED_WAITING  
    at java.lang.Thread.sleep(Native Method)  
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## Ping thread for channel hudson.remoting.Channel@7e97fd3f:qaserver-07

```
"Ping thread for channel hudson.remoting.Channel@7e97fd3f:qaserver-07" Id=330 Group=main  
TIMED_WAITING  
    at java.lang.Thread.sleep(Native Method)  
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## Ping thread for channel hudson.remoting.Channel@8b60b24:jenkins-centos-7.x64-49d1cf00-8be5-4381-8072-84a4f9ed5e96

```
"Ping thread for channel hudson.remoting.Channel@8b60b24:jenkins-centos-7.x64-49d1cf00-  
8be5-4381-8072-84a4f9ed5e96" Id=152783 Group=main TIMED_WAITING  
    at java.lang.Thread.sleep(Native Method)  
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## pool-43-thread-1

```
"pool-43-thread-1" Id=97178 Group=main WAITING on  
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@36c6d640  
    at sun.misc.Unsafe.park(Native Method)  
    - waiting on  
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@36c6d640  
    at java.util.concurrent.locks.LockSupport.park(LockSupport.java:175)  
    at  
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueu  
edSynchronizer.java:2039)  
    at java.util.concurrent.LinkedBlockingQueue.take(LinkedBlockingQueue.java:442)  
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1074)  
    at  
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)  
    at  
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)  
    at java.lang.Thread.run(Thread.java:748)
```

## Proc.executor [#234]

```
"Proc.executor [#234]" Id=152727 Group=main TIMED_WAITING on  
java.util.concurrent.SynchronousQueue$TransferStack@11181f1b  
    at sun.misc.Unsafe.park(Native Method)
```

```
- waiting on java.util.concurrent.SynchronousQueue$TransferStack@11181f1b
at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1073)
at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
at java.lang.Thread.run(Thread.java:748)
```

## RemoteInvocationHandler [#119]

```
"RemoteInvocationHandler [#119]" Id=148729 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@5f6fd5ac
at java.lang.Object.wait(Native Method)
- waiting on java.lang.ref.ReferenceQueue$Lock@5f6fd5ac
at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
at
hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.java:572)
at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
at java.util.concurrent.FutureTask.run(FutureTask.java:266)
at
hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:110)
at java.lang.Thread.run(Thread.java:748)
```

## RequestHandlerThread[#1]-selector-ServerConnectorManager@4a1594af/0

```
"RequestHandlerThread[#1]-selector-ServerConnectorManager@4a1594af/0" Id=23 Group=main
RUNNABLE (in native)
at sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)
at sun.nio.ch.EPollArrayWrapper.poll(EPollArrayWrapper.java:269)
at sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:93)
at sun.nio.ch.SelectorImpl.lockAndDoSelect(SelectorImpl.java:86)
- locked sun.nio.ch.Util$3@3fb2b8cc
- locked java.util.Collections$UnmodifiableSet@79faf93
- locked sun.nio.ch.EPollSelectorImpl@6f28da10
at sun.nio.ch.SelectorImpl.select(SelectorImpl.java:97)
at sun.nio.ch.SelectorImpl.select(SelectorImpl.java:101)
at
org.eclipse.jetty.io.SelectorManager$ManagedSelector.select(SelectorManager.java:600)
at
org.eclipse.jetty.io.SelectorManager$ManagedSelector.run(SelectorManager.java:549)
at
```

```
org.eclipse.jetty.util.thread.NonBlockingThread.run(NonBlockingThread.java:52)
    at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@2eae8e6e

## **RequestHandlerThread[#2]-selector-ServerConnectorManager@4a1594af/1**

"RequestHandlerThread[#2]-selector-ServerConnectorManager@4a1594af/1" Id=24 Group=main  
RUNNABLE (in native)

```
    at sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)
    at sun.nio.ch.EPollArrayWrapper.poll(EPollArrayWrapper.java:269)
    at sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:93)
    at sun.nio.ch.SelectorImpl.lockAndDoSelect(SelectorImpl.java:86)
    - locked sun.nio.ch.Util$3@7fb8f5bc
    - locked java.util.Collections$UnmodifiableSet@2789eaca
    - locked sun.nio.ch.EPollSelectorImpl@2ae28266
    at sun.nio.ch.SelectorImpl.select(SelectorImpl.java:97)
    at sun.nio.ch.SelectorImpl.select(SelectorImpl.java:101)
    at
```

```
org.eclipse.jetty.io.SelectorManager$ManagedSelector.select(SelectorManager.java:600)
    at
```

```
org.eclipse.jetty.io.SelectorManager$ManagedSelector.run(SelectorManager.java:549)
    at
```

```
org.eclipse.jetty.util.thread.NonBlockingThread.run(NonBlockingThread.java:52)
    at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
    at
```

```
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
    at
```

```
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@8f2ef19

## **RequestHandlerThread[#3]-selector-ServerConnectorManager@4a1594af/2**

"RequestHandlerThread[#3]-selector-ServerConnectorManager@4a1594af/2" Id=25 Group=main  
RUNNABLE (in native)

```
    at sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)
    at sun.nio.ch.EPollArrayWrapper.poll(EPollArrayWrapper.java:269)
    at sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:93)
```

```
at sun.nio.ch.SelectorImpl.lockAndDoSelect(SelectorImpl.java:86)
- locked sun.nio.ch.Util$3@4da2a968
- locked java.util.Collections$UnmodifiableSet@c7032d7
- locked sun.nio.ch.EPollSelectorImpl@19118a9c
at sun.nio.ch.SelectorImpl.select(SelectorImpl.java:97)
at sun.nio.ch.SelectorImpl.select(SelectorImpl.java:101)
at
```

```
org.eclipse.jetty.io.SelectorManager$ManagedSelector.select(SelectorManager.java:600)
at
```

```
org.eclipse.jetty.io.SelectorManager$ManagedSelector.run(SelectorManager.java:549)
at
```

```
org.eclipse.jetty.util.thread.NonBlockingThread.run(NonBlockingThread.java:52)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at
```

```
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
at
```

```
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
at java.lang.Thread.run(Thread.java:748)
```

Number of locked synchronizers = 1

```
- java.util.concurrent.ThreadPoolExecutor$Worker@470734c3
```

## **RequestHandlerThread[#4]-selector-ServerConnectorManager@4a1594af/3**

"RequestHandlerThread[#4]-selector-ServerConnectorManager@4a1594af/3" Id=26 Group=main  
RUNNABLE (in native)

```
at sun.nio.ch.EPollArrayWrapper.epollWait(Native Method)
at sun.nio.ch.EPollArrayWrapper.poll(EPollArrayWrapper.java:269)
at sun.nio.ch.EPollSelectorImpl.doSelect(EPollSelectorImpl.java:93)
at sun.nio.ch.SelectorImpl.lockAndDoSelect(SelectorImpl.java:86)
- locked sun.nio.ch.Util$3@3b1f419a
- locked java.util.Collections$UnmodifiableSet@55980d88
- locked sun.nio.ch.EPollSelectorImpl@7392aba1
at sun.nio.ch.SelectorImpl.select(SelectorImpl.java:97)
at sun.nio.ch.SelectorImpl.select(SelectorImpl.java:101)
at
```

```
org.eclipse.jetty.io.SelectorManager$ManagedSelector.select(SelectorManager.java:600)
at
```

```
org.eclipse.jetty.io.SelectorManager$ManagedSelector.run(SelectorManager.java:549)
at
```

```
org.eclipse.jetty.util.thread.NonBlockingThread.run(NonBlockingThread.java:52)
at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
at
```

```
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
at
```

```
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
at java.lang.Thread.run(Thread.java:748)
```

Number of locked synchronizers = 1



- java.util.concurrent.ThreadPoolExecutor\$Worker@2cf3d63b

## **RequestHandlerThread[#5]-acceptor-0@f4b9b66-ServerConnector@18c64ff{HTTP/1.1}{0.0.0.0:8080}**

```
"RequestHandlerThread[#5]-acceptor-0@f4b9b66-ServerConnector@18c64ff{HTTP/1.1}
{0.0.0.0:8080}" Id=27 Group=main BLOCKED on java.lang.Object@64db5aa9 owned by
"RequestHandlerThread[#7]-acceptor-2@53863d11-ServerConnector@18c64ff{HTTP/1.1}
{0.0.0.0:8080}" Id=29
    at sun.nio.ch.ServerSocketChannelImpl.accept(ServerSocketChannelImpl.java:233)
    - blocked on java.lang.Object@64db5aa9
    at org.eclipse.jetty.server.ServerConnector.accept(ServerConnector.java:377)
    at
org.eclipse.jetty.server.AbstractConnector$Acceptor.run(AbstractConnector.java:500)
    at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@173ed316
```

## **RequestHandlerThread[#6]-acceptor-1@12d68c42-ServerConnector@18c64ff{HTTP/1.1}{0.0.0.0:8080}**

```
"RequestHandlerThread[#6]-acceptor-1@12d68c42-ServerConnector@18c64ff{HTTP/1.1}
{0.0.0.0:8080}" Id=28 Group=main BLOCKED on java.lang.Object@64db5aa9 owned by
"RequestHandlerThread[#7]-acceptor-2@53863d11-ServerConnector@18c64ff{HTTP/1.1}
{0.0.0.0:8080}" Id=29
    at sun.nio.ch.ServerSocketChannelImpl.accept(ServerSocketChannelImpl.java:233)
    - blocked on java.lang.Object@64db5aa9
    at org.eclipse.jetty.server.ServerConnector.accept(ServerConnector.java:377)
    at
org.eclipse.jetty.server.AbstractConnector$Acceptor.run(AbstractConnector.java:500)
    at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@25ce9dc4
```

## **RequestHandlerThread[#7]-acceptor-2@53863d11-ServerConnector@18c64ff{HTTP/1.1}{0.0.0.0:8080}**

```
"RequestHandlerThread[#7]-acceptor-2@53863d11-ServerConnector@18c64ff{HTTP/1.1}
{0.0.0.0:8080}" Id=29 Group=main RUNNABLE
    at sun.nio.ch.ServerSocketChannelImpl.accept0(Native Method)
    at sun.nio.ch.ServerSocketChannelImpl.accept(ServerSocketChannelImpl.java:422)
    at sun.nio.ch.ServerSocketChannelImpl.accept(ServerSocketChannelImpl.java:250)
    - locked java.lang.Object@64db5aa9
    at org.eclipse.jetty.server.ServerConnector.accept(ServerConnector.java:377)
    at
org.eclipse.jetty.server.AbstractConnector$Acceptor.run(AbstractConnector.java:500)
    at winstone.BoundedExecutorService$1.run(BoundedExecutorService.java:77)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@74ea2410
```

## Scheduler-708049632

```
"Scheduler-708049632" Id=35 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@173f3ad3
    at sun.misc.Unsafe.park(Native Method)
    - waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@173f3ad3
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(AbstractQueuedSynchronizer.java:2078)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:1093)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:809)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1074)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

## SCM polling for hudson.model.FreeStyleProject@143919a1[percona-pam-plugin-docs]

```
"SCM polling for hudson.model.FreeStyleProject@143919a1[percona-pam-plugin-docs]"
Id=131878 Group=main WAITING on java.lang.UNIXProcess@1821f9d0
    at java.lang.Object.wait(Native Method)
```

```
- waiting on java.lang.UNIXProcess@1821f9d0
at java.lang.Object.wait(Object.java:502)
at java.lang.UNIXProcess.waitFor(UNIXProcess.java:395)
at hudson.Proc$LocalProc.join(Proc.java:320)
at hudson.Launcher$ProcStarter.join(Launcher.java:409)
at hudson.plugins.bazaar.BazaarSCM.getRevisionState(BazaarSCM.java:155)
at hudson.plugins.bazaar.BazaarSCM.compareRemoteRevisionWith(BazaarSCM.java:211)
at hudson.scm.SCM.poll(SCM.java:408)
at hudson.model.AbstractProject._poll(AbstractProject.java:1458)
at hudson.model.AbstractProject.poll(AbstractProject.java:1361)
at hudson.triggers.SCMTrigger$Runner.runPolling(SCMTrigger.java:594)
at hudson.triggers.SCMTrigger$Runner.run(SCMTrigger.java:640)
at
```

```
hudson.util.SequentialExecutionQueue$QueueEntry.run(SequentialExecutionQueue.java:119)
  at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
  at java.util.concurrent.FutureTask.run(FutureTask.java:266)
  at
```

```
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
  at
```

```
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
  at java.lang.Thread.run(Thread.java:748)
```

Number of locked synchronizers = 1

```
- java.util.concurrent.ThreadPoolExecutor$Worker@6a5c137e
```

## SocketListener(10-10-6-254.local.)

```
"SocketListener(10-10-6-254.local.)" Id=378 Group=main RUNNABLE (in native)
  at java.net.PlainDatagramSocketImpl.receive0(Native Method)
  - locked java.net.PlainDatagramSocketImpl@609fc748
  at
```

```
java.net.AbstractPlainDatagramSocketImpl.receive(AbstractPlainDatagramSocketImpl.java:143)
```

```
- locked java.net.PlainDatagramSocketImpl@609fc748
at java.net.DatagramSocket.receive(DatagramSocket.java:812)
- locked java.net.DatagramPacket@11e28d6d
- locked java.net.MulticastSocket@45d2fa31
at javax.jmdns.impl.SocketListener.run(SocketListener.java:41)
```

## TCP agent listener port=37659

```
"TCP agent listener port=37659" Id=372 Group=main RUNNABLE (in native)
  at sun.nio.ch.ServerSocketChannelImpl.accept0(Native Method)
  at sun.nio.ch.ServerSocketChannelImpl.accept(ServerSocketChannelImpl.java:422)
  at sun.nio.ch.ServerSocketChannelImpl.accept(ServerSocketChannelImpl.java:250)
  - locked java.lang.Object@6d253109
  at hudson.TcpSlaveAgentListener.run(TcpSlaveAgentListener.java:148)
```

## Thread-10

```
"Thread-10" Id=190 Group=main RUNNABLE (in native)
  at java.net.SocketInputStream.socketRead0(Native Method)
  at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)
  at java.net.SocketInputStream.read(SocketInputStream.java:171)
  at java.net.SocketInputStream.read(SocketInputStream.java:141)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.fill_buffer(CipherInputStream.java:41)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.internal_read(CipherInputStream.java:52
)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.getBlock(CipherInputStream.java:79)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.read(CipherInputStream.java:108)
  at
com.trilead.ssh2.transport.TransportConnection.receiveMessage(TransportConnection.java:2
32)
  at
com.trilead.ssh2.transport.TransportManager.receiveLoop(TransportManager.java:706)
  at com.trilead.ssh2.transport.TransportManager$1.run(TransportManager.java:502)
  at java.lang.Thread.run(Thread.java:748)
```

## Thread-11

```
"Thread-11" Id=191 Group=main RUNNABLE (in native)
  at java.net.SocketInputStream.socketRead0(Native Method)
  at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)
  at java.net.SocketInputStream.read(SocketInputStream.java:171)
  at java.net.SocketInputStream.read(SocketInputStream.java:141)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.fill_buffer(CipherInputStream.java:41)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.internal_read(CipherInputStream.java:52
)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.getBlock(CipherInputStream.java:79)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.read(CipherInputStream.java:108)
  at
com.trilead.ssh2.transport.TransportConnection.receiveMessage(TransportConnection.java:2
32)
  at
com.trilead.ssh2.transport.TransportManager.receiveLoop(TransportManager.java:706)
  at com.trilead.ssh2.transport.TransportManager$1.run(TransportManager.java:502)
  at java.lang.Thread.run(Thread.java:748)
```

## Thread-12

```
"Thread-12" Id=192 Group=main RUNNABLE (in native)
  at java.net.SocketInputStream.socketRead0(Native Method)
  at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)
  at java.net.SocketInputStream.read(SocketInputStream.java:171)
  at java.net.SocketInputStream.read(SocketInputStream.java:141)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.fill_buffer(CipherInputStream.java:41)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.internal_read(CipherInputStream.java:52
)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.getBlock(CipherInputStream.java:79)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.read(CipherInputStream.java:108)
  at
com.trilead.ssh2.transport.TransportConnection.receiveMessage(TransportConnection.java:2
32)
  at
com.trilead.ssh2.transport.TransportManager.receiveLoop(TransportManager.java:706)
  at com.trilead.ssh2.transport.TransportManager$1.run(TransportManager.java:502)
  at java.lang.Thread.run(Thread.java:748)
```

## Thread-13

```
"Thread-13" Id=193 Group=main RUNNABLE (in native)
  at java.net.SocketInputStream.socketRead0(Native Method)
  at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)
  at java.net.SocketInputStream.read(SocketInputStream.java:171)
  at java.net.SocketInputStream.read(SocketInputStream.java:141)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.fill_buffer(CipherInputStream.java:41)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.internal_read(CipherInputStream.java:52
)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.getBlock(CipherInputStream.java:79)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.read(CipherInputStream.java:108)
  at
com.trilead.ssh2.transport.TransportConnection.receiveMessage(TransportConnection.java:2
32)
  at
com.trilead.ssh2.transport.TransportManager.receiveLoop(TransportManager.java:706)
  at com.trilead.ssh2.transport.TransportManager$1.run(TransportManager.java:502)
  at java.lang.Thread.run(Thread.java:748)
```

## Thread-14

```
"Thread-14" Id=196 Group=main RUNNABLE (in native)
```

```
at java.net.SocketInputStream.socketRead0(Native Method)
at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)
at java.net.SocketInputStream.read(SocketInputStream.java:171)
at java.net.SocketInputStream.read(SocketInputStream.java:141)
at
com.trilead.ssh2.crypto.cipher.CipherInputStream.fill_buffer(CipherInputStream.java:41)
at
com.trilead.ssh2.crypto.cipher.CipherInputStream.internal_read(CipherInputStream.java:52
)
at
com.trilead.ssh2.crypto.cipher.CipherInputStream.getBlock(CipherInputStream.java:79)
at
com.trilead.ssh2.crypto.cipher.CipherInputStream.read(CipherInputStream.java:108)
at
com.trilead.ssh2.transport.TransportConnection.receiveMessage(TransportConnection.java:2
32)
at
com.trilead.ssh2.transport.TransportManager.receiveLoop(TransportManager.java:706)
at com.trilead.ssh2.transport.TransportManager$1.run(TransportManager.java:502)
at java.lang.Thread.run(Thread.java:748)
```

## Thread-15

```
"Thread-15" Id=194 Group=main RUNNABLE (in native)
at java.net.SocketInputStream.socketRead0(Native Method)
at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)
at java.net.SocketInputStream.read(SocketInputStream.java:171)
at java.net.SocketInputStream.read(SocketInputStream.java:141)
at
com.trilead.ssh2.crypto.cipher.CipherInputStream.fill_buffer(CipherInputStream.java:41)
at
com.trilead.ssh2.crypto.cipher.CipherInputStream.internal_read(CipherInputStream.java:52
)
at
com.trilead.ssh2.crypto.cipher.CipherInputStream.getBlock(CipherInputStream.java:79)
at
com.trilead.ssh2.crypto.cipher.CipherInputStream.read(CipherInputStream.java:108)
at
com.trilead.ssh2.transport.TransportConnection.receiveMessage(TransportConnection.java:2
32)
at
com.trilead.ssh2.transport.TransportManager.receiveLoop(TransportManager.java:706)
at com.trilead.ssh2.transport.TransportManager$1.run(TransportManager.java:502)
at java.lang.Thread.run(Thread.java:748)
```

## Thread-16

```
"Thread-16" Id=195 Group=main RUNNABLE (in native)
at java.net.SocketInputStream.socketRead0(Native Method)
```

```
    at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)
    at java.net.SocketInputStream.read(SocketInputStream.java:171)
    at java.net.SocketInputStream.read(SocketInputStream.java:141)
    at
com.trilead.ssh2.crypto.cipher.CipherInputStream.fill_buffer(CipherInputStream.java:41)
    at
com.trilead.ssh2.crypto.cipher.CipherInputStream.internal_read(CipherInputStream.java:52
)
    at
com.trilead.ssh2.crypto.cipher.CipherInputStream.getBlock(CipherInputStream.java:79)
    at
com.trilead.ssh2.crypto.cipher.CipherInputStream.read(CipherInputStream.java:108)
    at
com.trilead.ssh2.transport.TransportConnection.receiveMessage(TransportConnection.java:2
32)
    at
com.trilead.ssh2.transport.TransportManager.receiveLoop(TransportManager.java:706)
    at com.trilead.ssh2.transport.TransportManager$1.run(TransportManager.java:502)
    at java.lang.Thread.run(Thread.java:748)
```

## Thread-19

```
"Thread-19" Id=199 Group=main WAITING on java.util.ArrayList@d492a61
    at java.lang.Object.wait(Native Method)
    - waiting on java.util.ArrayList@d492a61
    at java.lang.Object.wait(Object.java:502)
    at com.dubture.jenkins.digitalocean.DigitalOcean$3.run(DigitalOcean.java:368)
    at java.lang.Thread.run(Thread.java:748)
```

## Thread-2220

```
"Thread-2220" Id=135010 Group=main RUNNABLE (in native)
    at java.net.SocketInputStream.socketRead0(Native Method)
    at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)
    at java.net.SocketInputStream.read(SocketInputStream.java:171)
    at java.net.SocketInputStream.read(SocketInputStream.java:141)
    at
com.trilead.ssh2.crypto.cipher.CipherInputStream.fill_buffer(CipherInputStream.java:41)
    at
com.trilead.ssh2.crypto.cipher.CipherInputStream.internal_read(CipherInputStream.java:52
)
    at
com.trilead.ssh2.crypto.cipher.CipherInputStream.getBlock(CipherInputStream.java:79)
    at
com.trilead.ssh2.crypto.cipher.CipherInputStream.read(CipherInputStream.java:108)
    at
com.trilead.ssh2.transport.TransportConnection.receiveMessage(TransportConnection.java:2
32)
    at
```

```
com.trilead.ssh2.transport.TransportManager.receiveLoop(TransportManager.java:706)
    at com.trilead.ssh2.transport.TransportManager$1.run(TransportManager.java:502)
    at java.lang.Thread.run(Thread.java:748)
```

## Thread-2231

```
"Thread-2231" Id=135821 Group=main RUNNABLE
    at java.net.SocketInputStream.socketRead0(Native Method)
    at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)
    at java.net.SocketInputStream.read(SocketInputStream.java:171)
    at java.net.SocketInputStream.read(SocketInputStream.java:141)
    at
com.trilead.ssh2.crypto.cipher.CipherInputStream.fill_buffer(CipherInputStream.java:41)
    at
com.trilead.ssh2.crypto.cipher.CipherInputStream.internal_read(CipherInputStream.java:52)
)
    at
com.trilead.ssh2.crypto.cipher.CipherInputStream.getBlock(CipherInputStream.java:79)
    at
com.trilead.ssh2.crypto.cipher.CipherInputStream.read(CipherInputStream.java:108)
    at
com.trilead.ssh2.transport.TransportConnection.receiveMessage(TransportConnection.java:232)
    at
com.trilead.ssh2.transport.TransportManager.receiveLoop(TransportManager.java:706)
    at com.trilead.ssh2.transport.TransportManager$1.run(TransportManager.java:502)
    at java.lang.Thread.run(Thread.java:748)
```

## Thread-2240

```
"Thread-2240" Id=135981 Group=main RUNNABLE (in native)
    at java.net.SocketInputStream.socketRead0(Native Method)
    at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)
    at java.net.SocketInputStream.read(SocketInputStream.java:171)
    at java.net.SocketInputStream.read(SocketInputStream.java:141)
    at
com.trilead.ssh2.crypto.cipher.CipherInputStream.fill_buffer(CipherInputStream.java:41)
    at
com.trilead.ssh2.crypto.cipher.CipherInputStream.internal_read(CipherInputStream.java:52)
)
    at
com.trilead.ssh2.crypto.cipher.CipherInputStream.getBlock(CipherInputStream.java:79)
    at
com.trilead.ssh2.crypto.cipher.CipherInputStream.read(CipherInputStream.java:108)
    at
com.trilead.ssh2.transport.TransportConnection.receiveMessage(TransportConnection.java:232)
    at
com.trilead.ssh2.transport.TransportManager.receiveLoop(TransportManager.java:706)
```



```
at com.trilead.ssh2.transport.TransportManager$1.run(TransportManager.java:502)
at java.lang.Thread.run(Thread.java:748)
```

## Thread-2389

```
"Thread-2389" Id=152779 Group=main RUNNABLE (in native)
  at java.net.SocketInputStream.socketRead0(Native Method)
  at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)
  at java.net.SocketInputStream.read(SocketInputStream.java:171)
  at java.net.SocketInputStream.read(SocketInputStream.java:141)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.fill_buffer(CipherInputStream.java:41)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.internal_read(CipherInputStream.java:52)
)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.getBlock(CipherInputStream.java:79)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.read(CipherInputStream.java:108)
  at
com.trilead.ssh2.transport.TransportConnection.receiveMessage(TransportConnection.java:232)
  at
com.trilead.ssh2.transport.TransportManager.receiveLoop(TransportManager.java:706)
  at com.trilead.ssh2.transport.TransportManager$1.run(TransportManager.java:502)
  at java.lang.Thread.run(Thread.java:748)
```

## Thread-2392

```
"Thread-2392" Id=153027 Group=main RUNNABLE (in native)
  at java.net.SocketInputStream.socketRead0(Native Method)
  at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)
  at java.net.SocketInputStream.read(SocketInputStream.java:171)
  at java.net.SocketInputStream.read(SocketInputStream.java:141)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.fill_buffer(CipherInputStream.java:41)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.internal_read(CipherInputStream.java:52)
)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.getBlock(CipherInputStream.java:79)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.read(CipherInputStream.java:108)
  at
com.trilead.ssh2.transport.TransportConnection.receiveMessage(TransportConnection.java:232)
  at
com.trilead.ssh2.transport.TransportManager.receiveLoop(TransportManager.java:706)
  at com.trilead.ssh2.transport.TransportManager$1.run(TransportManager.java:502)
```

at java.lang.Thread.run(Thread.java:748)

## Thread-2394

```
"Thread-2394" Id=153031 Group=main RUNNABLE (in native)
  at java.net.SocketInputStream.socketRead0(Native Method)
  at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)
  at java.net.SocketInputStream.read(SocketInputStream.java:171)
  at java.net.SocketInputStream.read(SocketInputStream.java:141)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.fill_buffer(CipherInputStream.java:41)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.internal_read(CipherInputStream.java:52)
)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.getBlock(CipherInputStream.java:79)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.read(CipherInputStream.java:108)
  at
com.trilead.ssh2.transport.TransportConnection.receiveMessage(TransportConnection.java:232)
  at
com.trilead.ssh2.transport.TransportManager.receiveLoop(TransportManager.java:706)
  at com.trilead.ssh2.transport.TransportManager$1.run(TransportManager.java:502)
  at java.lang.Thread.run(Thread.java:748)
```

## Thread-2396

```
"Thread-2396" Id=153055 Group=main RUNNABLE (in native)
  at java.net.SocketInputStream.socketRead0(Native Method)
  at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)
  at java.net.SocketInputStream.read(SocketInputStream.java:171)
  at java.net.SocketInputStream.read(SocketInputStream.java:141)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.fill_buffer(CipherInputStream.java:41)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.internal_read(CipherInputStream.java:52)
)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.getBlock(CipherInputStream.java:79)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.read(CipherInputStream.java:108)
  at
com.trilead.ssh2.transport.TransportConnection.receiveMessage(TransportConnection.java:232)
  at
com.trilead.ssh2.transport.TransportManager.receiveLoop(TransportManager.java:706)
  at com.trilead.ssh2.transport.TransportManager$1.run(TransportManager.java:502)
  at java.lang.Thread.run(Thread.java:748)
```

## Thread-4

```
"Thread-4" Id=184 Group=main RUNNABLE (in native)
  at java.net.SocketInputStream.socketRead0(Native Method)
  at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)
  at java.net.SocketInputStream.read(SocketInputStream.java:171)
  at java.net.SocketInputStream.read(SocketInputStream.java:141)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.fill_buffer(CipherInputStream.java:41)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.internal_read(CipherInputStream.java:52
)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.getBlock(CipherInputStream.java:79)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.read(CipherInputStream.java:108)
  at
com.trilead.ssh2.transport.TransportConnection.receiveMessage(TransportConnection.java:2
32)
  at
com.trilead.ssh2.transport.TransportManager.receiveLoop(TransportManager.java:706)
  at com.trilead.ssh2.transport.TransportManager$1.run(TransportManager.java:502)
  at java.lang.Thread.run(Thread.java:748)
```

## Thread-413

```
"Thread-413" Id=18254 Group=main RUNNABLE (in native)
  at java.net.SocketInputStream.socketRead0(Native Method)
  at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)
  at java.net.SocketInputStream.read(SocketInputStream.java:171)
  at java.net.SocketInputStream.read(SocketInputStream.java:141)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.fill_buffer(CipherInputStream.java:41)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.internal_read(CipherInputStream.java:52
)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.getBlock(CipherInputStream.java:79)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.read(CipherInputStream.java:108)
  at
com.trilead.ssh2.transport.TransportConnection.receiveMessage(TransportConnection.java:2
32)
  at
com.trilead.ssh2.transport.TransportManager.receiveLoop(TransportManager.java:706)
  at com.trilead.ssh2.transport.TransportManager$1.run(TransportManager.java:502)
  at java.lang.Thread.run(Thread.java:748)
```

## Thread-5

```
"Thread-5" Id=185 Group=main RUNNABLE (in native)
  at java.net.SocketInputStream.socketRead0(Native Method)
  at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)
  at java.net.SocketInputStream.read(SocketInputStream.java:171)
  at java.net.SocketInputStream.read(SocketInputStream.java:141)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.fill_buffer(CipherInputStream.java:41)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.internal_read(CipherInputStream.java:52
)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.getBlock(CipherInputStream.java:79)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.read(CipherInputStream.java:108)
  at
com.trilead.ssh2.transport.TransportConnection.receiveMessage(TransportConnection.java:2
32)
  at
com.trilead.ssh2.transport.TransportManager.receiveLoop(TransportManager.java:706)
  at com.trilead.ssh2.transport.TransportManager$1.run(TransportManager.java:502)
  at java.lang.Thread.run(Thread.java:748)
```

## Thread-6

```
"Thread-6" Id=186 Group=main RUNNABLE (in native)
  at java.net.SocketInputStream.socketRead0(Native Method)
  at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)
  at java.net.SocketInputStream.read(SocketInputStream.java:171)
  at java.net.SocketInputStream.read(SocketInputStream.java:141)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.fill_buffer(CipherInputStream.java:41)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.internal_read(CipherInputStream.java:52
)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.getBlock(CipherInputStream.java:79)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.read(CipherInputStream.java:108)
  at
com.trilead.ssh2.transport.TransportConnection.receiveMessage(TransportConnection.java:2
32)
  at
com.trilead.ssh2.transport.TransportManager.receiveLoop(TransportManager.java:706)
  at com.trilead.ssh2.transport.TransportManager$1.run(TransportManager.java:502)
  at java.lang.Thread.run(Thread.java:748)
```

## Thread-7

```
"Thread-7" Id=187 Group=main RUNNABLE (in native)
  at java.net.SocketInputStream.socketRead0(Native Method)
  at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)
  at java.net.SocketInputStream.read(SocketInputStream.java:171)
  at java.net.SocketInputStream.read(SocketInputStream.java:141)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.fill_buffer(CipherInputStream.java:41)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.internal_read(CipherInputStream.java:52
)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.getBlock(CipherInputStream.java:79)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.read(CipherInputStream.java:108)
  at
com.trilead.ssh2.transport.TransportConnection.receiveMessage(TransportConnection.java:2
32)
  at
com.trilead.ssh2.transport.TransportManager.receiveLoop(TransportManager.java:706)
  at com.trilead.ssh2.transport.TransportManager$1.run(TransportManager.java:502)
  at java.lang.Thread.run(Thread.java:748)
```

## Thread-8

```
"Thread-8" Id=188 Group=main RUNNABLE (in native)
  at java.net.SocketInputStream.socketRead0(Native Method)
  at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)
  at java.net.SocketInputStream.read(SocketInputStream.java:171)
  at java.net.SocketInputStream.read(SocketInputStream.java:141)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.fill_buffer(CipherInputStream.java:41)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.internal_read(CipherInputStream.java:52
)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.getBlock(CipherInputStream.java:79)
  at
com.trilead.ssh2.crypto.cipher.CipherInputStream.read(CipherInputStream.java:108)
  at
com.trilead.ssh2.transport.TransportConnection.receiveMessage(TransportConnection.java:2
32)
  at
com.trilead.ssh2.transport.TransportManager.receiveLoop(TransportManager.java:706)
  at com.trilead.ssh2.transport.TransportManager$1.run(TransportManager.java:502)
  at java.lang.Thread.run(Thread.java:748)
```

## Thread-9

```
"Thread-9" Id=189 Group=main RUNNABLE (in native)
```

```
at java.net.SocketInputStream.socketRead0(Native Method)
at java.net.SocketInputStream.socketRead(SocketInputStream.java:116)
at java.net.SocketInputStream.read(SocketInputStream.java:171)
at java.net.SocketInputStream.read(SocketInputStream.java:141)
at
com.trilead.ssh2.crypto.cipher.CipherInputStream.fill_buffer(CipherInputStream.java:41)
at
com.trilead.ssh2.crypto.cipher.CipherInputStream.internal_read(CipherInputStream.java:52
)
at
com.trilead.ssh2.crypto.cipher.CipherInputStream.getBlock(CipherInputStream.java:79)
at
com.trilead.ssh2.crypto.cipher.CipherInputStream.read(CipherInputStream.java:108)
at
com.trilead.ssh2.transport.TransportConnection.receiveMessage(TransportConnection.java:2
32)
at
com.trilead.ssh2.transport.TransportManager.receiveLoop(TransportManager.java:706)
at com.trilead.ssh2.transport.TransportManager$1.run(TransportManager.java:502)
at java.lang.Thread.run(Thread.java:748)
```

## WorkflowRun.copyLogs [#1]

```
"WorkflowRun.copyLogs [#1]" Id=392 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@8df3a6c
at sun.misc.Unsafe.park(Native Method)
- waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@8df3a6c
at java.util.concurrent.locks.LockSupport.park(LockSupport.java:175)
at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueu
edSynchronizer.java:2039)
at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPo
olExecutor.java:1088)
at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPo
olExecutor.java:809)
at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1074)
at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
at java.lang.Thread.run(Thread.java:748)
```

## WorkflowRun.copyLogs [#2]

```
"WorkflowRun.copyLogs [#2]" Id=393 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@8df3a6c
```

```
    at sun.misc.Unsafe.park(Native Method)
    - waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@8df3a6c
    at java.util.concurrent.locks.LockSupport.park(LockSupport.java:175)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2039)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:1088)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:809)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1074)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

## WorkflowRun.copyLogs [#3]

```
"WorkflowRun.copyLogs [#3]" Id=394 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@8df3a6c
    at sun.misc.Unsafe.park(Native Method)
    - waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@8df3a6c
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(AbstractQueuedSynchronizer.java:2078)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:1093)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:809)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1074)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

## WorkflowRun.copyLogs [#4]

```
"WorkflowRun.copyLogs [#4]" Id=395 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@8df3a6c
    at sun.misc.Unsafe.park(Native Method)
```

```
- waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@8df3a6c
    at java.util.concurrent.locks.LockSupport.park(LockSupport.java:175)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2039)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:1088)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:809)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1074)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

## WorkflowRun.copyLogs [#5]

```
"WorkflowRun.copyLogs [#5]" Id=396 Group=main WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@8df3a6c
    at sun.misc.Unsafe.park(Native Method)
    - waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@8df3a6c
    at java.util.concurrent.locks.LockSupport.park(LockSupport.java:175)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.await(AbstractQueuedSynchronizer.java:2039)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:1088)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:809)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1074)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

## Finalizer

```
"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@1a0f9da
    at java.lang.Object.wait(Native Method)
    - waiting on java.lang.ref.ReferenceQueue$Lock@1a0f9da
    at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
```



```
at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)
at java.lang.ref.Finalizer$FinalizerThread.run(Finalizer.java:209)
```

## Java2D Disposer

```
"Java2D Disposer" Id=21 Group=system WAITING on
java.lang.ref.ReferenceQueue$Lock@51678421
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.ReferenceQueue$Lock@51678421
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)
  at sun.java2d.Disposer.run(Disposer.java:148)
  at java.lang.Thread.run(Thread.java:748)
```

## process reaper

```
"process reaper" Id=152723 Group=system RUNNABLE (in native)
  at java.lang.UNIXProcess.waitForProcessExit(Native Method)
  at java.lang.UNIXProcess.lambda$initStreams$3(UNIXProcess.java:289)
  at java.lang.UNIXProcess$$Lambda$14/1520525983.run(Unknown Source)
  at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
  at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
  at java.lang.Thread.run(Thread.java:748)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@486e7f7
```

## Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference$Lock@28f15ba4
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.Reference$Lock@28f15ba4
  at java.lang.Object.wait(Object.java:502)
  at java.lang.ref.Reference.tryHandlePending(Reference.java:191)
  at java.lang.ref.Reference$ReferenceHandler.run(Reference.java:153)
```

## Signal Dispatcher

```
"Signal Dispatcher" Id=4 Group=system RUNNABLE
```

---

## Channel reader thread: channel

```
"Channel reader thread: channel" Id=12 Group=main RUNNABLE (in native)
  at java.io.FileInputStream.readBytes(Native Method)
  at java.io.FileInputStream.read(FileInputStream.java:255)
  at java.io.BufferedInputStream.fill(BufferedInputStream.java:246)
  at java.io.BufferedInputStream.read(BufferedInputStream.java:265)
  -   locked java.io.BufferedInputStream@2e370b36
  at
  hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
  hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
  hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
  hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
    at
  hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

## JGit-WorkQueue

```
"JGit-WorkQueue" Id=67 Group=main TIMED_WAITING on
  java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@3e425aba
    at sun.misc.Unsafe.park(Native Method)
    -   waiting on
  java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@3e425aba
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
  java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(AbstractQueuedSynchronizer.java:2078)
    at
  java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:1093)
    at
  java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:809)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1074)
    at
  java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)
    at
  java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

## main

```
"main" Id=1 Group=main TIMED_WAITING on hudson.remoting.Channel@515f550a
  at java.lang.Object.wait(Native Method)
  - waiting on hudson.remoting.Channel@515f550a
  at hudson.remoting.Channel.join(Channel.java:997)
  at hudson.remoting.Launcher.main(Launcher.java:680)
  at hudson.remoting.Launcher.runWithStdinStdout(Launcher.java:595)
  at hudson.remoting.Launcher.run(Launcher.java:277)
  at hudson.remoting.Launcher.main(Launcher.java:218)
```

## Ping thread for channel hudson.remoting.Channel@515f550a:channel

```
"Ping thread for channel hudson.remoting.Channel@515f550a:channel" Id=14 Group=main
TIMED_WAITING
  at java.lang.Thread.sleep(Native Method)
  at hudson.remoting.PingThread.run(PingThread.java:91)
```

## pool-1-thread-510 for channel id=337494

```
"pool-1-thread-510 for channel id=337494" Id=747 Group=main RUNNABLE
  at sun.management.ThreadImpl.dumpThreads0(Native Method)
  at sun.management.ThreadImpl.dumpAllThreads(ThreadImpl.java:454)
  at hudson.Functions.getThreadInfos(Functions.java:1225)
  at
  hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
  at
  hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
  at hudson.remoting.UserRequest.perform(UserRequest.java:153)
  at hudson.remoting.UserRequest.perform(UserRequest.java:50)
  at hudson.remoting.Request$2.run(Request.java:336)
  at
  hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.java:68)
  at java.util.concurrent.FutureTask.run(FutureTask.java:266)
  at
  java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
  at
  java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
  at java.lang.Thread.run(Thread.java:748)

  Number of locked synchronizers = 1
  - java.util.concurrent.ThreadPoolExecutor$Worker@1f4fc322
```

## RemoteInvocationHandler [#69]

```
"RemoteInvocationHandler [#69]" Id=724 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@1823c41
  at java.lang.Object.wait(Native Method)
```

```
- waiting on java.lang.ref.ReferenceQueue$Lock@1823c41
at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
at
```

```
hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.java:572)
at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
at java.util.concurrent.FutureTask.run(FutureTask.java:266)
at
```

```
hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:110)
at java.lang.Thread.run(Thread.java:748)
```

## Finalizer

```
"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@1b327459
at java.lang.Object.wait(Native Method)
- waiting on java.lang.ref.ReferenceQueue$Lock@1b327459
at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)
at java.lang.ref.Finalizer$FinalizerThread.run(Finalizer.java:209)
```

## Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference$Lock@bc2334a
at java.lang.Object.wait(Native Method)
- waiting on java.lang.ref.Reference$Lock@bc2334a
at java.lang.Object.wait(Object.java:502)
at java.lang.ref.Reference.tryHandlePending(Reference.java:191)
at java.lang.ref.Reference$ReferenceHandler.run(Reference.java:153)
```

## Signal Dispatcher

```
"Signal Dispatcher" Id=4 Group=system RUNNABLE
```

---

 [evgeniy-dont-stop](#)

## Channel reader thread: channel

```
"Channel reader thread: channel" Id=11 Group=main RUNNABLE (in native)
at java.io.FileInputStream.readBytes(Native Method)
at java.io.FileInputStream.read(FileInputStream.java:255)
at java.io.BufferedInputStream.fill(BufferedInputStream.java:246)
at java.io.BufferedInputStream.read(BufferedInputStream.java:265)
- locked java.io.BufferedInputStream@52bacafb
at
```

```
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
    at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

## main

```
"main" Id=1 Group=main TIMED_WAITING on hudson.remoting.Channel@c2e1f26
    at java.lang.Object.wait(Native Method)
    - waiting on hudson.remoting.Channel@c2e1f26
    at hudson.remoting.Channel.join(Channel.java:997)
    at hudson.remoting.Launcher.main(Launcher.java:680)
    at hudson.remoting.Launcher.runWithStdinStdout(Launcher.java:595)
    at hudson.remoting.Launcher.run(Launcher.java:277)
    at hudson.remoting.Launcher.main(Launcher.java:218)
```

## Ping thread for channel hudson.remoting.Channel@c2e1f26:channel

```
"Ping thread for channel hudson.remoting.Channel@c2e1f26:channel" Id=13 Group=main
TIMED_WAITING
    at java.lang.Thread.sleep(Native Method)
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## pool-1-thread-735 for channel id=337496

```
"pool-1-thread-735 for channel id=337496" Id=765 Group=main RUNNABLE
    at sun.management.ThreadImpl.dumpThreads0(Native Method)
    at sun.management.ThreadImpl.dumpAllThreads(ThreadImpl.java:454)
    at hudson.Functions.getThreadInfos(Functions.java:1225)
    at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
    at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
    at hudson.remoting.UserRequest.perform(UserRequest.java:153)
    at hudson.remoting.UserRequest.perform(UserRequest.java:50)
    at hudson.remoting.Request$2.run(Request.java:336)
    at
hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.java:68)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
    at
```

```
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@429d3f63
```

## pool-1-thread-736

```
"pool-1-thread-736" Id=766 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@41a1ab78
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@41a1ab78
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
    at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-737

```
"pool-1-thread-737" Id=767 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@41a1ab78
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@41a1ab78
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
    at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

## RemoteInvocationHandler [#16]

```
"RemoteInvocationHandler [#16]" Id=745 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@1f822437
    at java.lang.Object.wait(Native Method)
    -   waiting on java.lang.ref.ReferenceQueue$Lock@1f822437
    at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
    at
    hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.java:572)
    at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
    at
    hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:110)
    at java.lang.Thread.run(Thread.java:745)
```

## Finalizer

```
"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@34b7c29b
    at java.lang.Object.wait(Native Method)
    -   waiting on java.lang.ref.ReferenceQueue$Lock@34b7c29b
    at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
    at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)
    at java.lang.ref.Finalizer$FinalizerThread.run(Finalizer.java:209)
```


## Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference$Lock@29e268b1
    at java.lang.Object.wait(Native Method)
    -   waiting on java.lang.ref.Reference$Lock@29e268b1
    at java.lang.Object.wait(Object.java:502)
    at java.lang.ref.Reference.tryHandlePending(Reference.java:191)
    at java.lang.ref.Reference$ReferenceHandler.run(Reference.java:153)
```

## Signal Dispatcher

```
"Signal Dispatcher" Id=4 Group=system RUNNABLE
```

---

 [jenkins-centos-6.x32-3200d0c8-c71b-4bbc-b710-f5d83a416ca5](#)

## Channel reader thread: channel

```
"Channel reader thread: channel" Id=11 Group=main RUNNABLE (in native)
```

```
at java.io.FileInputStream.readBytes(Native Method)
at java.io.FileInputStream.read(FileInputStream.java:255)
at java.io.BufferedInputStream.fill(BufferedInputStream.java:246)
at java.io.BufferedInputStream.read(BufferedInputStream.java:265)
- locked java.io.BufferedInputStream@183a932
at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

## main

```
"main" Id=1 Group=main TIMED_WAITING on hudson.remoting.Channel@2e1f26
at java.lang.Object.wait(Native Method)
- waiting on hudson.remoting.Channel@2e1f26
at hudson.remoting.Channel.join(Channel.java:997)
at hudson.remoting.Launcher.main(Launcher.java:680)
at hudson.remoting.Launcher.runWithStdinStdout(Launcher.java:595)
at hudson.remoting.Launcher.run(Launcher.java:277)
at hudson.remoting.Launcher.main(Launcher.java:218)
```

## Ping thread for channel hudson.remoting.Channel@2e1f26:channel

```
"Ping thread for channel hudson.remoting.Channel@2e1f26:channel" Id=18 Group=main
TIMED_WAITING
at java.lang.Thread.sleep(Native Method)
at hudson.remoting.PingThread.run(PingThread.java:91)
```

## pool-1-thread-1

```
"pool-1-thread-1" Id=12 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@17c748f
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.SynchronousQueue$TransferStack@17c748f
at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
at
```



```
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-2

```
"pool-1-thread-2" Id=14 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@17c748f
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@17c748f
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
    at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-3 for channel id=337499

```
"pool-1-thread-3 for channel id=337499" Id=15 Group=main RUNNABLE
    at sun.management.ThreadImpl.dumpThreads0(Native Method)
    at sun.management.ThreadImpl.dumpAllThreads(ThreadImpl.java:454)
    at hudson.Functions.getThreadInfos(Functions.java:1225)
    at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
    at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
    at hudson.remoting.UserRequest.perform(UserRequest.java:153)
    at hudson.remoting.UserRequest.perform(UserRequest.java:50)
    at hudson.remoting.Request$2.run(Request.java:336)
    at
hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.java:68)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
```

at java.lang.Thread.run(Thread.java:745)

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@1d3400d

## pool-1-thread-4

```
"pool-1-thread-4" Id=16 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@17c748f
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@17c748f
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
    at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-5

```
"pool-1-thread-5" Id=17 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@17c748f
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@17c748f
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
    at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-6

```
"pool-1-thread-6" Id=30 Group=main TIMED_WAITING on
```

```
java.util.concurrent.SynchronousQueue$TransferStack@17c748f
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.SynchronousQueue$TransferStack@17c748f
  at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
  at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
  at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
  at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
  at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
  at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
  at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
  at java.lang.Thread.run(Thread.java:745)
```

## RemoteInvocationHandler [#1]

```
"RemoteInvocationHandler [#1]" Id=10 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@dd6df9
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.ReferenceQueue$Lock@dd6df9
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
  at
hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.java:572)
  at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
  at java.util.concurrent.FutureTask.run(FutureTask.java:266)
  at
hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:110)
  at java.lang.Thread.run(Thread.java:745)
```

## Finalizer

```
"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@fada1
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.ReferenceQueue$Lock@fada1
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)
  at java.lang.ref.Finalizer$FinalizerThread.run(Finalizer.java:209)
```

## process reaper

```
"process reaper" Id=20 Group=system TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@33d36a
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.SynchronousQueue$TransferStack@33d36a
  at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
```

at

```
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
```

at

```
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)  
  at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)  
  at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)  
  at
```

```
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)  
  at
```

```
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)  
  at java.lang.Thread.run(Thread.java:745)
```


## Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference$Lock@6993c9  
  at java.lang.Object.wait(Native Method)  
  - waiting on java.lang.ref.Reference$Lock@6993c9  
  at java.lang.Object.wait(Object.java:502)  
  at java.lang.ref.Reference.tryHandlePending(Reference.java:191)  
  at java.lang.ref.Reference$ReferenceHandler.run(Reference.java:153)
```

## Signal Dispatcher

```
"Signal Dispatcher" Id=4 Group=system RUNNABLE
```

---

 [jenkins-centos-6.x64-096555cf-45f1-431f-8bc4-8fe19edda7a1](#)

## Channel reader thread: channel

```
"Channel reader thread: channel" Id=11 Group=main RUNNABLE (in native)  
  at java.io.FileInputStream.readBytes(Native Method)  
  at java.io.FileInputStream.read(FileInputStream.java:255)  
  at java.io.BufferedInputStream.fill(BufferedInputStream.java:246)  
  at java.io.BufferedInputStream.read(BufferedInputStream.java:265)  
  - locked java.io.BufferedInputStream@56c1ba43  
  at  
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)  
  at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)  
  at  
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)  
  at
```

```
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByte
eArrayCommandTransport.java:34)
    at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport
.java:59)
```

## main

```
"main" Id=1 Group=main TIMED_WAITING on hudson.remoting.Channel@c2e1f26
  at java.lang.Object.wait(Native Method)
  - waiting on hudson.remoting.Channel@c2e1f26
  at hudson.remoting.Channel.join(Channel.java:997)
  at hudson.remoting.Launcher.main(Launcher.java:680)
  at hudson.remoting.Launcher.runWithStdinStdout(Launcher.java:595)
  at hudson.remoting.Launcher.run(Launcher.java:277)
  at hudson.remoting.Launcher.main(Launcher.java:218)
```

## Ping thread for channel hudson.remoting.Channel@c2e1f26:channel

```
"Ping thread for channel hudson.remoting.Channel@c2e1f26:channel" Id=18 Group=main
TIMED_WAITING
  at java.lang.Thread.sleep(Native Method)
  at hudson.remoting.PingThread.run(PingThread.java:91)
```

## pool-1-thread-1 for channel id=337501

```
"pool-1-thread-1 for channel id=337501" Id=12 Group=main RUNNABLE
  at sun.management.ThreadImpl.dumpThreads0(Native Method)
  at sun.management.ThreadImpl.dumpAllThreads(ThreadImpl.java:454)
  at hudson.Functions.getThreadInfos(Functions.java:1225)
  at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
  at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
  at hudson.remoting.UserRequest.perform(UserRequest.java:153)
  at hudson.remoting.UserRequest.perform(UserRequest.java:50)
  at hudson.remoting.Request$2.run(Request.java:336)
  at
hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.java:68)
  at java.util.concurrent.FutureTask.run(FutureTask.java:266)
  at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
  at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
  at java.lang.Thread.run(Thread.java:745)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@2563890

## pool-1-thread-2

```
"pool-1-thread-2" Id=14 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@5000c834
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@5000c834
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
    at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-3

```
"pool-1-thread-3" Id=15 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@5000c834
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@5000c834
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
    at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-4

```
"pool-1-thread-4" Id=16 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@5000c834
    at sun.misc.Unsafe.park(Native Method)
```

```
- waiting on java.util.concurrent.SynchronousQueue$TransferStack@5000c834
at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
at
```

```
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
```

```
at
```

```
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
at
```

```
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
at
```

```
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-5

```
"pool-1-thread-5" Id=17 Group=main TIMED_WAITING on
```

```
java.util.concurrent.SynchronousQueue$TransferStack@5000c834
```

```
at sun.misc.Unsafe.park(Native Method)
```

```
- waiting on java.util.concurrent.SynchronousQueue$TransferStack@5000c834
at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
at
```

```
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
```

```
at
```

```
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
at
```

```
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
at
```

```
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-6

```
"pool-1-thread-6" Id=30 Group=main TIMED_WAITING on
```

```
java.util.concurrent.SynchronousQueue$TransferStack@5000c834
```

```
at sun.misc.Unsafe.park(Native Method)
```

```
- waiting on java.util.concurrent.SynchronousQueue$TransferStack@5000c834
at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
at
```

```
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
```

```
at
```

```
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
```

at

java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)

at

java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:617)

at java.lang.Thread.run(Thread.java:745)

## pool-1-thread-7

"pool-1-thread-7" Id=32 Group=main TIMED\_WAITING on

java.util.concurrent.SynchronousQueue\$TransferStack@5000c834

at sun.misc.Unsafe.park(Native Method)

- waiting on java.util.concurrent.SynchronousQueue\$TransferStack@5000c834

at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)

at

java.util.concurrent.SynchronousQueue\$TransferStack.awaitFulfill(SynchronousQueue.java:460)

at

java.util.concurrent.SynchronousQueue\$TransferStack.transfer(SynchronousQueue.java:362)

at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)

at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)

at

java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)

at

java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:617)

at java.lang.Thread.run(Thread.java:745)

## pool-1-thread-8

"pool-1-thread-8" Id=33 Group=main TIMED\_WAITING on

java.util.concurrent.SynchronousQueue\$TransferStack@5000c834

at sun.misc.Unsafe.park(Native Method)

- waiting on java.util.concurrent.SynchronousQueue\$TransferStack@5000c834

at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)

at

java.util.concurrent.SynchronousQueue\$TransferStack.awaitFulfill(SynchronousQueue.java:460)

at

java.util.concurrent.SynchronousQueue\$TransferStack.transfer(SynchronousQueue.java:362)

at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)

at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)

at

java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)

at

java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:617)

at java.lang.Thread.run(Thread.java:745)

## RemoteInvocationHandler [#1]



```
"RemoteInvocationHandler [#1]" Id=10 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@4d08e6b6
    at java.lang.Object.wait(Native Method)
    - waiting on java.lang.ref.ReferenceQueue$Lock@4d08e6b6
    at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
    at
    hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.java:572)
        at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
        at java.util.concurrent.FutureTask.run(FutureTask.java:266)
        at
    hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:110)
        at java.lang.Thread.run(Thread.java:745)
```

## Finalizer

```
"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@1b1fd64b
    at java.lang.Object.wait(Native Method)
    - waiting on java.lang.ref.ReferenceQueue$Lock@1b1fd64b
    at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
    at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)
    at java.lang.ref.Finalizer$FinalizerThread.run(Finalizer.java:209)
```

## process reaper

```
"process reaper" Id=20 Group=system TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@446b01a7
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@446b01a7
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
    java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:4
60)
        at
    java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
        at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
        at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
        at
    java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
        at
    java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
        at java.lang.Thread.run(Thread.java:745)
```

## Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference$Lock@7659ab6
    at java.lang.Object.wait(Native Method)
    - waiting on java.lang.ref.Reference$Lock@7659ab6
    at java.lang.Object.wait(Object.java:502)
```

```
at java.lang.ref.Reference.tryHandlePending(Reference.java:191)
at java.lang.ref.Reference$ReferenceHandler.run(Reference.java:153)
```

## Signal Dispatcher

"Signal Dispatcher" Id=4 Group=system RUNNABLE

---

## [jenkins-centos-7.x64-1809fc6e-36ad-4cfb-9af3-7352fe002c8a](#)

### Channel reader thread: channel

```
"Channel reader thread: channel" Id=11 Group=main RUNNABLE (in native)
  at java.io.FileInputStream.readBytes(Native Method)
  at java.io.FileInputStream.read(FileInputStream.java:255)
  at java.io.BufferedInputStream.fill(BufferedInputStream.java:246)
  at java.io.BufferedInputStream.read(BufferedInputStream.java:265)
  - locked java.io.BufferedInputStream@3efee58e
  at
  hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
  hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
  hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
  hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
    at
  hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

### main

```
"main" Id=1 Group=main TIMED_WAITING on hudson.remoting.Channel@c2e1f26
  at java.lang.Object.wait(Native Method)
  - waiting on hudson.remoting.Channel@c2e1f26
  at hudson.remoting.Channel.join(Channel.java:997)
  at hudson.remoting.Launcher.main(Launcher.java:680)
  at hudson.remoting.Launcher.runWithStdinStdout(Launcher.java:595)
  at hudson.remoting.Launcher.run(Launcher.java:277)
  at hudson.remoting.Launcher.main(Launcher.java:218)
```

# Ping thread for channel hudson.remoting.Channel@c2e1f26:channel

```
"Ping thread for channel hudson.remoting.Channel@c2e1f26:channel" Id=17 Group=main  
TIMED_WAITING  
    at java.lang.Thread.sleep(Native Method)  
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## pool-1-thread-1

```
"pool-1-thread-1" Id=12 Group=main TIMED_WAITING on  
java.util.concurrent.SynchronousQueue$TransferStack@18458e5f  
    at sun.misc.Unsafe.park(Native Method)  
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@18458e5f  
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)  
    at  
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:4  
60)  
    at  
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)  
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)  
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)  
    at  
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)  
    at  
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)  
    at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-2

```
"pool-1-thread-2" Id=14 Group=main TIMED_WAITING on  
java.util.concurrent.SynchronousQueue$TransferStack@18458e5f  
    at sun.misc.Unsafe.park(Native Method)  
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@18458e5f  
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)  
    at  
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:4  
60)  
    at  
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)  
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)  
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)  
    at  
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)  
    at  
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)  
    at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-3

```
"pool-1-thread-3" Id=15 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@18458e5f
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@18458e5f
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:4
60)
    at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-4

```
"pool-1-thread-4" Id=16 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@18458e5f
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@18458e5f
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:4
60)
    at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-5 for channel id=337503

```
"pool-1-thread-5 for channel id=337503" Id=29 Group=main RUNNABLE
    at sun.management.ThreadImpl.dumpThreads0(Native Method)
    at sun.management.ThreadImpl.dumpAllThreads(ThreadImpl.java:454)
    at hudson.Functions.getThreadInfos(Functions.java:1225)
    at
    hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
    at
    hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
    at hudson.remoting.UserRequest.perform(UserRequest.java:153)
```

```
at hudson.remoting.UserRequest.perform(UserRequest.java:50)
at hudson.remoting.Request$2.run(Request.java:336)
at
```

```
hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.java:68)
at java.util.concurrent.FutureTask.run(FutureTask.java:266)
at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
at java.lang.Thread.run(Thread.java:745)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@755d8a0a

## pool-1-thread-6

```
"pool-1-thread-6" Id=30 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@18458e5f
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.SynchronousQueue$TransferStack@18458e5f
at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-7

```
"pool-1-thread-7" Id=32 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@18458e5f
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.SynchronousQueue$TransferStack@18458e5f
at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
at
```

```
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

## RemoteInvocationHandler [#1]

```
"RemoteInvocationHandler [#1]" Id=10 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@7a74620
    at java.lang.Object.wait(Native Method)
    - waiting on java.lang.ref.ReferenceQueue$Lock@7a74620
    at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
    at
hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.java:572)
    at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
    at
hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:110)
    at java.lang.Thread.run(Thread.java:745)
```

## Finalizer

```
"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@33a417fd
    at java.lang.Object.wait(Native Method)
    - waiting on java.lang.ref.ReferenceQueue$Lock@33a417fd
    at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
    at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)
    at java.lang.ref.Finalizer$FinalizerThread.run(Finalizer.java:209)
```

## process reaper

```
"process reaper" Id=19 Group=system TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@771583f8
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@771583f8
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
    at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```


## Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference$Lock@68754832
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.Reference$Lock@68754832
  at java.lang.Object.wait(Object.java:502)
  at java.lang.ref.Reference.tryHandlePending(Reference.java:191)
  at java.lang.ref.Reference$ReferenceHandler.run(Reference.java:153)
```

## Signal Dispatcher

```
"Signal Dispatcher" Id=4 Group=system RUNNABLE
```

---

 [jenkins-centos-7.x64-1c43f3dc-1a54-433e-b840-6437fcd60554](#)

**/bin/bash -xe /tmp/jenkins7967263910840914279.sh: stdout copier**

```
"/bin/bash -xe /tmp/jenkins7967263910840914279.sh: stdout copier" Id=185 Group=main
RUNNABLE (in native)
  at java.io.FileInputStream.readBytes(Native Method)
  at java.io.FileInputStream.read(FileInputStream.java:255)
  at java.io.BufferedInputStream.read1(BufferedInputStream.java:284)
  at java.io.BufferedInputStream.read(BufferedInputStream.java:345)
  - locked java.lang.UNIXProcess$ProcessPipeInputStream@5e52df6
  at java.io.FilterInputStream.read(FilterInputStream.java:107)
  at hudson.util.StreamCopyThread.run(StreamCopyThread.java:60)
```

## Channel reader thread: channel

```
"Channel reader thread: channel" Id=11 Group=main RUNNABLE (in native)
  at java.io.FileInputStream.readBytes(Native Method)
  at java.io.FileInputStream.read(FileInputStream.java:255)
  at java.io.BufferedInputStream.fill(BufferedInputStream.java:246)
  at java.io.BufferedInputStream.read(BufferedInputStream.java:265)
  - locked java.io.BufferedInputStream@32f3c364
  at
  hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
  hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
```

```
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
    at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

## JGit-WorkQueue

```
"JGit-WorkQueue" Id=86 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@4fc63982
    at sun.misc.Unsafe.park(Native Method)
    - waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@4fc63982
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(AbstractQueuedSynchronizer.java:2078)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:1093)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:809)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1067)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

## main

```
"main" Id=1 Group=main TIMED_WAITING on hudson.remoting.Channel@c2e1f26
    at java.lang.Object.wait(Native Method)
    - waiting on hudson.remoting.Channel@c2e1f26
    at hudson.remoting.Channel.join(Channel.java:997)
    at hudson.remoting.Launcher.main(Launcher.java:680)
    at hudson.remoting.Launcher.runWithStdinStdout(Launcher.java:595)
    at hudson.remoting.Launcher.run(Launcher.java:277)
    at hudson.remoting.Launcher.main(Launcher.java:218)
```

## Ping thread for channel hudson.remoting.Channel@c2e1f26:channel

```
"Ping thread for channel hudson.remoting.Channel@c2e1f26:channel" Id=16 Group=main
TIMED_WAITING
    at java.lang.Thread.sleep(Native Method)
```



```
at hudson.remoting.PingThread.run(PingThread.java:91)
```

## pool-1-thread-122

```
"pool-1-thread-122" Id=262 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@3ea46018
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@3ea46018
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
    at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-123

```
"pool-1-thread-123" Id=263 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@3ea46018
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@3ea46018
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
    at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-124

```
"pool-1-thread-124" Id=264 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@3ea46018
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@3ea46018
```

```
at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
at
```

```
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
```

```
at
```

```
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
at
```

```
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
at
```

```
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-125

```
"pool-1-thread-125" Id=265 Group=main TIMED_WAITING on
```

```
java.util.concurrent.SynchronousQueue$TransferStack@3ea46018
```

```
at sun.misc.Unsafe.park(Native Method)
```

```
- waiting on java.util.concurrent.SynchronousQueue$TransferStack@3ea46018
```

```
at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
```

```
at
```

```
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
```

```
at
```

```
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
at
```

```
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
at
```

```
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-126

```
"pool-1-thread-126" Id=266 Group=main TIMED_WAITING on
```

```
java.util.concurrent.SynchronousQueue$TransferStack@3ea46018
```

```
at sun.misc.Unsafe.park(Native Method)
```

```
- waiting on java.util.concurrent.SynchronousQueue$TransferStack@3ea46018
```

```
at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
```

```
at
```

```
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
```

```
at
```

```
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
at
```

```
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-127 for channel id=337504

```
"pool-1-thread-127 for channel id=337504" Id=267 Group=main RUNNABLE
    at sun.management.ThreadImpl.dumpThreads0(Native Method)
    at sun.management.ThreadImpl.dumpAllThreads(ThreadImpl.java:454)
    at hudson.Functions.getThreadInfos(Functions.java:1225)
    at
    hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
    at
    hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
    at hudson.remoting.UserRequest.perform(UserRequest.java:153)
    at hudson.remoting.UserRequest.perform(UserRequest.java:50)
    at hudson.remoting.Request$2.run(Request.java:336)
    at
    hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.java:68)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
    at
    java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
    at
    java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)

    Number of locked synchronizers = 1
    - java.util.concurrent.ThreadPoolExecutor$Worker@7495d6ff
```

## pool-1-thread-16 for channel id=299440

```
"pool-1-thread-16 for channel id=299440" Id=108 Group=main WAITING on
java.lang.UNIXProcess@b22c33a
    at java.lang.Object.wait(Native Method)
    - waiting on java.lang.UNIXProcess@b22c33a
    at java.lang.Object.wait(Object.java:502)
    at java.lang.UNIXProcess.waitFor(UNIXProcess.java:395)
    at hudson.Proc$LocalProc.join(Proc.java:320)
    at hudson.Launcher$RemoteLaunchCallable$1.join(Launcher.java:1200)
    at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
    at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
    at
    sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
    at java.lang.reflect.Method.invoke(Method.java:498)
    at
    hudson.remoting.RemoteInvocationHandler$RPCRequest.perform(RemoteInvocationHandler.java:
895)
    at
```

```
hudson.remoting.RemoteInvocationHandler$RPCRequest.call(RemoteInvocationHandler.java:870
)
    at
hudson.remoting.RemoteInvocationHandler$RPCRequest.call(RemoteInvocationHandler.java:829
)
    at hudson.remoting.UserRequest.perform(UserRequest.java:153)
    at hudson.remoting.UserRequest.perform(UserRequest.java:50)
    at hudson.remoting.Request$2.run(Request.java:336)
    at
hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.java:68)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@43f37a58
```

## RemoteInvocationHandler [#3]

```
"RemoteInvocationHandler [#3]" Id=231 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@331c0077
    at java.lang.Object.wait(Native Method)
    - waiting on java.lang.ref.ReferenceQueue$Lock@331c0077
    at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
    at
hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.java:572)
    at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
    at
hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:110)
    at java.lang.Thread.run(Thread.java:745)
```

## Finalizer

```
"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@6919c528
    at java.lang.Object.wait(Native Method)
    - waiting on java.lang.ref.ReferenceQueue$Lock@6919c528
    at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
    at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)
    at java.lang.ref.Finalizer$FinalizerThread.run(Finalizer.java:209)
```

## process reaper

```
"process reaper" Id=137 Group=system RUNNABLE (in native)
    at java.lang.UNIXProcess.waitForProcessExit(Native Method)
```

```
at java.lang.UNIXProcess.lambda$initStreams$3 (UNIXProcess.java:289)
at java.lang.UNIXProcess$$Lambda$9/1512580689.run(Unknown Source)
at
```

```
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
at java.lang.Thread.run(Thread.java:745)
```

```
Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@119b961e
```

## Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference$Lock@176deba0
at java.lang.Object.wait(Native Method)
- waiting on java.lang.ref.Reference$Lock@176deba0
at java.lang.Object.wait(Object.java:502)
at java.lang.ref.Reference.tryHandlePending(Reference.java:191)
at java.lang.ref.Reference$ReferenceHandler.run(Reference.java:153)
```

## Signal Dispatcher

```
"Signal Dispatcher" Id=4 Group=system RUNNABLE
```

---

 [jenkins-centos-7.x64-49d1cf00-8be5-4381-8072-84a4f9ed5e96](#)

## Channel reader thread: channel

```
"Channel reader thread: channel" Id=11 Group=main RUNNABLE (in native)
at java.io.FileInputStream.readBytes(Native Method)
at java.io.FileInputStream.read(FileInputStream.java:255)
at java.io.BufferedInputStream.fill(BufferedInputStream.java:246)
at java.io.BufferedInputStream.read(BufferedInputStream.java:265)
- locked java.io.BufferedInputStream@19a65979
at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
at
```

```
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByte
eArrayCommandTransport.java:34)
```

```
at
```

```
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport
.java:59)
```

## **git fetch --tags --progress https://github.com/tempesta-tech/percona-server +refs/heads/\*:refs/remotes/origin/\*: stderr copier**

```
"git fetch --tags --progress https://github.com/tempesta-tech/percona-server
+refs/heads/*:refs/remotes/origin/*: stderr copier" Id=177 Group=main RUNNABLE
  at java.io.FileInputStream.readBytes(Native Method)
  at java.io.FileInputStream.read(FileInputStream.java:255)
  at java.io.BufferedInputStream.read1(BufferedInputStream.java:284)
  at java.io.BufferedInputStream.read(BufferedInputStream.java:345)
  - locked java.lang.UNIXProcess$ProcessPipeInputStream@52802f2a
  at java.io.FilterInputStream.read(FilterInputStream.java:107)
  at hudson.util.StreamCopyThread.run(StreamCopyThread.java:60)
```

## **git fetch --tags --progress https://github.com/tempesta-tech/percona-server +refs/heads/\*:refs/remotes/origin/\*: stdout copier**

```
"git fetch --tags --progress https://github.com/tempesta-tech/percona-server
+refs/heads/*:refs/remotes/origin/*: stdout copier" Id=175 Group=main RUNNABLE (in
native)
  at java.io.FileInputStream.readBytes(Native Method)
  at java.io.FileInputStream.read(FileInputStream.java:255)
  at java.io.BufferedInputStream.read1(BufferedInputStream.java:284)
  at java.io.BufferedInputStream.read(BufferedInputStream.java:345)
  - locked java.lang.UNIXProcess$ProcessPipeInputStream@72f7c844
  at java.io.FilterInputStream.read(FilterInputStream.java:107)
  at hudson.util.StreamCopyThread.run(StreamCopyThread.java:60)
```

## **JGit-WorkQueue**

```
"JGit-WorkQueue" Id=83 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@6acc5fc3
  at sun.misc.Unsafe.park(Native Method)
  - waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@6acc5fc3
  at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
  at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Abstrac
tQueuedSynchronizer.java:2078)
  at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPo
olExecutor.java:1093)
  at
```

```
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:809)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1067)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

## main

```
"main" Id=1 Group=main TIMED_WAITING on hudson.remoting.Channel@c2e1f26
    at java.lang.Object.wait(Native Method)
    - waiting on hudson.remoting.Channel@c2e1f26
    at hudson.remoting.Channel.join(Channel.java:997)
    at hudson.remoting.Launcher.main(Launcher.java:680)
    at hudson.remoting.Launcher.runWithStdinStdout(Launcher.java:595)
    at hudson.remoting.Launcher.run(Launcher.java:277)
    at hudson.remoting.Launcher.main(Launcher.java:218)
```

## Ping thread for channel hudson.remoting.Channel@c2e1f26:channel

```
"Ping thread for channel hudson.remoting.Channel@c2e1f26:channel" Id=16 Group=main
TIMED_WAITING
    at java.lang.Thread.sleep(Native Method)
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## pool-1-thread-10 for channel id=337235

```
"pool-1-thread-10 for channel id=337235" Id=166 Group=main WAITING on
java.lang.UNIXProcess@751f9e5f
    at java.lang.Object.wait(Native Method)
    - waiting on java.lang.UNIXProcess@751f9e5f
    at java.lang.Object.wait(Object.java:502)
    at java.lang.UNIXProcess.waitFor(UNIXProcess.java:395)
    at hudson.Proc$LocalProc.join(Proc.java:320)
    at hudson.Proc.joinWithTimeout(Proc.java:166)
    at
org.jenkinsci.plugins.gitclient.CliGitAPIImpl.launchCommandIn(CliGitAPIImpl.java:1920)
    at
org.jenkinsci.plugins.gitclient.CliGitAPIImpl.launchCommandWithCredentials(CliGitAPIImpl
.java:1643)
    at
org.jenkinsci.plugins.gitclient.CliGitAPIImpl.access$300(CliGitAPIImpl.java:71)
    at
org.jenkinsci.plugins.gitclient.CliGitAPIImpl$1.execute(CliGitAPIImpl.java:352)
    at
org.jenkinsci.plugins.gitclient.CliGitAPIImpl$2.execute(CliGitAPIImpl.java:559)
```

```
    at
org.jenkinsci.plugins.gitclient.RemoteGitImpl$CommandInvocationHandler$1.call(RemoteGitI
mpl.java:153)
    at
org.jenkinsci.plugins.gitclient.RemoteGitImpl$CommandInvocationHandler$1.call(RemoteGitI
mpl.java:146)
    at hudson.remoting.UserRequest.perform(UserRequest.java:153)
    at hudson.remoting.UserRequest.perform(UserRequest.java:50)
    at hudson.remoting.Request$2.run(Request.java:336)
    at
hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.java:68)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@1e85a58f
```

## pool-1-thread-11 for channel id=337505

```
"pool-1-thread-11 for channel id=337505" Id=178 Group=main RUNNABLE
    at sun.management.ThreadImpl.dumpThreads0(Native Method)
    at sun.management.ThreadImpl.dumpAllThreads(ThreadImpl.java:454)
    at hudson.Functions.getThreadInfos(Functions.java:1225)
    at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
    at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
    at hudson.remoting.UserRequest.perform(UserRequest.java:153)
    at hudson.remoting.UserRequest.perform(UserRequest.java:50)
    at hudson.remoting.Request$2.run(Request.java:336)
    at
hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.java:68)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@7afe2f07
```

## pool-1-thread-12

```
"pool-1-thread-12" Id=179 Group=main TIMED_WAITING on
```



```
java.util.concurrent.SynchronousQueue$TransferStack@3718a770
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.SynchronousQueue$TransferStack@3718a770
  at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
  at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
  at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
  at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
  at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
  at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
  at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
  at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-13

```
"pool-1-thread-13" Id=180 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@3718a770
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.SynchronousQueue$TransferStack@3718a770
  at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
  at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
  at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
  at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
  at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
  at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
  at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
  at java.lang.Thread.run(Thread.java:745)
```

## Proc.executor [#2]

```
"Proc.executor [#2]" Id=171 Group=main TIMED_WAITING on
java.util.concurrent.CountDownLatch$Sync@7ce9af1
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.CountDownLatch$Sync@7ce9af1
  at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
  at
java.util.concurrent.locks.AbstractQueuedSynchronizer.doAcquireSharedNanos(AbstractQueue
dSynchronizer.java:1037)
  at
java.util.concurrent.locks.AbstractQueuedSynchronizer.tryAcquireSharedNanos(AbstractQueu
```

```
edSynchronizer.java:1328)
    at java.util.concurrent.CountDownLatch.await(CountDownLatch.java:277)
    at hudson.Proc$1.run(Proc.java:156)
    at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@69641b8d
```

## RemoteInvocationHandler [#3]

```
"RemoteInvocationHandler [#3]" Id=113 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@263506a9
    at java.lang.Object.wait(Native Method)
    - waiting on java.lang.ref.ReferenceQueue$Lock@263506a9
    at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
    at
hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.java:572)
    at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
    at
hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:110)
    at java.lang.Thread.run(Thread.java:745)
```

## Finalizer

```
"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@1042d174
    at java.lang.Object.wait(Native Method)
    - waiting on java.lang.ref.ReferenceQueue$Lock@1042d174
    at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
    at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)
    at java.lang.ref.Finalizer$FinalizerThread.run(Finalizer.java:209)
```

## process reaper

```
"process reaper" Id=167 Group=system RUNNABLE (in native)
    at java.lang.UNIXProcess.waitForProcessExit(Native Method)
    at java.lang.UNIXProcess.lambda$initStreams$3(UNIXProcess.java:289)
    at java.lang.UNIXProcess$$Lambda$9/131349768.run(Unknown Source)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
```

```
at java.lang.Thread.run(Thread.java:745)
```

```
Number of locked synchronizers = 1
```

```
- java.util.concurrent.ThreadPoolExecutor$Worker@e90353f
```

## Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference$Lock@1ecc9d9b
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.Reference$Lock@1ecc9d9b
  at java.lang.Object.wait(Object.java:502)
  at java.lang.ref.Reference.tryHandlePending(Reference.java:191)
  at java.lang.ref.Reference$ReferenceHandler.run(Reference.java:153)
```

## Signal Dispatcher

```
"Signal Dispatcher" Id=4 Group=system RUNNABLE
```

---

 [jenkins-debian-jessie.x64-9ed47a50-f58c-457b-bd1f-d2ec8c48102f](#)

N/A

offline

---

 [jenkins-debian-stretch.x64-7b162cbd-e6e6-4b74-816a-dbeaef4786b8](#)

**/bin/bash -xe /tmp/jenkins1034505271022173412.sh: stdout copier**

```
"/bin/bash -xe /tmp/jenkins1034505271022173412.sh: stdout copier" Id=123 Group=main
RUNNABLE (in native)
  at java.io.FileInputStream.readBytes(Native Method)
  at java.io.FileInputStream.read(FileInputStream.java:255)
  at java.io.BufferedInputStream.read1(BufferedInputStream.java:284)
  at java.io.BufferedInputStream.read(BufferedInputStream.java:345)
  - locked java.lang.UNIXProcess$ProcessPipeInputStream@67e5c9d0
  at java.io.FilterInputStream.read(FilterInputStream.java:107)
  at hudson.util.StreamCopyThread.run(StreamCopyThread.java:60)
```

## Channel reader thread: channel

```
"Channel reader thread: channel" Id=11 Group=main RUNNABLE (in native)
  at java.io.FileInputStream.readBytes(Native Method)
  at java.io.FileInputStream.read(FileInputStream.java:255)
  at java.io.BufferedInputStream.fill(BufferedInputStream.java:246)
  at java.io.BufferedInputStream.read(BufferedInputStream.java:265)
  -   locked java.io.BufferedInputStream@2d98882
  at
  hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
  hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
  hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
  hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
    at
  hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

## JGit-WorkQueue

```
"JGit-WorkQueue" Id=88 Group=main TIMED_WAITING on
  java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@45d2eb4e
    at sun.misc.Unsafe.park(Native Method)
    -   waiting on
  java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@45d2eb4e
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
  java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(AbstractQueuedSynchronizer.java:2078)
    at
  java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:1093)
    at
  java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:809)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1067)
    at
  java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
  java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

**main**

```
"main" Id=1 Group=main TIMED_WAITING on hudson.remoting.Channel@c2e1f26
  at java.lang.Object.wait(Native Method)
  - waiting on hudson.remoting.Channel@c2e1f26
  at hudson.remoting.Channel.join(Channel.java:997)
  at hudson.remoting.Launcher.main(Launcher.java:680)
  at hudson.remoting.Launcher.runWithStdinStdout(Launcher.java:595)
  at hudson.remoting.Launcher.run(Launcher.java:277)
  at hudson.remoting.Launcher.main(Launcher.java:218)
```

## **Ping thread for channel hudson.remoting.Channel@c2e1f26:channel**

```
"Ping thread for channel hudson.remoting.Channel@c2e1f26:channel" Id=16 Group=main
TIMED_WAITING
  at java.lang.Thread.sleep(Native Method)
  at hudson.remoting.PingThread.run(PingThread.java:91)
```

## **pool-1-thread-2 for channel id=299480**

```
"pool-1-thread-2 for channel id=299480" Id=14 Group=main WAITING on
java.lang.UNIXProcess@689e1c95
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.UNIXProcess@689e1c95
  at java.lang.Object.wait(Object.java:502)
  at java.lang.UNIXProcess.waitFor(UNIXProcess.java:395)
  at hudson.Proc$LocalProc.join(Proc.java:320)
  at hudson.Launcher$RemoteLaunchCallable$1.join(Launcher.java:1200)
  at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
  at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
  at
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
  at java.lang.reflect.Method.invoke(Method.java:498)
  at
  hudson.remoting.RemoteInvocationHandler$RPCRequest.perform(RemoteInvocationHandler.java:
895)
  at
  hudson.remoting.RemoteInvocationHandler$RPCRequest.call(RemoteInvocationHandler.java:870
)
  at
  hudson.remoting.RemoteInvocationHandler$RPCRequest.call(RemoteInvocationHandler.java:829
)
  at hudson.remoting.UserRequest.perform(UserRequest.java:153)
  at hudson.remoting.UserRequest.perform(UserRequest.java:50)
  at hudson.remoting.Request$2.run(Request.java:336)
  at
  hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.java:68)
  at java.util.concurrent.FutureTask.run(FutureTask.java:266)
  at
  java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
  at
```

```
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)  
    at java.lang.Thread.run(Thread.java:745)
```

Number of locked synchronizers = 1

```
- java.util.concurrent.ThreadPoolExecutor$Worker@3300c4
```

## pool-1-thread-92

```
"pool-1-thread-92" Id=187 Group=main TIMED_WAITING on  
java.util.concurrent.SynchronousQueue$TransferStack@1152542b  
    at sun.misc.Unsafe.park(Native Method)  
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@1152542b  
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)  
    at  
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)  
    at  
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)  
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)  
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)  
    at  
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)  
    at  
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)  
    at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-93

```
"pool-1-thread-93" Id=188 Group=main TIMED_WAITING on  
java.util.concurrent.SynchronousQueue$TransferStack@1152542b  
    at sun.misc.Unsafe.park(Native Method)  
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@1152542b  
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)  
    at  
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)  
    at  
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)  
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)  
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)  
    at  
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)  
    at  
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)  
    at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-94 for channel id=337506

```
"pool-1-thread-94 for channel id=337506" Id=189 Group=main RUNNABLE
  at sun.management.ThreadImpl.dumpThreads0(Native Method)
  at sun.management.ThreadImpl.dumpAllThreads(ThreadImpl.java:454)
  at hudson.Functions.getThreadInfos(Functions.java:1225)
  at
  hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
  at
  hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
  at hudson.remoting.UserRequest.perform(UserRequest.java:153)
  at hudson.remoting.UserRequest.perform(UserRequest.java:50)
  at hudson.remoting.Request$2.run(Request.java:336)
  at
  hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.java:68)
  at java.util.concurrent.FutureTask.run(FutureTask.java:266)
  at
  java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
  at
  java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
  at java.lang.Thread.run(Thread.java:745)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@386aa8cc
```

## RemoteInvocationHandler [#2]

```
"RemoteInvocationHandler [#2]" Id=87 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@30d08348
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.ReferenceQueue$Lock@30d08348
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
  at
  hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.java:572)
  at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
  at java.util.concurrent.FutureTask.run(FutureTask.java:266)
  at
  hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:110)
  at java.lang.Thread.run(Thread.java:745)
```

## Finalizer

```
"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@12967fe
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.ReferenceQueue$Lock@12967fe
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)
  at java.lang.ref.Finalizer$FinalizerThread.run(Finalizer.java:209)
```

## process reaper

```
"process reaper" Id=18 Group=system RUNNABLE (in native)
  at java.lang.UNIXProcess.waitForProcessExit(Native Method)
  at java.lang.UNIXProcess.lambda$initStreams$3(UNIXProcess.java:289)
  at java.lang.UNIXProcess$$Lambda$9/18726724.run(Unknown Source)
  at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
  at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
  at java.lang.Thread.run(Thread.java:745)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@5be0aeba
```

## Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference$Lock@9186efc
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.Reference$Lock@9186efc
  at java.lang.Object.wait(Object.java:502)
  at java.lang.ref.Reference.tryHandlePending(Reference.java:191)
  at java.lang.ref.Reference$ReferenceHandler.run(Reference.java:153)
```

## Signal Dispatcher

```
"Signal Dispatcher" Id=4 Group=system RUNNABLE
```

---

 [jenkins-debian-stretch.x64-e72f2649-d849-4848-b84f-fe920c70a573](#)

N/A

offline

---

 [jenkins-ubuntu-yakkety.x64-aaf7123f-0c41-42fa-8c78-e25b43ca946a](#)

**/bin/bash -xe /tmp/jenkins7770455966385001025.sh: stdout copier**

```
"/bin/bash -xe /tmp/jenkins7770455966385001025.sh: stdout copier" Id=120 Group=main
```



RUNNABLE

```
at java.io.FileInputStream.readBytes(Native Method)
at java.io.FileInputStream.read(FileInputStream.java:255)
at java.io.BufferedInputStream.read1(BufferedInputStream.java:284)
at java.io.BufferedInputStream.read(BufferedInputStream.java:345)
- locked java.lang.UNIXProcess$ProcessPipeInputStream@478a378a
at java.io.FilterInputStream.read(FilterInputStream.java:107)
at hudson.util.StreamCopyThread.run(StreamCopyThread.java:60)
```

## Channel reader thread: channel

"Channel reader thread: channel" Id=11 Group=main RUNNABLE (in native)

```
at java.io.FileInputStream.readBytes(Native Method)
at java.io.FileInputStream.read(FileInputStream.java:255)
at java.io.BufferedInputStream.fill(BufferedInputStream.java:246)
at java.io.BufferedInputStream.read(BufferedInputStream.java:265)
- locked java.io.BufferedInputStream@338340e7
at
```

```
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
at
```

```
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
at
```

```
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
at
```

```
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
at
```

```
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

## JGit-WorkQueue

"JGit-WorkQueue" Id=86 Group=main TIMED\_WAITING on

```
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@494dc10b
at sun.misc.Unsafe.park(Native Method)
- waiting on
```

```
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@494dc10b
at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
at
```

```
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(AbstractQueuedSynchronizer.java:2078)
at
```

```
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:1093)
at
```

```
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:809)
at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1067)
```

```
at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
at java.lang.Thread.run(Thread.java:745)
```

## main

```
"main" Id=1 Group=main TIMED_WAITING on hudson.remoting.Channel@c2e1f26
at java.lang.Object.wait(Native Method)
- waiting on hudson.remoting.Channel@c2e1f26
at hudson.remoting.Channel.join(Channel.java:997)
at hudson.remoting.Launcher.main(Launcher.java:680)
at hudson.remoting.Launcher.runWithStdinStdout(Launcher.java:595)
at hudson.remoting.Launcher.run(Launcher.java:277)
at hudson.remoting.Launcher.main(Launcher.java:218)
```

## Ping thread for channel hudson.remoting.Channel@c2e1f26:channel

```
"Ping thread for channel hudson.remoting.Channel@c2e1f26:channel" Id=18 Group=main
TIMED_WAITING
at java.lang.Thread.sleep(Native Method)
at hudson.remoting.PingThread.run(PingThread.java:91)
```

## pool-1-thread-2 for channel id=299523

```
"pool-1-thread-2 for channel id=299523" Id=14 Group=main WAITING on
java.lang.UNIXProcess@4d725cfa
at java.lang.Object.wait(Native Method)
- waiting on java.lang.UNIXProcess@4d725cfa
at java.lang.Object.wait(Object.java:502)
at java.lang.UNIXProcess.waitFor(UNIXProcess.java:395)
at hudson.Proc$LocalProc.join(Proc.java:320)
at hudson.Launcher$RemoteLaunchCallable$1.join(Launcher.java:1200)
at sun.reflect.NativeMethodAccessorImpl.invoke0(Native Method)
at sun.reflect.NativeMethodAccessorImpl.invoke(NativeMethodAccessorImpl.java:62)
at
sun.reflect.DelegatingMethodAccessorImpl.invoke(DelegatingMethodAccessorImpl.java:43)
at java.lang.reflect.Method.invoke(Method.java:498)
at
hudson.remoting.RemoteInvocationHandler$RPCRequest.perform(RemoteInvocationHandler.java:
895)
at
hudson.remoting.RemoteInvocationHandler$RPCRequest.call(RemoteInvocationHandler.java:870
)
at
hudson.remoting.RemoteInvocationHandler$RPCRequest.call(RemoteInvocationHandler.java:829
)
```

```
at hudson.remoting.UserRequest.perform(UserRequest.java:153)
at hudson.remoting.UserRequest.perform(UserRequest.java:50)
at hudson.remoting.Request$2.run(Request.java:336)
at
```

```
udson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.java:68)
at java.util.concurrent.FutureTask.run(FutureTask.java:266)
at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
at java.lang.Thread.run(Thread.java:745)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@3300c4

## pool-1-thread-95

```
"pool-1-thread-95" Id=186 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@25e8ba09
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.SynchronousQueue$TransferStack@25e8ba09
at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-96

```
"pool-1-thread-96" Id=187 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@25e8ba09
at sun.misc.Unsafe.park(Native Method)
- waiting on java.util.concurrent.SynchronousQueue$TransferStack@25e8ba09
at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
```

at

java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)

at

java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:617)

at java.lang.Thread.run(Thread.java:745)

## pool-1-thread-97

"pool-1-thread-97" Id=188 Group=main TIMED\_WAITING on

java.util.concurrent.SynchronousQueue\$TransferStack@25e8ba09

at sun.misc.Unsafe.park(Native Method)

- waiting on java.util.concurrent.SynchronousQueue\$TransferStack@25e8ba09

at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)

at

java.util.concurrent.SynchronousQueue\$TransferStack.awaitFulfill(SynchronousQueue.java:460)

at

java.util.concurrent.SynchronousQueue\$TransferStack.transfer(SynchronousQueue.java:362)

at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)

at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)

at

java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)

at

java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:617)

at java.lang.Thread.run(Thread.java:745)

## pool-1-thread-98 for channel id=337507

"pool-1-thread-98 for channel id=337507" Id=189 Group=main RUNNABLE

at sun.management.ThreadImpl.dumpThreads0(Native Method)

at sun.management.ThreadImpl.dumpAllThreads(ThreadImpl.java:454)

at hudson.Functions.getThreadInfos(Functions.java:1225)

at

hudson.util.RemotingDiagnostics\$GetThreadDump.call(RemotingDiagnostics.java:98)

at

hudson.util.RemotingDiagnostics\$GetThreadDump.call(RemotingDiagnostics.java:95)

at hudson.remoting.UserRequest.perform(UserRequest.java:153)

at hudson.remoting.UserRequest.perform(UserRequest.java:50)

at hudson.remoting.Request\$2.run(Request.java:336)

at

hudson.remoting.InterceptingExecutorService\$1.call(InterceptingExecutorService.java:68)

at java.util.concurrent.FutureTask.run(FutureTask.java:266)

at

java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)

at

java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:617)

at java.lang.Thread.run(Thread.java:745)

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@1c969a79

## RemoteInvocationHandler [#2]

```
"RemoteInvocationHandler [#2]" Id=85 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@52854cbc
    at java.lang.Object.wait(Native Method)
    - waiting on java.lang.ref.ReferenceQueue$Lock@52854cbc
    at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
    at
    hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.java:572)
    at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
    at
    hudson.remoting.AtMostOneThreadExecutor$Worker.run(AtMostOneThreadExecutor.java:110)
    at java.lang.Thread.run(Thread.java:745)
```

## Finalizer

```
"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@3b24dd0e
    at java.lang.Object.wait(Native Method)
    - waiting on java.lang.ref.ReferenceQueue$Lock@3b24dd0e
    at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
    at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)
    at java.lang.ref.Finalizer$FinalizerThread.run(Finalizer.java:209)
```

## process reaper

```
"process reaper" Id=19 Group=system RUNNABLE (in native)
    at java.lang.UNIXProcess.waitForProcessExit(Native Method)
    at java.lang.UNIXProcess.lambda$initStreams$3(UNIXProcess.java:289)
    at java.lang.UNIXProcess$$Lambda$9/20072790.run(Unknown Source)
    at
    java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
    at
    java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@3faf5fd5

## Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference$Lock@744bb79f
    at java.lang.Object.wait(Native Method)
    - waiting on java.lang.ref.Reference$Lock@744bb79f
    at java.lang.Object.wait(Object.java:502)
```

```
at java.lang.ref.Reference.tryHandlePending(Reference.java:191)
at java.lang.ref.Reference$ReferenceHandler.run(Reference.java:153)
```

## Signal Dispatcher

"Signal Dispatcher" Id=4 Group=system RUNNABLE

---

### percona-testbench-01

N/A

offline

---

### pxc-perf

## Channel reader thread: channel

```
"Channel reader thread: channel" Id=23 Group=main RUNNABLE (in native)
  at java.io.FileInputStream.readBytes(Native Method)
  at java.io.FileInputStream.read(FileInputStream.java:255)
  at java.io.BufferedInputStream.fill(BufferedInputStream.java:246)
  at java.io.BufferedInputStream.read(BufferedInputStream.java:265)
  - locked java.io.BufferedInputStream@4806c589
  at
  hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
  hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
  hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
  hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
    at
  hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

main

```
"main" Id=1 Group=main TIMED_WAITING on hudson.remoting.Channel@7f847c
  at java.lang.Object.wait(Native Method)
  - waiting on hudson.remoting.Channel@7f847c
  at hudson.remoting.Channel.join(Channel.java:997)
  at hudson.remoting.Launcher.main(Launcher.java:680)
  at hudson.remoting.Launcher.runWithStdinStdout(Launcher.java:595)
  at hudson.remoting.Launcher.run(Launcher.java:277)
  at hudson.remoting.Launcher.main(Launcher.java:218)
```

## Ping thread for channel hudson.remoting.Channel@7f847c:channel

```
"Ping thread for channel hudson.remoting.Channel@7f847c:channel" Id=25 Group=main
TIMED_WAITING
  at java.lang.Thread.sleep(Native Method)
  at hudson.remoting.PingThread.run(PingThread.java:91)
```

## pool-1-thread-575 for channel id=337508

```
"pool-1-thread-575 for channel id=337508" Id=623 Group=main RUNNABLE
  at sun.management.ThreadImpl.dumpThreads0(Native Method)
  at sun.management.ThreadImpl.dumpAllThreads(ThreadImpl.java:454)
  at hudson.Functions.getThreadInfos(Functions.java:1225)
  at
  hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
  at
  hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
  at hudson.remoting.UserRequest.perform(UserRequest.java:153)
  at hudson.remoting.UserRequest.perform(UserRequest.java:50)
  at hudson.remoting.Request$2.run(Request.java:336)
  at
  hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.java:68)
  at java.util.concurrent.FutureTask.run(FutureTask.java:266)
  at
  java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
  at
  java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
  at java.lang.Thread.run(Thread.java:748)

  Number of locked synchronizers = 1
  - java.util.concurrent.ThreadPoolExecutor$Worker@20b39495
```

## RemoteInvocationHandler [#23]

```
"RemoteInvocationHandler [#23]" Id=566 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@49a14938
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.ReferenceQueue$Lock@49a14938
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
```

at

```
hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.java:572)
  at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
  at java.util.concurrent.FutureTask.run(FutureTask.java:266)
  at
hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:110)
  at java.lang.Thread.run(Thread.java:748)
```

## Finalizer

```
"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@10a6e163
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.ReferenceQueue$Lock@10a6e163
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)
  at java.lang.ref.Finalizer$FinalizerThread.run(Finalizer.java:209)
```

## Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference$Lock@7b8306e5
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.Reference$Lock@7b8306e5
  at java.lang.Object.wait(Object.java:502)
  at java.lang.ref.Reference.tryHandlePending(Reference.java:191)
  at java.lang.ref.Reference$ReferenceHandler.run(Reference.java:153)
```

## Signal Dispatcher

```
"Signal Dispatcher" Id=4 Group=system RUNNABLE
```

---



## Channel reader thread: channel

```
"Channel reader thread: channel" Id=12 Group=main RUNNABLE (in native)
  at java.io.FileInputStream.readBytes(Native Method)
  at java.io.FileInputStream.read(FileInputStream.java:255)
  at java.io.BufferedInputStream.fill(BufferedInputStream.java:246)
  at java.io.BufferedInputStream.read(BufferedInputStream.java:265)
  - locked java.io.BufferedInputStream@3aa31c6
  at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
  at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
```



```
    at
  hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
  hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
  hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByte
  eArrayCommandTransport.java:34)
    at
  hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport
  .java:59)
```

## JGit-WorkQueue

```
"JGit-WorkQueue" Id=472 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2cba981c
    at sun.misc.Unsafe.park(Native Method)
    - waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2cba981c
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
  java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Abstrac
  tQueuedSynchronizer.java:2078)
    at
  java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPo
  olExecutor.java:1093)
    at
  java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPo
  olExecutor.java:809)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1067)
    at
  java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
  java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

## main

```
"main" Id=1 Group=main TIMED_WAITING on hudson.remoting.Channel@c2e1f26
    at java.lang.Object.wait(Native Method)
    - waiting on hudson.remoting.Channel@c2e1f26
    at hudson.remoting.Channel.join(Channel.java:997)
    at hudson.remoting.Launcher.main(Launcher.java:680)
    at hudson.remoting.Launcher.runWithStdinStdout(Launcher.java:595)
    at hudson.remoting.Launcher.run(Launcher.java:277)
    at hudson.remoting.Launcher.main(Launcher.java:218)
```

**Ping thread for channel hudson.remoting.Channel@c2e1f26:channel**

```
"Ping thread for channel hudson.remoting.Channel@c2e1f26:channel" Id=14 Group=main
TIMED_WAITING
    at java.lang.Thread.sleep(Native Method)
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## pool-1-thread-546 for channel id=337509

```
"pool-1-thread-546 for channel id=337509" Id=850 Group=main RUNNABLE
    at sun.management.ThreadImpl.dumpThreads0(Native Method)
    at sun.management.ThreadImpl.dumpAllThreads(ThreadImpl.java:454)
    at hudson.Functions.getThreadInfos(Functions.java:1225)
    at
    hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
    at
    hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
    at hudson.remoting.UserRequest.perform(UserRequest.java:153)
    at hudson.remoting.UserRequest.perform(UserRequest.java:50)
    at hudson.remoting.Request$2.run(Request.java:336)
    at
    hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.java:68)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
    at
    java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
    at
    java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)

    Number of locked synchronizers = 1
    - java.util.concurrent.ThreadPoolExecutor$Worker@550af53a
```

## pool-1-thread-547

```
"pool-1-thread-547" Id=851 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@61fa55b8
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@61fa55b8
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
    java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
    at
    java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
    at
    java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
    java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

## RemoteInvocationHandler [#24]

```
"RemoteInvocationHandler [#24]" Id=804 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@764c522a
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.ReferenceQueue$Lock@764c522a
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
  at
  hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.java:572)
    at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
    at
  hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:110)
    at java.lang.Thread.run(Thread.java:745)
```

## Finalizer

```
"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@10f566ef
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.ReferenceQueue$Lock@10f566ef
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)
  at java.lang.ref.Finalizer$FinalizerThread.run(Finalizer.java:209)
```

## Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference$Lock@4bcabd9
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.Reference$Lock@4bcabd9
  at java.lang.Object.wait(Object.java:502)
  at java.lang.ref.Reference.tryHandlePending(Reference.java:191)
  at java.lang.ref.Reference$ReferenceHandler.run(Reference.java:153)
```

## Signal Dispatcher

```
"Signal Dispatcher" Id=4 Group=system RUNNABLE
```

---

offline

---

 [qa-hppro1](#)

N/A

offline

---

 [qa-pkg-1](#)

## Channel reader thread: channel

```
"Channel reader thread: channel" Id=20 Group=main RUNNABLE (in native)
  at java.io.FileInputStream.readBytes(Native Method)
  at java.io.FileInputStream.read(FileInputStream.java:255)
  at java.io.BufferedInputStream.fill(BufferedInputStream.java:246)
  at java.io.BufferedInputStream.read(BufferedInputStream.java:265)
  - locked java.io.BufferedInputStream@1937d6d
  at
  hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
  hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
  hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
  hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
    at
  hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

## JGit-WorkQueue

```
"JGit-WorkQueue" Id=544 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@3190b200
  at sun.misc.Unsafe.park(Native Method)
  - waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@3190b200
  at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
  at
```

```
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(AbstractQueuedSynchronizer.java:2078)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:1093)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:809)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1067)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

## main

```
"main" Id=1 Group=main TIMED_WAITING on hudson.remoting.Channel@c2e1f26
    at java.lang.Object.wait(Native Method)
    - waiting on hudson.remoting.Channel@c2e1f26
    at hudson.remoting.Channel.join(Channel.java:997)
    at hudson.remoting.Launcher.main(Launcher.java:680)
    at hudson.remoting.Launcher.runWithStdinStdout(Launcher.java:595)
    at hudson.remoting.Launcher.run(Launcher.java:277)
    at hudson.remoting.Launcher.main(Launcher.java:218)
```

## Ping thread for channel hudson.remoting.Channel@c2e1f26:channel

```
"Ping thread for channel hudson.remoting.Channel@c2e1f26:channel" Id=22 Group=main
TIMED_WAITING
    at java.lang.Thread.sleep(Native Method)
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## pool-1-thread-624

```
"pool-1-thread-624" Id=887 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@1d85a18b
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@1d85a18b
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:460)
    at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
    at
```

```
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

## pool-1-thread-625 for channel id=337510

```
"pool-1-thread-625 for channel id=337510" Id=888 Group=main RUNNABLE
    at sun.management.ThreadImpl.dumpThreads0(Native Method)
    at sun.management.ThreadImpl.dumpAllThreads(ThreadImpl.java:454)
    at hudson.Functions.getThreadInfos(Functions.java:1225)
    at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
    at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
    at hudson.remoting.UserRequest.perform(UserRequest.java:153)
    at hudson.remoting.UserRequest.perform(UserRequest.java:50)
    at hudson.remoting.Request$2.run(Request.java:336)
    at
hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.java:68)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@2aff60d0
```

## RemoteInvocationHandler [#25]

```
"RemoteInvocationHandler [#25]" Id=817 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@4900df04
    at java.lang.Object.wait(Native Method)
    - waiting on java.lang.ref.ReferenceQueue$Lock@4900df04
    at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
    at
hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.java:572)
    at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
    at
hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:110)
    at java.lang.Thread.run(Thread.java:745)
```

## Finalizer

```
"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@6f6598f
```

```
at java.lang.Object.wait(Native Method)
- waiting on java.lang.ref.ReferenceQueue$Lock@6f6598f
at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)
at java.lang.ref.Finalizer$FinalizerThread.run(Finalizer.java:209)
```

## Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference$Lock@32c2ebe3
at java.lang.Object.wait(Native Method)
- waiting on java.lang.ref.Reference$Lock@32c2ebe3
at java.lang.Object.wait(Object.java:502)
at java.lang.ref.Reference.tryHandlePending(Reference.java:191)
at java.lang.ref.Reference$ReferenceHandler.run(Reference.java:153)
```

## Signal Dispatcher

```
"Signal Dispatcher" Id=4 Group=system RUNNABLE
```

---



[qaserver-01](#)

## Channel reader thread: channel

```
"Channel reader thread: channel" Id=12 Group=main RUNNABLE (in native)
at java.io.FileInputStream.readBytes(Native Method)
at java.io.FileInputStream.read(FileInputStream.java:255)
at java.io.BufferedInputStream.fill(BufferedInputStream.java:246)
at java.io.BufferedInputStream.read(BufferedInputStream.java:265)
- locked java.io.BufferedInputStream@5675ce2e
at
hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
at
hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
at
hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
at
hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
at
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

# JGit-WorkQueue

```
"JGit-WorkQueue" Id=82 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@42486d4a
    at sun.misc.Unsafe.park(Native Method)
    - waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@42486d4a
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(AbstractQueuedSynchronizer.java:2078)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:1093)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:809)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1067)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:748)
```

## main

```
"main" Id=1 Group=main TIMED_WAITING on hudson.remoting.Channel@c2e1f26
    at java.lang.Object.wait(Native Method)
    - waiting on hudson.remoting.Channel@c2e1f26
    at hudson.remoting.Channel.join(Channel.java:997)
    at hudson.remoting.Launcher.main(Launcher.java:680)
    at hudson.remoting.Launcher.runWithStdinStdout(Launcher.java:595)
    at hudson.remoting.Launcher.run(Launcher.java:277)
    at hudson.remoting.Launcher.main(Launcher.java:218)
```

## Ping thread for channel hudson.remoting.Channel@c2e1f26:channel

```
"Ping thread for channel hudson.remoting.Channel@c2e1f26:channel" Id=14 Group=main
TIMED_WAITING
    at java.lang.Thread.sleep(Native Method)
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## pool-1-thread-550 for channel id=337511

```
"pool-1-thread-550 for channel id=337511" Id=1032 Group=main RUNNABLE
    at sun.management.ThreadImpl.dumpThreads0(Native Method)
    at sun.management.ThreadImpl.dumpAllThreads(ThreadImpl.java:454)
    at hudson.Functions.getThreadInfos(Functions.java:1225)
```



at

hudson.util.RemotingDiagnostics\$GetThreadDump.call(RemotingDiagnostics.java:98)

at

hudson.util.RemotingDiagnostics\$GetThreadDump.call(RemotingDiagnostics.java:95)

at hudson.remoting.UserRequest.perform(UserRequest.java:153)

at hudson.remoting.UserRequest.perform(UserRequest.java:50)

at hudson.remoting.Request\$2.run(Request.java:336)

at

hudson.remoting.InterceptingExecutorService\$1.call(InterceptingExecutorService.java:68)

at java.util.concurrent.FutureTask.run(FutureTask.java:266)

at

java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)

at

java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:617)

at java.lang.Thread.run(Thread.java:748)

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@5882c8c8

## RemoteInvocationHandler [#24]

"RemoteInvocationHandler [#24]" Id=885 Group=main TIMED\_WAITING on

java.lang.ref.ReferenceQueue\$Lock@54ef7800

at java.lang.Object.wait(Native Method)

- waiting on java.lang.ref.ReferenceQueue\$Lock@54ef7800

at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)

at

hudson.remoting.RemoteInvocationHandler\$Unexporter.run(RemoteInvocationHandler.java:572)

at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511)

at java.util.concurrent.FutureTask.run(FutureTask.java:266)

at

hudson.remoting.AtmostOneThreadExecutor\$Worker.run(AtmostOneThreadExecutor.java:110)

at java.lang.Thread.run(Thread.java:748)

## Finalizer

"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue\$Lock@39edcb0f

at java.lang.Object.wait(Native Method)

- waiting on java.lang.ref.ReferenceQueue\$Lock@39edcb0f

at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)

at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)

at java.lang.ref.Finalizer\$FinalizerThread.run(Finalizer.java:209)

## Reference Handler

"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference\$Lock@16ed8b4a

at java.lang.Object.wait(Native Method)

- waiting on java.lang.ref.Reference\$Lock@16ed8b4a

```
at java.lang.Object.wait(Object.java:502)
at java.lang.ref.Reference.tryHandlePending(Reference.java:191)
at java.lang.ref.Reference$ReferenceHandler.run(Reference.java:153)
```

## Signal Dispatcher

"Signal Dispatcher" Id=4 Group=system RUNNABLE

---

## qaserver-02

### Channel reader thread: channel

```
"Channel reader thread: channel" Id=12 Group=main RUNNABLE (in native)
  at java.io.FileInputStream.readBytes(Native Method)
  at java.io.FileInputStream.read(FileInputStream.java:255)
  at java.io.BufferedInputStream.fill(BufferedInputStream.java:246)
  at java.io.BufferedInputStream.read(BufferedInputStream.java:265)
  - locked java.io.BufferedInputStream@29660076
  at
  hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
  hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
  hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
  hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
    at
  hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

### main

```
"main" Id=1 Group=main TIMED_WAITING on hudson.remoting.Channel@c2e1f26
  at java.lang.Object.wait(Native Method)
  - waiting on hudson.remoting.Channel@c2e1f26
  at hudson.remoting.Channel.join(Channel.java:997)
  at hudson.remoting.Launcher.main(Launcher.java:680)
  at hudson.remoting.Launcher.runWithStdinStdout(Launcher.java:595)
  at hudson.remoting.Launcher.run(Launcher.java:277)
  at hudson.remoting.Launcher.main(Launcher.java:218)
```

# Ping thread for channel hudson.remoting.Channel@c2e1f26:channel

```
"Ping thread for channel hudson.remoting.Channel@c2e1f26:channel" Id=14 Group=main  
TIMED_WAITING  
    at java.lang.Thread.sleep(Native Method)  
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## pool-1-thread-533 for channel id=337512

```
"pool-1-thread-533 for channel id=337512" Id=576 Group=main RUNNABLE  
    at sun.management.ThreadImpl.dumpThreads0(Native Method)  
    at sun.management.ThreadImpl.dumpAllThreads(ThreadImpl.java:454)  
    at hudson.Functions.getThreadInfos(Functions.java:1225)  
    at  
    hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)  
    at  
    hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)  
    at hudson.remoting.UserRequest.perform(UserRequest.java:153)  
    at hudson.remoting.UserRequest.perform(UserRequest.java:50)  
    at hudson.remoting.Request$2.run(Request.java:336)  
    at  
    hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.java:68)  
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)  
    at  
    java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)  
    at  
    java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)  
    at java.lang.Thread.run(Thread.java:745)  
  
    Number of locked synchronizers = 1  
    - java.util.concurrent.ThreadPoolExecutor$Worker@5dff748c
```

## RemoteInvocationHandler [#23]

```
"RemoteInvocationHandler [#23]" Id=516 Group=main TIMED_WAITING on  
java.lang.ref.ReferenceQueue$Lock@775704cb  
    at java.lang.Object.wait(Native Method)  
    - waiting on java.lang.ref.ReferenceQueue$Lock@775704cb  
    at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)  
    at  
    hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.java:572)  
    at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)  
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)  
    at  
    hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:110)  
    at java.lang.Thread.run(Thread.java:745)
```

## Finalizer

```
"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@44e00e5a
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.ReferenceQueue$Lock@44e00e5a
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)
  at java.lang.ref.Finalizer$FinalizerThread.run(Finalizer.java:209)
```

## Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference$Lock@439e09f1
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.Reference$Lock@439e09f1
  at java.lang.Object.wait(Object.java:502)
  at java.lang.ref.Reference.tryHandlePending(Reference.java:191)
  at java.lang.ref.Reference$ReferenceHandler.run(Reference.java:153)
```

## Signal Dispatcher

```
"Signal Dispatcher" Id=4 Group=system RUNNABLE
```

---



[qaserver-03](#)

## Channel reader thread: channel

```
"Channel reader thread: channel" Id=12 Group=main RUNNABLE (in native)
  at java.io.FileInputStream.readBytes(Native Method)
  at java.io.FileInputStream.read(FileInputStream.java:255)
  at java.io.BufferedInputStream.fill(BufferedInputStream.java:246)
  at java.io.BufferedInputStream.read(BufferedInputStream.java:265)
  - locked java.io.BufferedInputStream@63f5ca10
  at
  hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
  hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
  hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
  hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
    at
  hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

## JGit-WorkQueue

```
"JGit-WorkQueue" Id=453 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@37e9d764
    at sun.misc.Unsafe.park(Native Method)
    - waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@37e9d764
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(Abstrac
tQueuedSynchronizer.java:2078)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPo
olExecutor.java:1093)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPo
olExecutor.java:809)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1067)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:745)
```

## main

```
"main" Id=1 Group=main TIMED_WAITING on hudson.remoting.Channel@c2e1f26
    at java.lang.Object.wait(Native Method)
    - waiting on hudson.remoting.Channel@c2e1f26
    at hudson.remoting.Channel.join(Channel.java:997)
    at hudson.remoting.Launcher.main(Launcher.java:680)
    at hudson.remoting.Launcher.runWithStdinStdout(Launcher.java:595)
    at hudson.remoting.Launcher.run(Launcher.java:277)
    at hudson.remoting.Launcher.main(Launcher.java:218)
```

## Ping thread for channel hudson.remoting.Channel@c2e1f26:channel

```
"Ping thread for channel hudson.remoting.Channel@c2e1f26:channel" Id=14 Group=main
TIMED_WAITING
    at java.lang.Thread.sleep(Native Method)
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## pool-1-thread-516 for channel id=337513

```
"pool-1-thread-516 for channel id=337513" Id=843 Group=main RUNNABLE
    at sun.management.ThreadImpl.dumpThreads0(Native Method)
```

```
at sun.management.ThreadImpl.dumpAllThreads(ThreadImpl.java:454)
at hudson.Functions.getThreadInfos(Functions.java:1225)
at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
at hudson.remoting.UserRequest.perform(UserRequest.java:153)
at hudson.remoting.UserRequest.perform(UserRequest.java:50)
at hudson.remoting.Request$2.run(Request.java:336)
at
hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.java:68)
at java.util.concurrent.FutureTask.run(FutureTask.java:266)
at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
at java.lang.Thread.run(Thread.java:745)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@936c69c

## RemoteInvocationHandler [#28]

```
"RemoteInvocationHandler [#28]" Id=777 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@3e2c27cf
at java.lang.Object.wait(Native Method)
- waiting on java.lang.ref.ReferenceQueue$Lock@3e2c27cf
at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
at
hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.java:572)
at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
at java.util.concurrent.FutureTask.run(FutureTask.java:266)
at
hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:110)
at java.lang.Thread.run(Thread.java:745)
```

## Finalizer

```
"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@59dc18da
at java.lang.Object.wait(Native Method)
- waiting on java.lang.ref.ReferenceQueue$Lock@59dc18da
at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)
at java.lang.ref.Finalizer$FinalizerThread.run(Finalizer.java:209)
```

## Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference$Lock@6915e71
```

```
at java.lang.Object.wait(Native Method)
- waiting on java.lang.ref.Reference$Lock@6915e71
at java.lang.Object.wait(Object.java:502)
at java.lang.ref.Reference.tryHandlePending(Reference.java:191)
at java.lang.ref.Reference$ReferenceHandler.run(Reference.java:153)
```

## Signal Dispatcher

"Signal Dispatcher" Id=4 Group=system RUNNABLE

---

## qaserver-04

### Channel reader thread: channel

```
"Channel reader thread: channel" Id=12 Group=main RUNNABLE (in native)
  at java.io.FileInputStream.readBytes(Native Method)
  at java.io.FileInputStream.read(FileInputStream.java:255)
  at java.io.BufferedInputStream.fill(BufferedInputStream.java:246)
  at java.io.BufferedInputStream.read(BufferedInputStream.java:265)
  - locked java.io.BufferedInputStream@4069cb00
  at
  hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
  hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
  hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
  hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByte
eArrayCommandTransport.java:34)
    at
  hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport
.java:59)
```

### main

```
"main" Id=1 Group=main TIMED_WAITING on hudson.remoting.Channel@c2e1f26
  at java.lang.Object.wait(Native Method)
  - waiting on hudson.remoting.Channel@c2e1f26
  at hudson.remoting.Channel.join(Channel.java:997)
  at hudson.remoting.Launcher.main(Launcher.java:680)
  at hudson.remoting.Launcher.runWithStdinStdout(Launcher.java:595)
  at hudson.remoting.Launcher.run(Launcher.java:277)
```

at hudson.remoting.Launcher.main(Launcher.java:218)

## Ping thread for channel hudson.remoting.Channel@c2e1f26:channel

"Ping thread for channel hudson.remoting.Channel@c2e1f26:channel" Id=14 Group=main  
TIMED\_WAITING  
at java.lang.Thread.sleep(Native Method)  
at hudson.remoting.PingThread.run(PingThread.java:91)

## pool-1-thread-526 for channel id=337514

"pool-1-thread-526 for channel id=337514" Id=563 Group=main RUNNABLE  
at sun.management.ThreadImpl.dumpThreads0(Native Method)  
at sun.management.ThreadImpl.dumpAllThreads(ThreadImpl.java:454)  
at hudson.Functions.getThreadInfos(Functions.java:1225)  
at  
hudson.util.RemotingDiagnostics\$GetThreadDump.call(RemotingDiagnostics.java:98)  
at  
hudson.util.RemotingDiagnostics\$GetThreadDump.call(RemotingDiagnostics.java:95)  
at hudson.remoting.UserRequest.perform(UserRequest.java:153)  
at hudson.remoting.UserRequest.perform(UserRequest.java:50)  
at hudson.remoting.Request\$2.run(Request.java:336)  
at  
hudson.remoting.InterceptingExecutorService\$1.call(InterceptingExecutorService.java:68)  
at java.util.concurrent.FutureTask.run(FutureTask.java:266)  
at  
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)  
at  
java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:617)  
at java.lang.Thread.run(Thread.java:745)  
  
Number of locked synchronizers = 1  
- java.util.concurrent.ThreadPoolExecutor\$Worker@746ec833

## RemoteInvocationHandler [#23]

"RemoteInvocationHandler [#23]" Id=512 Group=main TIMED\_WAITING on  
java.lang.ref.ReferenceQueue\$Lock@5d9f2950  
at java.lang.Object.wait(Native Method)  
- waiting on java.lang.ref.ReferenceQueue\$Lock@5d9f2950  
at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)  
at  
hudson.remoting.RemoteInvocationHandler\$Unexporter.run(RemoteInvocationHandler.java:572)  
at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511)  
at java.util.concurrent.FutureTask.run(FutureTask.java:266)  
at  
hudson.remoting.AtmostOneThreadExecutor\$Worker.run(AtmostOneThreadExecutor.java:110)  
at java.lang.Thread.run(Thread.java:745)



## Finalizer

```
"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@38067a87
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.ReferenceQueue$Lock@38067a87
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)
  at java.lang.ref.Finalizer$FinalizerThread.run(Finalizer.java:209)
```

## Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference$Lock@2e4b5e55
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.Reference$Lock@2e4b5e55
  at java.lang.Object.wait(Object.java:502)
  at java.lang.ref.Reference.tryHandlePending(Reference.java:191)
  at java.lang.ref.Reference$ReferenceHandler.run(Reference.java:153)
```

## Signal Dispatcher

```
"Signal Dispatcher" Id=4 Group=system RUNNABLE
```

---

## qaserver-07

### Channel reader thread: channel

```
"Channel reader thread: channel" Id=12 Group=main RUNNABLE (in native)
  at java.io.FileInputStream.readBytes(Native Method)
  at java.io.FileInputStream.read(FileInputStream.java:255)
  at java.io.BufferedInputStream.fill(BufferedInputStream.java:246)
  at java.io.BufferedInputStream.read(BufferedInputStream.java:265)
  - locked java.io.BufferedInputStream@546c82ab
  at
  hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
  hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
  hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
  hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
```

at

```
hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

## JGit-WorkQueue

```
"JGit-WorkQueue" Id=60 Group=main TIMED_WAITING on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2a3f3383
    at sun.misc.Unsafe.park(Native Method)
    - waiting on
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@2a3f3383
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(AbstractQueuedSynchronizer.java:2078)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:1093)
    at
java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:809)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1067)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:748)
```

## main

```
"main" Id=1 Group=main TIMED_WAITING on hudson.remoting.Channel@c2e1f26
    at java.lang.Object.wait(Native Method)
    - waiting on hudson.remoting.Channel@c2e1f26
    at hudson.remoting.Channel.join(Channel.java:997)
    at hudson.remoting.Launcher.main(Launcher.java:680)
    at hudson.remoting.Launcher.runWithStdinStdout(Launcher.java:595)
    at hudson.remoting.Launcher.run(Launcher.java:277)
    at hudson.remoting.Launcher.main(Launcher.java:218)
```

## Ping thread for channel hudson.remoting.Channel@c2e1f26:channel

```
"Ping thread for channel hudson.remoting.Channel@c2e1f26:channel" Id=14 Group=main
TIMED_WAITING
    at java.lang.Thread.sleep(Native Method)
    at hudson.remoting.PingThread.run(PingThread.java:91)
```

## pool-1-thread-529

```
"pool-1-thread-529" Id=909 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@712cc1fa
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@712cc1fa
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:4
60)
    at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:748)
```

## pool-1-thread-530

```
"pool-1-thread-530" Id=910 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@712cc1fa
    at sun.misc.Unsafe.park(Native Method)
    - waiting on java.util.concurrent.SynchronousQueue$TransferStack@712cc1fa
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
java.util.concurrent.SynchronousQueue$TransferStack.awaitFulfill(SynchronousQueue.java:4
60)
    at
java.util.concurrent.SynchronousQueue$TransferStack.transfer(SynchronousQueue.java:362)
    at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)
    at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)
    at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
    at java.lang.Thread.run(Thread.java:748)
```

## pool-1-thread-531 for channel id=337515

```
"pool-1-thread-531 for channel id=337515" Id=911 Group=main RUNNABLE
    at sun.management.ThreadImpl.dumpThreads0(Native Method)
    at sun.management.ThreadImpl.dumpAllThreads(ThreadImpl.java:454)
    at hudson.Functions.getThreadInfos(Functions.java:1225)
    at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
    at
hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
    at hudson.remoting.UserRequest.perform(UserRequest.java:153)
```

```
at hudson.remoting.UserRequest.perform(UserRequest.java:50)
at hudson.remoting.Request$2.run(Request.java:336)
at
```

```
udson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.java:68)
at java.util.concurrent.FutureTask.run(FutureTask.java:266)
at
java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
at
java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
at java.lang.Thread.run(Thread.java:748)
```

```
Number of locked synchronizers = 1
```

```
- java.util.concurrent.ThreadPoolExecutor$Worker@2278d13c
```

## RemoteInvocationHandler [#24]

```
"RemoteInvocationHandler [#24]" Id=837 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@43bb60a3
```

```
at java.lang.Object.wait(Native Method)
```

```
- waiting on java.lang.ref.ReferenceQueue$Lock@43bb60a3
```

```
at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
```

```
at
```

```
udson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.java:572)
```

```
at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
```

```
at java.util.concurrent.FutureTask.run(FutureTask.java:266)
```

```
at
```

```
udson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:110)
```

```
at java.lang.Thread.run(Thread.java:748)
```

## Finalizer

```
"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@d1edba7
```

```
at java.lang.Object.wait(Native Method)
```

```
- waiting on java.lang.ref.ReferenceQueue$Lock@d1edba7
```

```
at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
```

```
at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)
```

```
at java.lang.ref.Finalizer$FinalizerThread.run(Finalizer.java:209)
```

## Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference$Lock@15b81cdf
```

```
at java.lang.Object.wait(Native Method)
```

```
- waiting on java.lang.ref.Reference$Lock@15b81cdf
```

```
at java.lang.Object.wait(Object.java:502)
```

```
at java.lang.ref.Reference.tryHandlePending(Reference.java:191)
```

```
at java.lang.ref.Reference$ReferenceHandler.run(Reference.java:153)
```

# Signal Dispatcher

"Signal Dispatcher" Id=4 Group=system RUNNABLE

---

## qaserver-08

### Channel reader thread: channel

```
"Channel reader thread: channel" Id=12 Group=main RUNNABLE (in native)
  at java.io.FileInputStream.readBytes(Native Method)
  at java.io.FileInputStream.read(FileInputStream.java:255)
  at java.io.BufferedInputStream.fill(BufferedInputStream.java:246)
  at java.io.BufferedInputStream.read(BufferedInputStream.java:265)
  - locked java.io.BufferedInputStream@6743af88
  at
  hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
  hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
  hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
  hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
    at
  hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

### main

```
"main" Id=1 Group=main TIMED_WAITING on hudson.remoting.Channel@515f550a
  at java.lang.Object.wait(Native Method)
  - waiting on hudson.remoting.Channel@515f550a
  at hudson.remoting.Channel.join(Channel.java:997)
  at hudson.remoting.Launcher.main(Launcher.java:680)
  at hudson.remoting.Launcher.runWithStdinStdout(Launcher.java:595)
  at hudson.remoting.Launcher.run(Launcher.java:277)
  at hudson.remoting.Launcher.main(Launcher.java:218)
```

### Ping thread for channel hudson.remoting.Channel@515f550a:channel

```
"Ping thread for channel hudson.remoting.Channel@515f550a:channel" Id=14 Group=main
TIMED_WAITING
```

```
at java.lang.Thread.sleep(Native Method)
at hudson.remoting.PingThread.run(PingThread.java:91)
```

## pool-1-thread-570 for channel id=337516

```
"pool-1-thread-570 for channel id=337516" Id=605 Group=main RUNNABLE
  at sun.management.ThreadImpl.dumpThreads0(Native Method)
  at sun.management.ThreadImpl.dumpAllThreads(ThreadImpl.java:454)
  at hudson.Functions.getThreadInfos(Functions.java:1225)
  at
  hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
  at
  hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
  at hudson.remoting.UserRequest.perform(UserRequest.java:153)
  at hudson.remoting.UserRequest.perform(UserRequest.java:50)
  at hudson.remoting.Request$2.run(Request.java:336)
  at
  hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.java:68)
  at java.util.concurrent.FutureTask.run(FutureTask.java:266)
  at
  java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
  at
  java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
  at java.lang.Thread.run(Thread.java:748)

Number of locked synchronizers = 1
- java.util.concurrent.ThreadPoolExecutor$Worker@46fd1931
```

## RemoteInvocationHandler [#21]

```
"RemoteInvocationHandler [#21]" Id=591 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@a27f399
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.ReferenceQueue$Lock@a27f399
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
  at
  hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.java:572)
  at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
  at java.util.concurrent.FutureTask.run(FutureTask.java:266)
  at
  hudson.remoting.AtMostOneThreadExecutor$Worker.run(AtMostOneThreadExecutor.java:110)
  at java.lang.Thread.run(Thread.java:748)
```

## Finalizer

```
"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@1e6a7b29
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.ReferenceQueue$Lock@1e6a7b29
```

```
at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)
at java.lang.ref.Finalizer$FinalizerThread.run(Finalizer.java:209)
```

## Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference$Lock@6501b788
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.Reference$Lock@6501b788
  at java.lang.Object.wait(Object.java:502)
  at java.lang.ref.Reference.tryHandlePending(Reference.java:191)
  at java.lang.ref.Reference$ReferenceHandler.run(Reference.java:153)
```

## Signal Dispatcher

```
"Signal Dispatcher" Id=4 Group=system RUNNABLE
```

---



## Channel reader thread: channel

```
"Channel reader thread: channel" Id=11 Group=main RUNNABLE (in native)
  at java.io.FileInputStream.readBytes(Native Method)
  at java.io.FileInputStream.read(FileInputStream.java:255)
  at java.io.BufferedInputStream.fill(BufferedInputStream.java:246)
  at java.io.BufferedInputStream.read(BufferedInputStream.java:265)
  - locked java.io.BufferedInputStream@64592342
  at
  hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
  hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
  hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
  hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
    at
  hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

## main

```
"main" Id=1 Group=main TIMED_WAITING on hudson.remoting.Channel@c2e1f26
  at java.lang.Object.wait(Native Method)
  - waiting on hudson.remoting.Channel@c2e1f26
  at hudson.remoting.Channel.join(Channel.java:997)
  at hudson.remoting.Launcher.main(Launcher.java:680)
  at hudson.remoting.Launcher.runWithStdinStdout(Launcher.java:595)
  at hudson.remoting.Launcher.run(Launcher.java:277)
  at hudson.remoting.Launcher.main(Launcher.java:218)
```

## Ping thread for channel hudson.remoting.Channel@c2e1f26:channel

```
"Ping thread for channel hudson.remoting.Channel@c2e1f26:channel" Id=13 Group=main
TIMED_WAITING
  at java.lang.Thread.sleep(Native Method)
  at hudson.remoting.PingThread.run(PingThread.java:91)
```

## pool-1-thread-599 for channel id=337517

```
"pool-1-thread-599 for channel id=337517" Id=635 Group=main RUNNABLE
  at sun.management.ThreadImpl.dumpThreads0(Native Method)
  at sun.management.ThreadImpl.dumpAllThreads(ThreadImpl.java:454)
  at hudson.Functions.getThreadInfos(Functions.java:1225)
  at
  hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:98)
  at
  hudson.util.RemotingDiagnostics$GetThreadDump.call(RemotingDiagnostics.java:95)
  at hudson.remoting.UserRequest.perform(UserRequest.java:153)
  at hudson.remoting.UserRequest.perform(UserRequest.java:50)
  at hudson.remoting.Request$2.run(Request.java:336)
  at
  hudson.remoting.InterceptingExecutorService$1.call(InterceptingExecutorService.java:68)
  at java.util.concurrent.FutureTask.run(FutureTask.java:266)
  at
  java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1142)
  at
  java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:617)
  at java.lang.Thread.run(Thread.java:745)

  Number of locked synchronizers = 1
  - java.util.concurrent.ThreadPoolExecutor$Worker@3ad64cfa
```

## pool-1-thread-600

```
"pool-1-thread-600" Id=636 Group=main TIMED_WAITING on
java.util.concurrent.SynchronousQueue$TransferStack@2ee27070
  at sun.misc.Unsafe.park(Native Method)
  - waiting on java.util.concurrent.SynchronousQueue$TransferStack@2ee27070
  at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
```



at

java.util.concurrent.SynchronousQueue\$TransferStack.awaitFulfill(SynchronousQueue.java:460)

at

java.util.concurrent.SynchronousQueue\$TransferStack.transfer(SynchronousQueue.java:362)  
at java.util.concurrent.SynchronousQueue.poll(SynchronousQueue.java:941)  
at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1066)  
at

java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1127)  
at

java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:617)  
at java.lang.Thread.run(Thread.java:745)

## RemoteInvocationHandler [#21]

"RemoteInvocationHandler [#21]" Id=601 Group=main TIMED\_WAITING on

java.lang.ref.ReferenceQueue\$Lock@1ef0af83

at java.lang.Object.wait(Native Method)

- waiting on java.lang.ref.ReferenceQueue\$Lock@1ef0af83

at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)

at

hudson.remoting.RemoteInvocationHandler\$Unexporter.run(RemoteInvocationHandler.java:572)

at java.util.concurrent.Executors\$RunnableAdapter.call(Executors.java:511)

at java.util.concurrent.FutureTask.run(FutureTask.java:266)

at

hudson.remoting.AtmostOneThreadExecutor\$Worker.run(AtmostOneThreadExecutor.java:110)

at java.lang.Thread.run(Thread.java:745)

## Finalizer

"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue\$Lock@4d942810

at java.lang.Object.wait(Native Method)

- waiting on java.lang.ref.ReferenceQueue\$Lock@4d942810

at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)

at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)

at java.lang.ref.Finalizer\$FinalizerThread.run(Finalizer.java:209)

## Reference Handler

"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference\$Lock@448cf6fb

at java.lang.Object.wait(Native Method)

- waiting on java.lang.ref.Reference\$Lock@448cf6fb

at java.lang.Object.wait(Object.java:502)

at java.lang.ref.Reference.tryHandlePending(Reference.java:191)

at java.lang.ref.Reference\$ReferenceHandler.run(Reference.java:153)

## Signal Dispatcher

## vbox-01

### Channel reader thread: channel

```
"Channel reader thread: channel" Id=12 Group=main RUNNABLE (in native)
  at java.io.FileInputStream.readBytes(Native Method)
  at java.io.FileInputStream.read(FileInputStream.java:255)
  at java.io.BufferedInputStream.fill(BufferedInputStream.java:246)
  at java.io.BufferedInputStream.read(BufferedInputStream.java:265)
  - locked java.io.BufferedInputStream@2fb4a928
  at
  hudson.remoting.FlightRecorderInputStream.read(FlightRecorderInputStream.java:86)
    at hudson.remoting.ChunkedInputStream.readHeader(ChunkedInputStream.java:72)
    at
  hudson.remoting.ChunkedInputStream.readUntilBreak(ChunkedInputStream.java:103)
    at
  hudson.remoting.ChunkedCommandTransport.readBlock(ChunkedCommandTransport.java:39)
    at
  hudson.remoting.AbstractSynchronousByteArrayCommandTransport.read(AbstractSynchronousByteArrayCommandTransport.java:34)
    at
  hudson.remoting.SynchronousCommandTransport$ReaderThread.run(SynchronousCommandTransport.java:59)
```

### JGit-WorkQueue

```
"JGit-WorkQueue" Id=93 Group=main TIMED_WAITING on
  java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@7aa63717
    at sun.misc.Unsafe.park(Native Method)
    - waiting on
  java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject@7aa63717
    at java.util.concurrent.locks.LockSupport.parkNanos(LockSupport.java:215)
    at
  java.util.concurrent.locks.AbstractQueuedSynchronizer$ConditionObject.awaitNanos(AbstractQueuedSynchronizer.java:2078)
    at
  java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:1093)
    at
  java.util.concurrent.ScheduledThreadPoolExecutor$DelayedWorkQueue.take(ScheduledThreadPoolExecutor.java:809)
    at java.util.concurrent.ThreadPoolExecutor.getTask(ThreadPoolExecutor.java:1074)
```

at

java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1134)

at

java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)

at java.lang.Thread.run(Thread.java:748)

## main

"main" Id=1 Group=main TIMED\_WAITING on hudson.remoting.Channel@515f550a

at java.lang.Object.wait(Native Method)

- waiting on hudson.remoting.Channel@515f550a

at hudson.remoting.Channel.join(Channel.java:997)

at hudson.remoting.Launcher.main(Launcher.java:680)

at hudson.remoting.Launcher.runWithStdinStdout(Launcher.java:595)

at hudson.remoting.Launcher.run(Launcher.java:277)

at hudson.remoting.Launcher.main(Launcher.java:218)

## Ping thread for channel hudson.remoting.Channel@515f550a:channel

"Ping thread for channel hudson.remoting.Channel@515f550a:channel" Id=14 Group=main

TIMED\_WAITING

at java.lang.Thread.sleep(Native Method)

at hudson.remoting.PingThread.run(PingThread.java:91)

## pool-1-thread-453 for channel id=337518

"pool-1-thread-453 for channel id=337518" Id=1635 Group=main RUNNABLE

at sun.management.ThreadImpl.dumpThreads0(Native Method)

at sun.management.ThreadImpl.dumpAllThreads(ThreadImpl.java:454)

at hudson.Functions.getThreadInfos(Functions.java:1225)

at

hudson.util.RemotingDiagnostics\$GetThreadDump.call(RemotingDiagnostics.java:98)

at

hudson.util.RemotingDiagnostics\$GetThreadDump.call(RemotingDiagnostics.java:95)

at hudson.remoting.UserRequest.perform(UserRequest.java:153)

at hudson.remoting.UserRequest.perform(UserRequest.java:50)

at hudson.remoting.Request\$2.run(Request.java:336)

at

hudson.remoting.InterceptingExecutorService\$1.call(InterceptingExecutorService.java:68)

at java.util.concurrent.FutureTask.run(FutureTask.java:266)

at

java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)

at

java.util.concurrent.ThreadPoolExecutor\$Worker.run(ThreadPoolExecutor.java:624)

at java.lang.Thread.run(Thread.java:748)

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@3af0a16b

## RemoteInvocationHandler [#669]

```
"RemoteInvocationHandler [#669]" Id=1652 Group=main TIMED_WAITING on
java.lang.ref.ReferenceQueue$Lock@2a364a57
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.ReferenceQueue$Lock@2a364a57
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
  at
  hudson.remoting.RemoteInvocationHandler$Unexporter.run(RemoteInvocationHandler.java:572)
    at java.util.concurrent.Executors$RunnableAdapter.call(Executors.java:511)
    at java.util.concurrent.FutureTask.run(FutureTask.java:266)
    at
  hudson.remoting.AtmostOneThreadExecutor$Worker.run(AtmostOneThreadExecutor.java:110)
    at java.lang.Thread.run(Thread.java:748)
```

## Finalizer

```
"Finalizer" Id=3 Group=system WAITING on java.lang.ref.ReferenceQueue$Lock@1dc6df7f
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.ReferenceQueue$Lock@1dc6df7f
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:143)
  at java.lang.ref.ReferenceQueue.remove(ReferenceQueue.java:164)
  at java.lang.ref.Finalizer$FinalizerThread.run(Finalizer.java:209)
```

## process reaper

```
"process reaper" Id=1633 Group=system RUNNABLE (in native)
  at java.lang.UNIXProcess.waitForProcessExit(Native Method)
  at java.lang.UNIXProcess.lambda$initStreams$3(UNIXProcess.java:289)
  at java.lang.UNIXProcess$$Lambda$9/1834741640.run(Unknown Source)
  at
  java.util.concurrent.ThreadPoolExecutor.runWorker(ThreadPoolExecutor.java:1149)
    at
  java.util.concurrent.ThreadPoolExecutor$Worker.run(ThreadPoolExecutor.java:624)
    at java.lang.Thread.run(Thread.java:748)
```

Number of locked synchronizers = 1

- java.util.concurrent.ThreadPoolExecutor\$Worker@53f9eb32

## Reference Handler

```
"Reference Handler" Id=2 Group=system WAITING on java.lang.ref.Reference$Lock@5ba5a62
  at java.lang.Object.wait(Native Method)
  - waiting on java.lang.ref.Reference$Lock@5ba5a62
  at java.lang.Object.wait(Object.java:502)
  at java.lang.ref.Reference.tryHandlePending(Reference.java:191)
```

# Signal Dispatcher

"Signal Dispatcher" Id=4 Group=system RUNNABLE

 [Help us localize this page](#)

Page generated: Aug 23, 2017 9:20:29 AM EDT [REST API](#) [Jenkins ver. 2.60.3](#)