



Jenkins

Open Blue Ocean

2

Plugin Manager

Back to Dashboard

Manage Jenkins

Filter: 
[Updates](#) [Available](#) [Installed](#) [Advanced](#)

| Enabled                             | Name ↓   | Version                   | Previously installed version | Pinned | Uninstall                 |
|-------------------------------------|--|---------------------------|------------------------------|--------|---------------------------|
| <input checked="" type="checkbox"/> | <a href="#">/userContent in Git plugin</a><br>This plugin exposes \$JENKINS_HOME/userContent as Git repository.  | <a href="#">1.4</a>       |                              |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Ant Plugin</a><br>This plugin adds <a href="#">Apache Ant</a> support to Jenkins.  | <a href="#">1.4</a>       |                              |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Async Http Client</a><br>This plugin provides a shared dependency on the <a href="#">async-http-client</a> library so that other plugins can co-operate when using this library. | <a href="#">1.7.24.1</a>  |                              |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Authentication Tokens API Plugin</a><br>This plugin provides an API for converting credentials into authentication tokens in Jenkins.  | <a href="#">1.3</a>       |                              |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Bitbucket Plugin</a><br>Integrates with BitBucket  | <a href="#">1.1.5</a>     |                              |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Blue Ocean beta</a><br>BlueOcean Aggregator  | <a href="#">1.0.0-b21</a> |                              |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">BlueOcean Display URL plugin</a><br>This plugin generates BlueOcean specific URLs for the Display URL plugin.  | <a href="#">1.5.1</a>     |                              |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">blueocean-autofavorite</a><br>Automatically favorites multibranch pipeline jobs when user is the author  | <a href="#">0.6</a>       |                              |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">bouncycastle API Plugin</a><br>Provides an stable API to Bouncy Castle related tasks. Plugins using Bouncy Castle should depend on this plugin and not directly on Bouncy Castle | <a href="#">2.16.0</a>    |                              |        | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Branch API Plugin</a><br>This plugin provides an API for multiple branch based projects.   | <a href="#">1.11.1</a>    |                              |        | <a href="#">Uninstall</a> |

|                                     |   |                           |                           |
|-------------------------------------|---|---------------------------|---------------------------|
| Jenkins                             | <a href="#">Build Blocker Plugin</a>  | <a href="#">1.7.3</a>     | <a href="#">Uninstall</a> |
|                                     | This plugin blocks a build if one of the given jobs is running. The blocking behaviour can be controlled by the <a href="#">Plugin Manager</a> .<br>blocking jobs are about to run. |                           |                           |
| <input checked="" type="checkbox"/> | <a href="#">BuildResultTrigger Plug-in</a>  | <a href="#">0.17</a>      | <a href="#">Uninstall</a> |
|                                     | This plugin makes it possible to monitor the build results of other jobs.   |                           |                           |
| <input checked="" type="checkbox"/> | <a href="#">Chaos Butler Plugin</a>   | <a href="#">1.0</a>       | <a href="#">Uninstall</a> |
|                                     | A plugin that periodically wakes up and disconnects build agents in order to prove that your infrastructure is fault resilient.   |                           |                           |
| <input checked="" type="checkbox"/> | <a href="#">CMake plugin</a>  | <a href="#">2.4.4</a>     | <a href="#">Uninstall</a> |
|                                     | Integrates the <a href="#">CMake tool suite</a> to Jenkins. Supports to build cmake based projects.   |                           |                           |
| <input checked="" type="checkbox"/> | <a href="#">Common API for Blue Ocean</a>   | <a href="#">1.0.0-b21</a> | <a href="#">Uninstall</a> |
|                                     | This plugin is a part of Blue Ocean UI  |                           |                           |
| <input checked="" type="checkbox"/> | <a href="#">Conditional BuildStep</a>   | <a href="#">1.3.5</a>     | <a href="#">Uninstall</a> |
|                                     | A buildstep wrapping any number of other buildsteps, controlling their execution based on a defined condition (e.g. BuildParameter).  |                           |                           |
| <input checked="" type="checkbox"/> | <a href="#">Config API for Blue Ocean</a>   | <a href="#">1.0.0-b21</a> | <a href="#">Uninstall</a> |
|                                     | BlueOcean Analytics Tools plugin  |                           |                           |
| <input checked="" type="checkbox"/> | <a href="#">Config File Provider Plugin</a>   | <a href="#">2.15.5</a>    | <a href="#">Uninstall</a> |
|                                     | Ability to provide configuration files (e.g. settings.xml for maven, XML, groovy, custom files,...) loaded through the UI which will be copied to the job workspace.                |                           |                           |
| <input checked="" type="checkbox"/> | <a href="#">Configuration Slicing plugin</a>  | <a href="#">1.47</a>      | <a href="#">Uninstall</a> |
|                                     | Perform mass configuration of select project properties, including email, timer, discard old builds, and Maven configuration.   |                           |                           |
| <input checked="" type="checkbox"/> | <a href="#">Credentials Binding Plugin</a>  | <a href="#">1.10</a>      | <a href="#">Uninstall</a> |
|                                     | Allows credentials to be bound to environment variables for use from miscellaneous build steps.   |                           |                           |
| <input checked="" type="checkbox"/> | <a href="#">Credentials Plugin</a>  | <a href="#">2.1.11</a>    | <a href="#">Uninstall</a> |
|                                     | This plugin allows you to store credentials in Jenkins.   |                           |                           |
| <input checked="" type="checkbox"/> | <a href="#">cross-platform shell plugin</a>   | <a href="#">0.10</a>      | <a href="#">Uninstall</a> |
|                                     | This plugin allows to run a cross platform Shell command.<br>It chooses the right shell depending on the real operating system running during execution.                            |                           |                           |
| <input checked="" type="checkbox"/> | <a href="#">CVS Plug-in</a>   | <a href="#">2.13</a>      | <a href="#">Uninstall</a> |
|                                     | Integrates Jenkins with CVS version control system using a modified version of the Netbeans cvsclient.  |                           |                           |
| <input checked="" type="checkbox"/> | <a href="#">Dashboard for Blue Ocean</a>  | <a href="#">1.0.0-b21</a> | <a href="#">Uninstall</a> |

| Jenkins  |   |                           |  |
|--|---|---------------------------|--|
|  | Blue Ocean Dashboard                              |                           |  |
|  | <a href="#">Dependency Graph Viewer Plugin</a>    |                           |  |
| Plugin Manager   |   |                           |  |
| drawing.   |   |                           |  |
| <a href="#">description setter plugin</a>  | <a href="#">1.10</a>                              | <a href="#">Uninstall</a> |  |
| This plugin sets the description for each build, based upon a <a href="#">RegEx</a> test of the build log file.  |   |                           |  |
| <a href="#">Display URL API</a>  | <a href="#">1.1.1</a>                             | <a href="#">Uninstall</a> |  |
| Provides an extension point to define alternate URLs for use in notifications.   |   |                           |  |
| <a href="#">Docker Commons Plugin</a>  | <a href="#">1.6</a>                               | <a href="#">Uninstall</a> |  |
| Provides the common shared functionality for various Docker-related plugins.   |   |                           |  |
| <a href="#">Docker Pipeline</a>  | <a href="#">1.9.1</a>                             | <a href="#">Uninstall</a> |  |
| Build and use Docker containers from pipelines.  |   |                           |  |
| <a href="#">Durable Task Plugin</a>  | <a href="#">1.13</a>                              | <a href="#">Uninstall</a> |  |
| Library offering an extension point for processes which can run outside of Jenkins yet be monitored.   |   |                           |  |
| <a href="#">elastic-axis</a>   | <a href="#">1.2</a>                               | <a href="#">Uninstall</a> |  |
| Adds an axis for matrix jobs that accepts the name of a label and will run the job on all nodes in that label.   |   |                           |  |
| <a href="#">Events API for Blue Ocean</a>  | <a href="#">1.0.0-b21</a>                         | <a href="#">Uninstall</a> |  |
| Blue Ocean Events  |   |                           |  |
| <a href="#">Favorite</a>   | <a href="#">2.0.4</a>                             | <a href="#">Uninstall</a> |  |
| This plugin allows users to favorite a job.  |   |                           |  |
| <a href="#">FindBugs Plug-in</a>   | <a href="#">4.69</a>                              | <a href="#">Uninstall</a> |  |
| This plug-in collects the <a href="#">FindBugs</a> analysis results of the project modules and visualizes the found warnings.  |   |                           |  |
| <a href="#">Folders Plugin</a>   | <a href="#">5.16</a>                              | <a href="#">Uninstall</a> |  |
| This plugin allows users to create "folders" to organize jobs. Users can define custom taxonomies (like by project type, organization type etc). Folders are nestable and you can define views within folders. Maintained by CloudBees, Inc. |   |                           |  |
| <a href="#">Git client plugin</a>  | <a href="#">2.3.0-<br/>20170202.011710-<br/>3</a> | <a href="#">Uninstall</a> |  |
| Shared library plugin for other Git related Jenkins plugins.   |   |                           |  |
| <a href="#">Git Parameter Plug-In</a>  | <a href="#">0.7.2</a>                             | <a href="#">Uninstall</a> |  |
| Adds ability to choose from git repository revisions or tags   |   |                           |  |
| <a href="#">Git Pipeline for Blue Ocean</a>  | <a href="#">1.0.0-b21</a>                         | <a href="#">Uninstall</a> |  |
| BlueOcean Git SCM pipeline creator   |   |                           |  |

|         |  |  |                           |
|---------|--|--|---------------------------|
| Jenkins | <a href="#">Git plugin</a>   | <a href="#">3.1.0-SNAPSHOT<br/>(private-78c4d232-)</a> | <a href="#">Uninstall</a> |
|         | This plugin integrates <a href="#">Git</a> with Jenkins.   |  |                           |
|         | <a href="#">Plugin Manager</a>   | <a href="#">1.7</a>                                    | <a href="#">Uninstall</a> |
|         | <a href="#">Git Server Plugin</a>  | <a href="#">1.7</a>                                    | <a href="#">Uninstall</a> |
|         | Allows Jenkins to act as a Git server.   |  |                           |
|         | <a href="#">GitHub API Plugin</a>  | <a href="#">1.84</a>                                   | <a href="#">Uninstall</a> |
|         | This plugin provides <a href="#">GitHub API</a> for other plugins.   |  |                           |
|         | <a href="#">GitHub Branch Source Plugin</a>  | <a href="#">1.10.1</a>                                 | <a href="#">Uninstall</a> |
|         | Multibranch projects and organization folders from GitHub. Maintained by CloudBees, Inc.   |  |                           |
|         | <a href="#">GitHub Organization Folder Plugin</a>  | <a href="#">1.5</a>                                    | <a href="#">Uninstall</a> |
|         | Scan entire GitHub organization for buildable branches and pull requests, in repositories.   |  |                           |
|         | See <a href="#">Pipeline as Code solution page</a> for more details.   |  |                           |
|         | <a href="#">GitHub Pipeline for Blue Ocean</a>   | <a href="#">1.0.0-b21</a>                              | <a href="#">Uninstall</a> |
|         | BlueOcean GitHub organization pipeline creator   |  |                           |
|         | <a href="#">GitHub plugin</a>  | <a href="#">1.25.1</a>                                 | <a href="#">Uninstall</a> |
|         | This plugin integrates <a href="#">GitHub</a> to Jenkins.  |  |                           |
|         | <a href="#">Groovy Postbuild</a>   | <a href="#">2.3.1</a>                                  | <a href="#">Uninstall</a> |
|         | Groovy postbuild task.   |  |                           |
|         | <a href="#">HTML Publisher plugin</a>  | <a href="#">1.12</a>                                   | <a href="#">Uninstall</a> |
|         | This plugin publishes HTML reports.  |  |                           |
|         | <a href="#">Hudson platformlabeler plugin</a>  | <a href="#">1.1</a>                                    | <a href="#">Uninstall</a> |
|         | Assigns labels on nodes automatically based on the computer operating system.  |  |                           |
|         | <a href="#">i18n for Blue Ocean</a>  | <a href="#">1.0.0-b21</a>                              | <a href="#">Uninstall</a> |
|         | Blue Ocean Internationalization (i18n) Plugin. This plugin is a part of the Blue Ocean Plugin set.                                     |  |                           |
|         | <a href="#">Icon Shim Plugin</a>   | <a href="#">2.0.3</a>                                  | <a href="#">Uninstall</a> |
|         | This plugin allows other Jenkins plugins to take advantage of the <l:icon> tag.  |  |                           |
|         | <a href="#">Implied Labels Plugin</a>  | <a href="#">0.5</a>                                    | <a href="#">Uninstall</a> |
|         | Infer dynamic node labels using configured implications.   |  |                           |
|         | <a href="#">Ivy Plugin</a>   | <a href="#">1.27.1</a>                                 | <a href="#">Uninstall</a> |
|         | This plugin allows Jenkins to automatically configure project dependencies using the <a href="#">Ivy</a> dependency management system. |  |                           |
|         | <a href="#">Jackson 2 API Plugin</a>   | <a href="#">2.7.3</a>                                  | <a href="#">Uninstall</a> |
|         | This plugin exposes the Jackson 2 JSON APIs to other Jenkins plugins.  |  |                           |
|         | <a href="#">JaCoCo plugin</a>  | <a href="#">2.1.0</a>                                  | <a href="#">Uninstall</a> |

This plugin allows you to capture code coverage report from JaCoCo. Jenkins will generate the trend report of coverage. This plugin is fork of the [Emma Plugin]. Big part of the code

## Jenkins

## Plugin Manager

Similar to the [JaCoCo Coverage Listener](#), which allows to include a column in dashboard

which displays the latest overall coverage numbers and links to the coverage report.

[Javadoc Plugin](#)[1.4](#)

This plugin adds Javadoc support to Jenkins.

[Uninstall](#)[JavaScript GUI Lib: ACE Editor bundle plugin](#)[1.1](#)

JavaScript GUI Lib: ACE Editor bundle plugin.

[Uninstall](#)[JavaScript GUI Lib: Handlebars bundle plugin](#)[1.1.1](#)

JavaScript GUI Lib: Handlebars bundle plugin.

[Uninstall](#)[JavaScript GUI Lib: jQuery bundles \(jQuery and jQuery UI\) plugin](#)[1.2.1](#)

JavaScript GUI Lib: jQuery bundles (jQuery and jQuery UI) plugin.

[Uninstall](#)[JavaScript GUI Lib: Moment.js bundle plugin](#)[1.1.1](#)

JavaScript GUI Lib: Moment.js bundle plugin.

[Uninstall](#)[JIRA plugin](#)[2.3](#)

This plugin integrates Jenkins to [Atlassian JIRA](#).

[Uninstall](#)[jQuery plugin](#)[1.11.2-0](#)

This allows other plugins to use jQuery in UI.

[Uninstall](#)[jQuery UI plugin](#)[1.0.2](#)

This plugin allows you to use jQuery UI on view descriptions.

[Uninstall](#)[JUnit Plugin](#)[1.19](#)

Allows JUnit-format test results to be published.

[Uninstall](#)[JWT for Blue Ocean](#)[1.0.0-b21](#)

BlueOcean JWT plugin: Enables JWT based BlueOcean API authentication

[Uninstall](#)[Label Verifier plugin](#)[1.1](#)

This plugin allows system administrator to programmatically verify the label assignment correctness on slaves.

[Uninstall](#)[LDAP Plugin](#)[1.14](#)

Adds LDAP authentication to Jenkins

[Uninstall](#)[Least Load plugin](#)[1.0.3](#)

Changes Jenkins to use a LoadBalancer that prefers least loaded nodes.

[Uninstall](#)[Log Parser Plugin](#)[2.0](#)

Parse the console output and highlight error/warning/info lines.

[Uninstall](#)[Mailer Plugin](#)[1.19](#)[Uninstall](#)

| Jenkins                             | Plugin Manager  |  |
|-------------------------------------|---|--|
| <input checked="" type="checkbox"/> | This plugin provides a shared dependency on the <a href="#">MapDB</a> library so that other plugins can co-operate when using this library.   | <a href="#">1.0.9.0</a> <input type="button" value="Uninstall"/> |
| <input checked="" type="checkbox"/> | <a href="#">Matrix Authorization Strategy Plugin</a><br>Offers matrix-based security authorization strategies (global and per-project).   | <a href="#">1.4</a> <input type="button" value="Uninstall"/>     |
| <input checked="" type="checkbox"/> | <a href="#">Matrix Project Plugin</a><br>Multi-configuration (matrix) project type.   | <a href="#">1.8</a> <input type="button" value="Uninstall"/>     |
| <input checked="" type="checkbox"/> | <a href="#">Maven Integration plugin</a><br>This plugin provides an advanced integration for Maven 2/3 projects.  | <a href="#">2.14</a> <input type="button" value="Uninstall"/>    |
| <input checked="" type="checkbox"/> | <a href="#">Mercurial plugin</a><br>This plugin integrates <a href="#">Mercurial SCM</a> with Hudson. It includes repository browsing support for hg serve/hgweb, Google Code, Bitbucket, FishEye, KilnHG and RhodeCode.<br>Features include guaranteed clean builds, named branch support, module lists, Mercurial tool installation, and automatic caching. | <a href="#">1.57</a> <input type="button" value="Uninstall"/>    |
| <input checked="" type="checkbox"/> | <a href="#">Metrics Plugin</a><br>This plugin exposes the Metrics API to Jenkins plugins.   | <a href="#">3.1.2.9</a> <input type="button" value="Uninstall"/> |
| <input checked="" type="checkbox"/> | <a href="#">Multi-Branch Project Plugin</a><br>This plugin adds additional project types that create sub-projects for each branch using a shared configuration.   | <a href="#">0.5.1</a> <input type="button" value="Uninstall"/>   |
| <input checked="" type="checkbox"/> | Important: Read the <a href="#">upgrade notes</a> before proceeding with any upgrade! The stored configurations for these project types have had significant changes leading up to version 0.5.x.   |  |
| <input checked="" type="checkbox"/> | <a href="#">Multiple SCMs plugin</a><br>This plugin enables the selection of multiple source code management systems for a build.<br>For example, it enables checking out the source code from one SCM while checking out legacy or third-party code from another.  | <a href="#">0.6</a> <input type="button" value="Uninstall"/>     |
| <input checked="" type="checkbox"/> | <a href="#">OWASP Markup Formatter Plugin</a><br>Uses the <a href="#">OWASP Java HTML Sanitizer</a> to allow safe-seeming HTML markup to be entered in project descriptions and the like.   | <a href="#">1.5</a> <input type="button" value="Uninstall"/>     |
| <input checked="" type="checkbox"/> | <a href="#">PAM Authentication plugin</a><br>Adds Unix Pluggable Authentication Module (PAM) support to Jenkins.  | <a href="#">1.3</a> <input type="button" value="Uninstall"/>     |
| <input checked="" type="checkbox"/> | <a href="#">Parallel Test Executor Plugin</a><br>Adds a new builder that enables simple parallel execution of tests.  | <a href="#">1.9</a> <input type="button" value="Uninstall"/>     |
| <input checked="" type="checkbox"/> | <a href="#">Parameterized Trigger plugin</a>  | <a href="#">2.32</a> <input type="button" value="Uninstall"/>    |

This plugin lets you trigger new builds when your build has completed, with various ways of specifying parameters for the new build.

## Jenkins

## Plugin Manager

Format descriptions using Markdown syntax. Use simple wiki-like markup instead of HTML.

[Personalization for Blue Ocean](#)

Blue Ocean Personalization

[1.0.0-b21](#)[Uninstall](#)[Pipeline](#)

A suite of plugins that lets you orchestrate automation, simple or complex. See [Pipeline as Code with Jenkins](#) for more details.

[2.5](#)[Uninstall](#)[Pipeline Graph Analysis Plugin](#)

Provides a REST API to access pipeline and pipeline run data.

[1.3](#)[Uninstall](#)[Pipeline Remote Loader Plugin](#)

Allows loading Pipeline script from remote locations (enhanced version of the built-in load command)

[1.3](#)[Uninstall](#)[Pipeline REST API for Blue Ocean](#)

This plugin is a part of BlueOcean Plugin

[1.0.0-b21](#)[Uninstall](#)[Pipeline: API](#)

Plugin that defines Pipeline API.

[2.8](#)[Uninstall](#)[Pipeline: Basic Steps](#)

Commonly used steps for Pipelines.

[2.3](#)[Uninstall](#)[Pipeline: Build Step](#)

Adds the Pipeline step build to trigger builds of other jobs.

[2.4](#)[Uninstall](#)[Pipeline: Declarative Agent API](#)

API for declarative agents in Declarative Pipeline.

[1.0](#)[Uninstall](#)[Pipeline: Groovy](#)

Pipeline execution engine based on continuation passing style transformation of Groovy scripts.

[2.25](#)[Uninstall](#)[Pipeline: Input Step](#)

Adds the Pipeline step input to wait for human input or approval.

[2.5](#)[Uninstall](#)[Pipeline: Job](#)

Defines a new job type for pipelines and provides their generic user interface.

[2.9](#)[Uninstall](#)[Pipeline: Milestone Step](#)

Provides the milestone step in Pipeline scripts.

[1.3](#)[Uninstall](#)[Pipeline: Model API](#)

Model API for Declarative Pipeline.

[1.0](#)[Uninstall](#)

|  |  |                           |                           |
|--|--|---------------------------|---------------------------|
|  Jenkins | <a href="#">Pipeline: Model Definition</a>   | <a href="#">1.0</a>       | <a href="#">Uninstall</a> |
|  | An opinionated, declarative Pipeline.<br><a href="#">Plugin Manager</a>  |                           |                           |
|         | Enhances Pipeline plugin to handle branches better by automatically grouping builds from different branches.                           | <a href="#">2.9.2</a>     | <a href="#">Uninstall</a> |
|         | Pipeline steps locking agents and workspaces, and running external processes that may survive a Jenkins restart or slave reconnection. | <a href="#">2.8</a>       | <a href="#">Uninstall</a> |
|         | <a href="#">Pipeline: REST API Plugin</a>  | <a href="#">2.4</a>       | <a href="#">Uninstall</a> |
|         | Provides a REST API to access pipeline and pipeline run data.  |                           |                           |
|         | <a href="#">Pipeline: SCM Step</a>   | <a href="#">2.3</a>       | <a href="#">Uninstall</a> |
|         | Adds a Pipeline step to check out or update working sources from various SCMs (version control).                                       |                           |                           |
|         | <a href="#">Pipeline: Shared Groovy Libraries</a>  | <a href="#">2.5</a>       | <a href="#">Uninstall</a> |
|        | Shared libraries for Pipeline scripts.   |                           |                           |
|       | <a href="#">Pipeline: Stage Step</a>   | <a href="#">2.2</a>       | <a href="#">Uninstall</a> |
|       | Adds the Pipeline step <code>stage</code> to delineate portions of a build.  |                           |                           |
|       | <a href="#">Pipeline: Stage Tags Metadata</a>  | <a href="#">1.0</a>       | <a href="#">Uninstall</a> |
|       | Library plugin for Pipeline stage tag metadata.  |                           |                           |
|         | <a href="#">Pipeline: Stage View Plugin</a>  | <a href="#">2.4</a>       | <a href="#">Uninstall</a> |
|        | Pipeline Stage View Plugin.  |                           |                           |
|       | <a href="#">Pipeline: Step API</a>   | <a href="#">2.8</a>       | <a href="#">Uninstall</a> |
|       | API for asynchronous build step primitive.   |                           |                           |
|       | <a href="#">Pipeline: Supporting APIs</a>  | <a href="#">2.12</a>      | <a href="#">Uninstall</a> |
|       | Common utility implementations to build Pipeline Plugin  |                           |                           |
|       | <a href="#">Plain Credentials Plugin</a>   | <a href="#">1.3</a>       | <a href="#">Uninstall</a> |
|       | Allows use of plain strings and files as credentials.  |                           |                           |
|       | <a href="#">Poll SCM plugin</a>  | <a href="#">1.3</a>       | <a href="#">Uninstall</a> |
|       | This plugin adds a Poll Now button to your job when Poll SCM option is enabled.  |                           |                           |
|       | <a href="#">Pre SCM BuildStep Plugin</a>   | <a href="#">0.3</a>       | <a href="#">Uninstall</a> |
|       | This plugin allows build steps to be performed before the SCM step performs an action.   |                           |                           |
|       | <a href="#">Pub-Sub "light" Bus</a>  | <a href="#">1.6</a>       | <a href="#">Uninstall</a> |
|       | A simple Publish-Subscribe light-weight event bus for Jenkins  |                           |                           |
|       | <a href="#">REST API for Blue Ocean</a>  | <a href="#">1.0.0-b21</a> | <a href="#">Uninstall</a> |
|       | This plugin is a part of Blue Ocean UI   |                           |                           |

|   |   |                           |                           |
|---|---|---------------------------|---------------------------|
| <input checked="" type="checkbox"/> Jenkins | <a href="#">REST Implementation for Blue Ocean</a>  | <a href="#">1.0.0-b21</a> | <a href="#">Uninstall</a> |
|   | This plugin is a part of Blue Ocean UI<br>Plugin Manager  |                           |                           |
| <input checked="" type="checkbox"/>         | Core conditions to select whether to execute a build step or publisher. Used by the [Flexible Publish Plugin] and the [Conditional BuildStep Plugin]. | <a href="#">1.0</a>       | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/>         | <a href="#">SCM API Plugin</a>  | <a href="#">1.3</a>       | <a href="#">Uninstall</a> |
|   | This plugin provides a new enhanced API for interacting with SCM systems.   |                           |                           |
| <input checked="" type="checkbox"/>         | <a href="#">Script Security Plugin</a>  | <a href="#">1.25</a>      | <a href="#">Uninstall</a> |
|   | Allows Jenkins administrators to control what in-process scripts can be run by less-privileged users.   |                           |                           |
| <input checked="" type="checkbox"/>         | <a href="#">Self-Organizing Swarm Plug-in Modules</a>   | <a href="#">2.2</a>       | <a href="#">Uninstall</a> |
|   | This plugin enables slaves to auto-discover nearby Jenkins master and join it automatically, thereby forming an ad-hoc cluster.                       |                           |                           |
| <input checked="" type="checkbox"/>         | <a href="#">Server Sent Events (SSE) Gateway Plugin</a>   | <a href="#">1.15</a>      | <a href="#">Uninstall</a> |
|   | Server Sent Events (SSE) Gateway.   |                           |                           |
| <input checked="" type="checkbox"/>         | <a href="#">Sidebar Link</a>  | <a href="#">1.7</a>       | <a href="#">Uninstall</a> |
|   | Add links in the sidebar of the Jenkins main page, view tabs and project pages.   |                           |                           |
| <input checked="" type="checkbox"/>         | <a href="#">SSH Agent Plugin</a>  | <a href="#">1.13</a>      | <a href="#">Uninstall</a> |
|   | This plugin allows you to provide SSH credentials to builds via a ssh-agent in Jenkins.   |                           |                           |
| <input checked="" type="checkbox"/>         | <a href="#">SSH Credentials Plugin</a>  | <a href="#">1.13</a>      | <a href="#">Uninstall</a> |
|   | This plugin allows you to store SSH credentials in Jenkins.   |                           |                           |
| <input checked="" type="checkbox"/>         | <a href="#">SSH Slaves plugin</a>   | <a href="#">1.13</a>      | <a href="#">Uninstall</a> |
|   | Allows to launch agents running on Unix machines over SSH, using a Java implementation of the SSH protocol.   |                           |                           |
| <input checked="" type="checkbox"/>         | <a href="#">Static Analysis Utilities</a>   | <a href="#">1.82</a>      | <a href="#">Uninstall</a> |
|   | This plug-in provides utilities for the static code analysis plug-ins.  |                           |                           |
| <input checked="" type="checkbox"/>         | <a href="#">Structs Plugin</a>  | <a href="#">1.5</a>       | <a href="#">Uninstall</a> |
|   | Library plugin for DSL plugins that need names for Jenkins objects.   |                           |                           |
| <input checked="" type="checkbox"/>         | <a href="#">Subversion Plug-in</a>  | <a href="#">2.7.1</a>     | <a href="#">Uninstall</a> |
|   | This plugin adds the Subversion support (via SVNKit) to Jenkins.  |                           |                           |
| <input checked="" type="checkbox"/>         | <a href="#">Support Core Plugin</a>   | <a href="#">2.38</a>      | <a href="#">Uninstall</a> |
|   | This support plugin allows generation of a support request bundle that contains diagnostic information to aid with resolving issues.                  |                           |                           |
| <input checked="" type="checkbox"/>         | <a href="#">TextFinder plugin</a>   | <a href="#">1.10</a>      | <a href="#">Uninstall</a> |

This plugin is used to search for strings in workspace files. The outcome of this search can be used to mark the build as normal or failed.

## Jenkins

## Plugin Manager

|                                     |  |   |                           |                           |
|-------------------------------------|--|---|---------------------------|---------------------------|
| <input checked="" type="checkbox"/> | <a href="#">Timestamper</a>                    | This plugin allows for throttling the number of concurrent builds of a project running per node or globally.  | <a href="#">1.9.0</a>     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Token Macro Plugin</a>             | Adds timestamps to the Console Output.  | <a href="#">1.8.8</a>     | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Tool Labels Plugin for Jenkins</a> | This plug-in adds reusable macro expansion capability for other plug-ins to use.  | <a href="#">2.0</a>       | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Translation Assistance plugin</a>  | This plugin allows users to add labels dynamically to every node with a specific tool installation so that a job can restrict the nodes where it runs by their tool locations.  | <a href="#">3.0</a>       | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Variant Plugin</a>                 | This plugin adds an additional dialog box in every page, which enables people to contribute localizations for the messages they are seeing in the current page.   | <a href="#">1.15</a>      | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">View Job Filters</a>               | This user-invisible library plugin allows other multi-modal plugins to behave differently depending on where they run.  | <a href="#">1.1</a>       | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Warnings Plug-in</a>               | Create smart views with exactly the jobs you want. Your smart views can automatically include or exclude jobs by using things like the SCM path or type, the job type, build statuses or trends or triggers, relevance to the logged-in user, email recipients, Maven configuration, job parameterization, and user permissions. Mix and match filters to narrow down to exactly what you want. | <a href="#">1.27</a>      | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Web for Blue Ocean</a>             | This plug-in collects the compiler warnings of the project modules and visualizes the results.  | <a href="#">4.59</a>      | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">Windows Slaves Plugin</a>          | Blue Ocean core   | <a href="#">1.0.0-b21</a> | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> | <a href="#">xUnit plugin</a>                   | Allows you to connect to Windows machines and start slave agents on them.   | <a href="#">1.2</a>       | <a href="#">Uninstall</a> |
| <input checked="" type="checkbox"/> |  | This plugin makes it possible to record xUnit test reports.   | <a href="#">1.102</a>     | <a href="#">Uninstall</a> |













