

# Monitoring JavaMelody on nodes



Threads on illinmisjenm01@10.234.147.11: Number = 632, Maximum = 669, Total started = 24,498

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
ActiveDirectory.updateUserCache [#1]	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	5	0
ActiveDirectory.updateUserCache [#2]	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	5	0
ActiveDirectory.updateUserCache [#3]	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	4	0
ActiveDirectory.updateUserCache [#4]	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	5	0
AsyncAppender-asyncOctaneFileAppender	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	8	0
Channel reader thread: ansible01	no	5	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	2,542	2,450
Channel reader thread: linux-dotnetcore	no	5	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	2,360	2,270
Channel reader thread: linux-hawkeye	no	5	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	3,452	3,280
Channel reader thread: linux-timezone	no	5	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	2,404	2,320
Channel reader thread: mis-linux-bot	no	5	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	6,481	6,220
Channel reader thread: mis-linux-dt2.0	no	5	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	35,610	34,300
Channel reader thread: mis-linux-sb	no	5	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	2,334	2,250
Channel reader thread: mis-linux-searchplatform	no	5	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	2,358	2,250
Channel reader thread: mis-uts	no	5	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	2,431	2,340
Common-Cleaner	yes	8	TIMED_WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	185	130
Computer.threadPoolForRemoting [#5471]	yes	5	TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	85	50
Computer.threadPoolForRemoting [#5495]	yes	5	TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	57	40
Computer.threadPoolForRemoting [#5496]	yes	5	TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	42	20
Computer.threadPoolForRemoting [#5510]	yes	5	TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	33	10
Computer.threadPoolForRemoting [#5513]	yes	5	TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	15	10
Computer.threadPoolForRemoting [#5519]	yes	5	TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	21	10
Computer.threadPoolForRemoting [#5520]	yes	5	TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	17	0
Computer.threadPoolForRemoting [#5521]	yes	5	TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	1	0
Computer.threadPoolForRemoting [#5522]	yes	5	TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	3	0
Computer.threadPoolForRemoting [#5523]	yes	5	TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	12	10
Computer.threadPoolForRemoting [#5524]	yes	5	TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	63	40
Computer.threadPoolForRemoting [#5525]	yes	5	TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	1	0
Computer.threadPoolForRemoting [#5526]	yes	5	TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	3	0
Computer.threadPoolForRemoting [#5527]	yes	5	TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	0	0
Computer.threadPoolForRemoting [#5528]	yes	5	TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	1	0
Computer.threadPoolForRemoting [#5529]	yes	5	TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	0	0
Computer.threadPoolForRemoting [#5530]	yes	5	TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	0	0
Computer.threadPoolForRemoting [#5531]	yes	5	TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	0	0
Connector-Scheduler-3e57cd70-1	no	5	TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	3,476	2,910
DestroyJavaVM	no	5	RUNNABLE		1,395	1,280
EventDispatcher.retryProcessor	no	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	2,796	1,760
EventDispatcher.retryProcessor	no	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	2,637	1,680
EventDispatcher.retryProcessor	no	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	2,598	1,680
EventDispatcher.retryProcessor	no	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	2,942	1,860
EventHistoryStore.autoExpireTimer	yes	5	TIMED_WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	2,330	1,150
FilePath.localPool [#5]	yes	5	RUNNABLE	java.base@11.0.4/java.lang.Thread.dumpThreads(Native Method)	13,576	6,530
Finalizer	yes	8	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	521	390
ForkJoinPool.commonPool-worker-7	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	1	0
Handling GET /monitoring/nodes from 10.80.199.104 : Jetty (winstone)-24512	no	5	TIMED_WAITING	java.base@11.0.4/java.net.SocketOutputStream.socketWrite0(Native Method)	301	280
IOHub#1: Selector[keys:3, gen:68812] / Computer.threadPoolForRemoting [#49]	yes	5	RUNNABLE	java.base@11.0.4/sun.nio.ch.EPoll.wait(Native Method)	10,672	7,030
Java2D Disposer	yes	10	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	2	0
jvamelody	yes	5	TIMED_WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	168,308	138,970
Jenkins cron thread	no	5	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
jenkins.util.Timer [#10]	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	12,768	9,730
jenkins.util.Timer [#1]	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	12,804	9,600
jenkins.util.Timer [#2]	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	12,585	9,630
jenkins.util.Timer [#3]	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	12,827	9,840
jenkins.util.Timer [#4]	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	16,970	13,610
jenkins.util.Timer [#5]	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	13,078	10,000
jenkins.util.Timer [#6]	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	12,550	9,650
jenkins.util.Timer [#7]	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	12,506	9,500
jenkins.util.Timer [#8]	yes	5	TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	13,304	10,130
jenkins.util.Timer [#9]	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	12,739	9,760

# Monitoring JavaMelody on nodes

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
Jetty (winstone)-13-acceptor-0@2f0b0018-ServerConnector@3e57cd70(HTTP/1.1,(http/1.1)}{0.0.0.0:8080}	no	3	● RUNNABLE	java.base@11.0.4/sun.nio.ch.ServerSocketChannelImpl.accept0(Native Method)	7,116	4,650
Jetty (winstone)-23648	no	5	● RUNNABLE	java.base@11.0.4/sun.nio.ch.EPoll.wait(Native Method)	2,501	2,300
Jetty (winstone)-23685	no	5	● TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	3,721	3,530
Jetty (winstone)-24143	no	5	● TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	633	580
Jetty (winstone)-24397	no	5	● RUNNABLE	java.base@11.0.4/sun.nio.ch.EPoll.wait(Native Method)	991	890
Jetty (winstone)-24501	no	5	● TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	65	60
Jetty (winstone)-24502	no	5	● TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	236	220
JGit-WorkQueue	yes	5	● TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	52	40
LauncherControlThread[ControlPort=-1]	no	5	● TIMED_WAITING	java.base@11.0.4/java.lang.Thread.sleep(Native Method)	3,619	2,520
Log4j2-TF-2-Scheduled-1	yes	5	● TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	887	650
Ping thread for channel hudson.remoting.Channel@1b059992:linux-dotnetcore	yes	5	● TIMED_WAITING	java.base@11.0.4/java.lang.Thread.sleep(Native Method)	413	220
Ping thread for channel hudson.remoting.Channel@2c76ab48:JNLP4-connect connection from ilrnajregip01.corp.amdocs.com/10.234.147.21:59313	yes	5	● TIMED_WAITING	java.base@11.0.4/java.lang.Thread.sleep(Native Method)	462	260
Ping thread for channel hudson.remoting.Channel@32776208:mis-uts	yes	5	● TIMED_WAITING	java.base@11.0.4/java.lang.Thread.sleep(Native Method)	428	210
Ping thread for channel hudson.remoting.Channel@3f674d40:mis-linux-searchplatform	yes	5	● TIMED_WAITING	java.base@11.0.4/java.lang.Thread.sleep(Native Method)	528	240
Ping thread for channel hudson.remoting.Channel@406bceb6:JNLP4-connect connection from ILRNACOMJENA01.corp.amdocs.com/10.234.147.17:50296	yes	5	● TIMED_WAITING	java.base@11.0.4/java.lang.Thread.sleep(Native Method)	494	240
Ping thread for channel hudson.remoting.Channel@470ba19d:linux-hawkeye	yes	5	● TIMED_WAITING	java.base@11.0.4/java.lang.Thread.sleep(Native Method)	517	290
Ping thread for channel hudson.remoting.Channel@47ff0693:mis-linux-dt2.0	yes	5	● TIMED_WAITING	java.base@11.0.4/java.lang.Thread.sleep(Native Method)	524	270
Ping thread for channel hudson.remoting.Channel@4ed838b4:mis-linux-bot	yes	5	● TIMED_WAITING	java.base@11.0.4/java.lang.Thread.sleep(Native Method)	520	290
Ping thread for channel hudson.remoting.Channel@58c031aa:JNLP4-connect connection from ilrnajenagt01.corp.amdocs.com/10.234.147.20:56263	yes	5	● TIMED_WAITING	java.base@11.0.4/java.lang.Thread.sleep(Native Method)	513	290
Ping thread for channel hudson.remoting.Channel@5be3df26:mis-linux-sb	yes	5	● TIMED_WAITING	java.base@11.0.4/java.lang.Thread.sleep(Native Method)	409	220
Ping thread for channel hudson.remoting.Channel@609d5924:linux-timezone	yes	5	● TIMED_WAITING	java.base@11.0.4/java.lang.Thread.sleep(Native Method)	476	270
Ping thread for channel hudson.remoting.Channel@65148fc7:ansible01	yes	5	● TIMED_WAITING	java.base@11.0.4/java.lang.Thread.sleep(Native Method)	472	260
Reference Handler	yes	10	● RUNNABLE	java.base@11.0.4/java.lang.ref.Reference.waitForReferencePendingList(Native Method)	122	100
RemotelyInvocationHandler [#8]	yes	5	● TIMED_WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	161,202	159,640
Session-HouseKeeper-11fc564b-1	no	5	● TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	129	120
Session-Scheduler-5ab9672c-1	no	5	● TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	63	50
Signal Dispatcher	yes	9	● RUNNABLE		0	0
SubscriptionConfigQueue.start	yes	5	● WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	152	120
SyncQueueListener	yes	5	● TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	12,194	10,320
TCP agent listener port=49187	no	5	● RUNNABLE	java.base@11.0.4/sun.nio.ch.ServerSocketChannelImpl.accept0(Native Method)	3	0
Thread-1000	yes	5	● WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-1002	yes	5	● WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-1004	yes	5	● WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-1006	yes	5	● WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-1009	yes	5	● WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-1011	yes	5	● WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-1014	yes	5	● WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-1016	yes	5	● WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-1018	yes	5	● WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-1020	yes	5	● WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-1022	yes	5	● WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-1024	yes	5	● WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-1026	yes	5	● WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-1028	yes	5	● WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-1031	yes	5	● WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-1034	yes	5	● WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-1036	yes	5	● WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-1038	yes	5	● WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-1040	yes	5	● WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0



















# Monitoring JavaMelody on nodes

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
Thread-977	yes	5	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-979	yes	5	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-981	yes	5	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-984	yes	5	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-986	yes	5	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-990	yes	5	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-992	yes	5	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-994	yes	5	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-996	yes	5	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Thread-998	yes	5	WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	0	0
Timeout.interruptions [#1]	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	1,998	1,470
TimeoutService-1	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	0	0
TimeoutService-2	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	0	0
TimeoutService-3	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	0	0
TimeoutService-4	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	0	0
TimeoutService-5	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	0	0
TimeoutService-6	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	0	0
TimeoutService-7	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	0	0
TimeoutService-8	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	0	0
TimeoutService-9	yes	5	WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	0	0
Windows IOHub Watcher for IOHub#1: Selector[keys:0, gen:0] / Computer.threadPoolForRemoting [#34]	yes	5	TIMED_WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	9,866	5,540

The cpu times and user times of these threads are measured from the start of the server

## Threads on ILRNACOMJENA01@10.234.147.17: Number = 15, Maximum = 63, Total started = 2,280

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
Attach Listener	yes	5	RUNNABLE		0	0
Finalizer	yes	8	WAITING	java.lang.Object.wait(Native Method)	0	0
IOHub#1: Selector[keys:0, gen:0] / pool-1-thread-1	yes	5	RUNNABLE	sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)	109	78
main	no	5	WAITING	java.lang.Object.wait(Native Method)	687	625
Ping thread for channel hudson.remoting.Channel@119b49:JNLP4-connect connection to misjenkins/10.234.147.11:49187	yes	5	TIMED_WAITING	java.lang.Thread.sleep(Native Method)	1,390	15
pool-1-thread-2261 for JNLP4-connect connection to misjenkins/10.234.147.11:49187 id=144490	yes	5	RUNNABLE	java.lang.Thread.dumpThreads(Native Method)	0	0
pool-1-thread-2263	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
pool-1-thread-2264	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
pool-1-thread-2268	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
pool-1-thread-2269	yes	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
pool-1-thread-3	yes	5	RUNNABLE	sun.nio.ch.SocketDispatcher.read0(Native Method)	4,656	4,234
Reference Handler	yes	10	WAITING	java.lang.Object.wait(Native Method)	62	46
RemoteInvocationHandler [#2]	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	16,296	15,328
Thread-1	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	109	93
Windows IOHub Watcher for IOHub#1: Selector[keys:0, gen:0] / pool-1-thread-2	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	46	0

The cpu times and user times of these threads are measured from the start of the server

## Threads on illincomjena01@10.234.145.25: Number = 11, Maximum = 30, Total started = 3,237

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
Channel reader thread: channel	no	5	RUNNABLE	java.io.FileInputStream.readBytes(Native Method)	2,357	1,860
Finalizer	yes	8	WAITING	java.lang.Object.wait(Native Method)	6	0
main	no	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	1,516	1,410
Ping thread for channel hudson.remoting.Channel@5ccd43c2:channel	yes	5	TIMED_WAITING	java.lang.Thread.sleep(Native Method)	650	320
pool-1-thread-3216	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	2	0
pool-1-thread-3217 for channel id=144491	no	5	RUNNABLE	java.lang.Thread.dumpThreads(Native Method)	6	0
pool-1-thread-3218	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
pool-1-thread-3219	no	5	TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
Reference Handler	yes	10	WAITING	java.lang.Object.wait(Native Method)	7	0
RemoteInvocationHandler [#11]	yes	5	TIMED_WAITING	java.lang.Object.wait(Native Method)	103,470	102,370
Signal Dispatcher	yes	9	RUNNABLE		0	0

# Monitoring JavaMelody on nodes

The cpu times and user times of these threads are measured from the start of the server

**Threads on ilrnajenagt01@10.234.147.20:** Number = 14, Maximum = 65, Total started = 2,632

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
Attach Listener	yes	5	● RUNNABLE		0	0
Finalizer	yes	8	● WAITING	java.lang.Object.wait(Native Method)	0	0
IOHub#1: Selector[keys:0, gen:0] / pool-1-thread-1	yes	5	● RUNNABLE	sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)	375	250
main	no	5	● WAITING	java.lang.Object.wait(Native Method)	703	546
Ping thread for channel hudson.remoting.Channel@17a154a:JNLP4-connect connection to misjenkins/10.234.147.11:49187	yes	5	● TIMED_WAITING	java.lang.Thread.sleep(Native Method)	1,734	15
pool-1-thread-2615	yes	5	● TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
pool-1-thread-2619	yes	5	● TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	15	15
pool-1-thread-2620 for JNLP4-connect connection to misjenkins/10.234.147.11:49187 id=144492	yes	5	● RUNNABLE	java.lang.Thread.dumpThreads(Native Method)	31	15
pool-1-thread-2621	yes	5	● TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
pool-1-thread-3	yes	5	● RUNNABLE	sun.nio.ch.SocketDispatcher.read0(Native Method)	5,078	4,703
Reference Handler	yes	10	● WAITING	java.lang.Object.wait(Native Method)	15	15
RemoteInvocationHandler [#2]	yes	5	● TIMED_WAITING	java.lang.Object.wait(Native Method)	72,437	68,937
Thread-1	no	5	● TIMED_WAITING	java.lang.Object.wait(Native Method)	109	93
Windows IOHub Watcher for IOHub#1: Selector[keys:0, gen:0] / pool-1-thread-2	yes	5	● TIMED_WAITING	java.lang.Object.wait(Native Method)	281	46

The cpu times and user times of these threads are measured from the start of the server

**Threads on illinmisjena01.corp.amdocs.com@10.234.147.12:** Number = 12, Maximum = 42, Total started = 3,368

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
Channel reader thread: channel	no	5	● RUNNABLE	java.io.FileInputStream.readBytes(Native Method)	2,613	2,080
Finalizer	yes	8	● WAITING	java.lang.Object.wait(Native Method)	8	0
main	no	5	● TIMED_WAITING	java.lang.Object.wait(Native Method)	1,765	1,650
Ping thread for channel hudson.remoting.Channel@5fdef03a:channel	yes	5	● TIMED_WAITING	java.lang.Thread.sleep(Native Method)	489	300
pool-1-thread-3345	no	5	● TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	5	0
pool-1-thread-3348	no	5	● TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	9	0
pool-1-thread-3350	no	5	● TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	5	0
pool-1-thread-3351	no	5	● TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
pool-1-thread-3353 for channel id=144493	no	5	● RUNNABLE	java.lang.Thread.dumpThreads(Native Method)	4	0
Reference Handler	yes	10	● WAITING	java.lang.Object.wait(Native Method)	8	0
RemoteInvocationHandler [#8]	yes	5	● TIMED_WAITING	java.lang.Object.wait(Native Method)	101,512	100,320
Signal Dispatcher	yes	9	● RUNNABLE		0	0

The cpu times and user times of these threads are measured from the start of the server

**Threads on illinjenacinsagt01@10.102.5.209:** Number = 22, Maximum = 39, Total started = 3,554

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
Channel reader thread: channel	no	5	● RUNNABLE	java.io.FileInputStream.readBytes(Native Method)	3,705	2,880
Finalizer	yes	8	● WAITING	java.lang.Object.wait(Native Method)	45	20
jenkins.util.Timer [#10]	yes	5	● WAITING	sun.misc.Unsafe.park(Native Method)	963	530
jenkins.util.Timer [#1]	yes	5	● WAITING	sun.misc.Unsafe.park(Native Method)	1,410	770
jenkins.util.Timer [#2]	yes	5	● WAITING	sun.misc.Unsafe.park(Native Method)	1,137	630
jenkins.util.Timer [#3]	yes	5	● TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	1,222	640
jenkins.util.Timer [#4]	yes	5	● WAITING	sun.misc.Unsafe.park(Native Method)	866	490
jenkins.util.Timer [#5]	yes	5	● WAITING	sun.misc.Unsafe.park(Native Method)	1,523	780
jenkins.util.Timer [#6]	yes	5	● WAITING	sun.misc.Unsafe.park(Native Method)	1,485	810
jenkins.util.Timer [#7]	yes	5	● WAITING	sun.misc.Unsafe.park(Native Method)	1,455	770
jenkins.util.Timer [#8]	yes	5	● WAITING	sun.misc.Unsafe.park(Native Method)	1,071	590
jenkins.util.Timer [#9]	yes	5	● WAITING	sun.misc.Unsafe.park(Native Method)	1,220	630
JGit-WorkQueue	yes	5	● TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	40	20
main	no	5	● TIMED_WAITING	java.lang.Object.wait(Native Method)	1,926	1,820
Ping thread for channel hudson.remoting.Channel@5ccd43c2:channel	yes	5	● TIMED_WAITING	java.lang.Thread.sleep(Native Method)	483	270
pool-1-thread-3353	no	5	● TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	17	0
pool-1-thread-3354 for channel id=144494	no	5	● RUNNABLE	java.lang.Thread.dumpThreads(Native Method)	9	0
pool-1-thread-3355	no	5	● TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	10	0
pool-1-thread-3356	no	5	● TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	1	0

# Monitoring JavaMelody on nodes

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
Reference Handler	yes	10	🟡 WAITING	java.lang.Object.wait(Native Method)	16	10
RemoteInvocationHandler [#38]	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	64,201	63,500
Signal Dispatcher	yes	9	🟢 RUNNABLE		0	0

The cpu times and user times of these threads are measured from the start of the server

## Threads on illintzjenagt01@10.234.147.33: Number = 12, Maximum = 53, Total started = 4,293

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
Channel reader thread: channel	no	5	🟢 RUNNABLE	java.io.FileInputStream.readBytes(Native Method)	2,377	1,910
Finalizer	yes	8	🟡 WAITING	java.lang.Object.wait(Native Method)	6	0
main	no	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	1,913	1,790
Ping thread for channel hudson.remoting.Channel@7960847b:channel	yes	5	🟡 TIMED_WAITING	java.lang.Thread.sleep(Native Method)	557	330
pool-1-thread-4272	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	2	0
pool-1-thread-4274 for channel id=144495	no	5	🟢 RUNNABLE	java.lang.Thread.dumpThreads(Native Method)	4	0
pool-1-thread-4275	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	5	0
pool-1-thread-4276	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	2	0
pool-1-thread-4277	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
Reference Handler	yes	10	🟡 WAITING	java.lang.Object.wait(Native Method)	8	0
RemoteInvocationHandler [#9]	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	101,593	100,430
Signal Dispatcher	yes	9	🟢 RUNNABLE		0	0

The cpu times and user times of these threads are measured from the start of the server

## Threads on illinbotjena01@10.234.147.18: Number = 22, Maximum = 87, Total started = 3,618

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
Channel reader thread: channel	no	5	🟢 RUNNABLE	java.io.FileInputStream.readBytes(Native Method)	5,850	4,410
Finalizer	yes	8	🟡 WAITING	java.lang.Object.wait(Native Method)	196	110
jenkins.util.Timer [#10]	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	1,341	740
jenkins.util.Timer [#1]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1,471	780
jenkins.util.Timer [#2]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	694	350
jenkins.util.Timer [#3]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1,489	780
jenkins.util.Timer [#4]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	909	520
jenkins.util.Timer [#5]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1,357	770
jenkins.util.Timer [#6]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1,100	590
jenkins.util.Timer [#7]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	979	500
jenkins.util.Timer [#8]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	904	490
jenkins.util.Timer [#9]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1,664	940
JGit-WorkQueue	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	54	40
main	no	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	1,731	1,620
Ping thread for channel hudson.remoting.Channel@5ccd43c2:channel	yes	5	🟡 TIMED_WAITING	java.lang.Thread.sleep(Native Method)	663	360
pool-1-thread-2875	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	17	0
pool-1-thread-2877	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	12	0
pool-1-thread-2880 for channel id=144496	no	5	🟢 RUNNABLE	java.lang.Thread.dumpThreads(Native Method)	7	0
pool-1-thread-2881	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
Reference Handler	yes	10	🟡 WAITING	java.lang.Object.wait(Native Method)	22	10
RemoteInvocationHandler [#73]	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	11,401	11,270
Signal Dispatcher	yes	9	🟢 RUNNABLE		0	0

The cpu times and user times of these threads are measured from the start of the server

## Threads on illindtjena01@10.234.145.21: Number = 24, Maximum = 138, Total started = 9,902

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
Channel reader thread: channel	no	5	🟢 RUNNABLE	java.io.FileInputStream.readBytes(Native Method)	23,225	17,730
Finalizer	yes	8	🟡 WAITING	java.lang.Object.wait(Native Method)	1,471	890
jenkins.util.Timer [#10]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	3,399	1,940
jenkins.util.Timer [#1]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	3,918	2,210
jenkins.util.Timer [#2]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	3,989	2,200
jenkins.util.Timer [#3]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	3,531	2,010
jenkins.util.Timer [#4]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1,920	1,050
jenkins.util.Timer [#5]	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	3,405	1,960
jenkins.util.Timer [#6]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	3,476	1,950

# Monitoring JavaMelody on nodes

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
jenkins.util.Timer [#7]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	3,699	2,020
jenkins.util.Timer [#8]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1,976	1,080
jenkins.util.Timer [#9]	yes	5	🟡 WAITING	sun.misc.Unsafe.park(Native Method)	1,914	1,110
JGit-WorkQueue	yes	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	49	40
main	no	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	1,731	1,630
Ping thread for channel hudson.remoting.Channel@5ccd43c2:channel	yes	5	🟡 TIMED_WAITING	java.lang.Thread.sleep(Native Method)	667	310
pool-1-thread-5841	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	15	0
pool-1-thread-5842	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	6	0
pool-1-thread-5846	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	4	0
pool-1-thread-5847 for channel id=144497	no	5	🟢 RUNNABLE	java.lang.Thread.dumpThreads(Native Method)	2	0
pool-1-thread-5848	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
pool-1-thread-5849	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	0	0
Reference Handler	yes	10	🟡 WAITING	java.lang.Object.wait(Native Method)	80	60
RemotelyInvocationHandler [#398]	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	33,502	33,140
Signal Dispatcher	yes	9	🟢 RUNNABLE		0	0

The cpu times and user times of these threads are measured from the start of the server

## Threads on illinsbjnagt01@10.234.147.26: Number = 12, Maximum = 39, Total started = 3,954

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
Channel reader thread: channel	no	5	🟢 RUNNABLE	java.base@11.0.4/java.io.FileInputStream.readBytes(Native Method)	2,074	1,700
Common-Cleaner	yes	8	🟡 TIMED_WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	138	90
Finalizer	yes	8	🟡 WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	1	0
main	no	5	🟡 TIMED_WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	515	420
Ping thread for channel hudson.remoting.Channel@5419f379:channel	yes	5	🟡 TIMED_WAITING	java.base@11.0.4/java.lang.Thread.sleep(Native Method)	567	380
pool-1-thread-3902	no	5	🟡 TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	1	0
pool-1-thread-3905 for channel id=144498	no	5	🟢 RUNNABLE	java.base@11.0.4/java.lang.Thread.dumpThreads(Native Method)	4	0
pool-1-thread-3906	no	5	🟡 TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	3	0
pool-1-thread-3907	no	5	🟡 TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	2	0
Reference Handler	yes	10	🟢 RUNNABLE	java.base@11.0.4/java.lang.ref.Reference.waitForReferencePendingList(Native Method)	5	0
RemotelyInvocationHandler [#39]	yes	5	🟡 TIMED_WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	24,716	24,440
Signal Dispatcher	yes	9	🟢 RUNNABLE		0	0

The cpu times and user times of these threads are measured from the start of the server

## Threads on illinspjena01@10.234.147.31: Number = 12, Maximum = 34, Total started = 3,650

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
Channel reader thread: channel	no	5	🟢 RUNNABLE	java.base@11.0.4/java.io.FileInputStream.readBytes(Native Method)	3,177	2,480
Common-Cleaner	yes	8	🟡 TIMED_WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	168	120
Finalizer	yes	8	🟡 WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	2	0
main	no	5	🟡 TIMED_WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	661	540
Ping thread for channel hudson.remoting.Channel@5419f379:channel	yes	5	🟡 TIMED_WAITING	java.base@11.0.4/java.lang.Thread.sleep(Native Method)	644	420
pool-1-thread-3599	no	5	🟡 TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	3	0
pool-1-thread-3600 for channel id=144499	no	5	🟢 RUNNABLE	java.base@11.0.4/java.lang.Thread.dumpThreads(Native Method)	2	0
pool-1-thread-3601	no	5	🟡 TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	0	0
pool-1-thread-3602	no	5	🟡 TIMED_WAITING	java.base@11.0.4/jdk.internal.misc.Unsafe.park(Native Method)	3	0
Reference Handler	yes	10	🟢 RUNNABLE	java.base@11.0.4/java.lang.ref.Reference.waitForReferencePendingList(Native Method)	8	0
RemotelyInvocationHandler [#40]	yes	5	🟡 TIMED_WAITING	java.base@11.0.4/java.lang.Object.wait(Native Method)	27,607	27,240
Signal Dispatcher	yes	9	🟢 RUNNABLE		0	0

The cpu times and user times of these threads are measured from the start of the server

## Threads on illinutsjenagt01@10.234.147.40: Number = 11, Maximum = 24, Total started = 4,698

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
Channel reader thread: channel	no	5	🟢 RUNNABLE	java.io.FileInputStream.readBytes(Native Method)	2,639	2,110
Finalizer	yes	8	🟡 WAITING	java.lang.Object.wait(Native Method)	5	0
main	no	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	1,934	1,830
Ping thread for channel hudson.remoting.Channel@5ccd43c2:channel	yes	5	🟡 TIMED_WAITING	java.lang.Thread.sleep(Native Method)	515	300
pool-1-thread-4658	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	22	10

# Monitoring JavaMelody on nodes

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
pool-1-thread-4662	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	8	0
pool-1-thread-4664	no	5	🟡 TIMED_WAITING	sun.misc.Unsafe.park(Native Method)	4	0
pool-1-thread-4665 for channel id=144500	no	5	🟢 RUNNABLE	java.lang.Thread.dumpThreads(Native Method)	3	0
Reference Handler	yes	10	🟡 WAITING	java.lang.Object.wait(Native Method)	10	0
RemotInvocationHandler [#26]	yes	5	🟡 TIMED_WAITING	java.lang.Object.wait(Native Method)	21,826	21,640
Signal Dispatcher	yes	9	🟢 RUNNABLE		0	0

The cpu times and user times of these threads are measured from the start of the server

**Threads on ILRNAPREGIP01 @ 10.234.147.21:** Number = 17, Maximum = 265, Total started = 56,180

Thread	Daemon ?	Priority	State	Executed method	Cpu time (ms)	User time (ms)
Attach Listener	yes	5	🟢 RUNNABLE		0	0
Common-Cleaner	yes	8	🟡 TIMED_WAITING	java.base@9.0.1/java.lang.Object.wait(Native Method)	15	15
Finalizer	yes	8	🟡 WAITING	java.base@9.0.1/java.lang.Object.wait(Native Method)	46	15
IOHub#1: Selector[keys:0, gen:0] / pool-1-thread-1	yes	5	🟢 RUNNABLE	java.base@9.0.1/sun.nio.ch.WindowsSelectorImpl\$SubSelector.poll0(Native Method)	5,890	3,546
main	no	5	🟡 WAITING	java.base@9.0.1/java.lang.Object.wait(Native Method)	937	750
Ping thread for channel hudson.remoting.Channel@1fb37a0a:JNLP4-connect connection to misjenkins/10.234.147.11:49187	yes	5	🟡 TIMED_WAITING	java.base@9.0.1/java.lang.Thread.sleep(Native Method)	1,562	0
pool-1-thread-50231	yes	5	🟢 RUNNABLE	java.base@9.0.1/sun.nio.ch.SocketDispatcher.read0(Native Method)	2,656	2,000
pool-1-thread-56025 for JNLP4-connect connection to misjenkins/10.234.147.11:49187 id=144501	yes	5	🟢 RUNNABLE	java.base@9.0.1/java.lang.Thread.dumpThreads(Native Method)	15	15
pool-1-thread-56030	yes	5	🟡 TIMED_WAITING	java.base@9.0.1/jdk.internal.misc.Unsafe.park(Native Method)	15	15
pool-1-thread-56034	yes	5	🟡 TIMED_WAITING	java.base@9.0.1/jdk.internal.misc.Unsafe.park(Native Method)	0	0
pool-1-thread-56035	yes	5	🟡 TIMED_WAITING	java.base@9.0.1/jdk.internal.misc.Unsafe.park(Native Method)	0	0
pool-1-thread-56036	yes	5	🟡 TIMED_WAITING	java.base@9.0.1/jdk.internal.misc.Unsafe.park(Native Method)	0	0
pool-1-thread-56037	yes	5	🟡 TIMED_WAITING	java.base@9.0.1/jdk.internal.misc.Unsafe.park(Native Method)	0	0
Reference Handler	yes	10	🟢 RUNNABLE	java.base@9.0.1/java.lang.ref.Reference.waitForReferencePendingList(Native Method)	140	125
RemotInvocationHandler [#100]	yes	5	🟡 TIMED_WAITING	java.base@9.0.1/java.lang.Object.wait(Native Method)	13,468	12,687
Thread-0	no	5	🟡 TIMED_WAITING	java.base@9.0.1/java.lang.Object.wait(Native Method)	359	281
Windows IOHub Watcher for IOHub#1: Selector[keys:0, gen:0] / pool-1-thread-2	yes	5	🟡 TIMED_WAITING	java.base@9.0.1/java.lang.Object.wait(Native Method)	2,937	843

The cpu times and user times of these threads are measured from the start of the server