



Dashboard > Plugin Manager

Back to Dashboard

Manage Jenkins

Enabled	Name ↓	Version	Previously installed version	Uninstall
All changes plugin				
<input type="checkbox"/>	This plugin shows all changes (also from dependent projects, sub-projects, ...) for a project	1.5		<input type="button" value="Uninstall"/>
Amazon Web Services SDK :: All				
<input type="checkbox"/>	This plugin provides AWS SDK for Java for other plugins.	1.11.995		<input type="button" value="Uninstall"/>
Analysis Model API				
<input type="checkbox"/>	Static Analysis Model and Parsers API used by the Warnings plugin.	10.9.1		<input type="button" value="Uninstall"/>
Ant Plugin				
<input type="checkbox"/>	Adds Apache Ant support to Jenkins	1.13		<input type="button" value="Uninstall"/>
anything-goes-formatter				
<input type="checkbox"/>	This plugin adds a markup formatter that's unsafe but allows more powerful HTML manipulation.	1.0		<input type="button" value="Uninstall"/>
<input checked="" type="checkbox"/>	Apache HttpComponents Client 4.x API Plugin Bundles Apache HttpComponents Client 4.x and allows it to be used by Jenkins plugins.	4.5.13-1.0		<input type="button" value="Uninstall"/>
<div style="border: 1px solid orange; padding: 5px; margin: 5px 0;"> <p>This plugin is up for adoption! We are looking for new maintainers. Visit our Adopt a Plugin initiative for more information.</p> </div>				
Authentication Tokens API Plugin				
<input type="checkbox"/>	This plugin provides an API for			<input type="button" value="Uninstall"/>

Authentication Tokens API Plugin

This plugin provides an API for



<input type="checkbox"/>	This plugin provides an API for converting credentials into authentication tokens in Jenkins.	1.4	Uninstall
--------------------------	-----------------------------------------------------------------------------------------------	-----	-----------

Dashboard ▶ **Plugin Manager**

Configure projects to run with specified authorization.

<input type="checkbox"/>	<div style="border: 1px solid orange; padding: 5px;"> <p>This plugin is up for adoption! We are looking for new maintainers. Visit our Adopt a Plugin initiative for more information.</p> </div>	1.4.0	Uninstall
--------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	-----------

Badge

Add Badges for a build and extend the build summary

<input type="checkbox"/>	<div style="border: 1px solid orange; padding: 5px;"> <p>This plugin is up for adoption! We are looking for new maintainers. Visit our Adopt a Plugin initiative for more information.</p> </div>	1.9.1	Uninstall
--------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-------	-----------

Blame Upstream Committers

A simple plugin that allows downstream jobs to mail upstream committers when the build fails.

<input type="checkbox"/>		1.2	Uninstall
--------------------------	--	-----	-----------

Bootstrap 4 API Plugin

Provides Bootstrap 4 for Jenkins plugins.

<input checked="" type="checkbox"/>		4.6.0-3	Uninstall
-------------------------------------	--	---------	-----------

Bootstrap 5 API Plugin

Provides Bootstrap 5 for Jenkins plugins.

<input checked="" type="checkbox"/>		5.1.3-4	Uninstall
-------------------------------------	--	---------	-----------

bouncycastle API Plugin

This plugin provides a stable API to Bouncy Castle related tasks.

<input type="checkbox"/>		2.25	Uninstall
--------------------------	--	------	-----------

Branch API Plugin

This plugin provides an API for multiple branch based projects.

<input type="checkbox"/>		2.7.0	Uninstall
--------------------------	--	-------	-----------

Build Blocker

This plugin blocks a build if one of the given jobs is running. The blocking behaviour can be configured to block builds on node or global level and to scan the queue and block if blocking jobs are about to run.

<input type="checkbox"/>		1.7.7	Uninstall
--------------------------	--	-------	-----------

Build Environment Plugin

Build Environment Plugin

This plugin shows information about the environment in which **1.7**

Dashboard ▶ **Plugin Manager**

This plugin shows information about the environment in which there environments.

Build Failure Analyzer

Jenkins Build Failure Analyzer Plugin **2.1.0**

Build History Manager

Allows to build complex rules to decide which builds should be deleted from the history. Build number, age, result (status) and many more rules can be used as a factor. Visit [wiki](#) to check list of available features. **1.4.0**

Build Monitor View

Provides a highly visible view of the status of selected Jenkins jobs. It easily accommodates different computer screen sizes and is ideal as an Extreme Feedback Device to be displayed on a screen on your office wall. **1.13+build.202201201901**

Build Name and Description Setter

This plug-in sets the display name and description of a build to something other than #1, #2, #3, ... **2.2.0**

Now also with support for build description and [pipeline](#) approach.

Build Pipeline Plugin

This plugin renders upstream and downstream connected jobs that typically form a build pipeline. In addition, it offers the ability to define manual triggers for jobs that require intervention prior to execution, e.g. an approval process outside of Jenkins. **1.5.8**

Warning: The currently installed plugin version may not be safe to use. Please review the following security notices:

- [Stored XSS vulnerability](#).

Build Time Blame Plugin

A Jenkins plugin for analyzing

<input type="checkbox"/>	the historical console output of a Job with the goal of determining which steps are	64.vd8f4018a2bbe	Uninstall
--------------------------	-------------------------------------------------------------------------------------	------------------	-----------

Dashboard > **Plugin Manager**

Build Timeout

<input type="checkbox"/>	This plugin allows builds to be automatically terminated after the specified amount of time has elapsed.	1.20	Uninstall
--------------------------	----------------------------------------------------------------------------------------------------------	------	-----------

Build Trigger Badge

<input type="checkbox"/>	This plugin displays an icon representing the cause of a construction.	2.11	Uninstall
--------------------------	------------------------------------------------------------------------	------	-----------

build user vars plugin

<input type="checkbox"/>	This plugin is used to set user build variables: jenkins user name and id.	1.8	Uninstall
--------------------------	----------------------------------------------------------------------------	-----	-----------

Build-Publisher plugin

Plugin for publishing build results.

<input type="checkbox"/>	<div style="border: 1px solid orange; padding: 5px;"> <p>This plugin is up for adoption! We are looking for new maintainers. Visit our Adopt a Plugin initiative for more information.</p> </div>	1.22	Uninstall
--------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	------	-----------

BuildResultTrigger Plug-in

<input type="checkbox"/>	This plugin makes it possible to monitor the build results of other jobs.	0.17	Uninstall
--------------------------	---------------------------------------------------------------------------	------	-----------

built-on-column

<input type="checkbox"/>	Shows the actual node that a job was built on	1.1	Uninstall
--------------------------	-----------------------------------------------	-----	-----------

Caffeine API Plugin

<input checked="" type="checkbox"/>	Caffeine api plugin for use by other Jenkins plugins.	2.9.2-29.v717aac953ff3	Uninstall
-------------------------------------	-----------------------------------------------------------------------	------------------------	-----------

Checks API plugin

<input checked="" type="checkbox"/>	This plugin defines an API for Jenkins to publish checks to SCM platforms.	1.7.2	Uninstall
-------------------------------------	----------------------------------------------------------------------------	-------	-----------

Chroot Plugin

<input type="checkbox"/>	chroot environment management plugin for clean build environments.	0.1.4	Uninstall
--------------------------	--------------------------------------------------------------------	-------	-----------

<input type="checkbox"/>	Claim Plugin Allow users to claim or be assigned failed builds.	2.18.2	Uninstall
--------------------------	---------------------------------------------------------------------------	--------	-----------

Cloud Statistics Plugin

Dashboard

Plugin Manager

STATISTICS

CloudBees AWS Credentials

Allows storing Amazon IAM credentials within the Jenkins Credentials API. Store Amazon IAM access keys (AWSAccessKeyId and AWSSecretKey) within the Jenkins Credentials API. Also support IAM Roles and IAM MFA Token.



1.29

Uninstall

CMake plugin

Integrates the [CMake tool suite](#) to Jenkins. Supports to build cmake based projects.



4.1.1

Uninstall

Cobertura Plugin

This plugin integrates [Cobertura coverage reports](#) to Jenkins.



1.17

Uninstall

Code Coverage API Plugin

This plugin serves as API to integrate and publish multiple coverage report types.



2.0.4

Uninstall

Collapsing Console Sections Plugin

Annotations to collapse sections of the build console



This plugin is up for adoption! We are looking for new maintainers. Visit our [Adopt a Plugin](#) initiative for more information.

1.8.0

Uninstall

Command Agent Launcher Plugin

Allows agents to be launched using a specified command.



1.6

Uninstall

Compact Columns

More compact columns for showing last success and failure. Easier to understand, and takes less room in your view.



1.13

Uninstall

Compress Artifacts Plugin

Keeps build artifacts compressed to save disk space on the master.



1.10

Uninstall

Conditional BuildStep

A buildstep wrapping any number of other buildsteps, controlling their execution

Dashboard > Plugin Manager



This plugin is up for adoption! We are looking for new maintainers. Visit our [Adopt a Plugin](#) initiative for more information.

1.4.1

Uninstall

Config File Provider Plugin



Ability to provide configuration files (e.g. settings.xml for maven, XML, groovy, custom files,...) loaded through the UI which will be copied to the job workspace.

3.8.1

Uninstall

Configuration as Code Plugin



This plugin allows configuration of Jenkins based on human-readable declarative configuration files.

1.55.1

Uninstall

Configuration as Code Plugin - Groovy Scripting Extension



Extension for Configuration as Code that allows running Groovy scripts.

1.1

Uninstall

Configuration Slicing plugin

Allows configuration of a single property across a group of projects



This plugin is up for adoption! We are looking for new maintainers. Visit our [Adopt a Plugin](#) initiative for more information.

1.52

Uninstall

Console Column Plugin



The [Console Column Plugin](#) provides a fast-path console link available for views.

1.5

Uninstall



Console Tail Plugin

This plugin provides a tail view of the console on the main job page when the last build failed.

1.1

Uninstall

This plugin is up for adoption! We are looking for new maintainers. Visit our

new maintainers. Visit our [Adopt a Plugin](#) initiative for more information.

Dashboard > Plugin Manager

<input type="checkbox"/>	Copy Artifact Plugin Adds a build step to copy artifacts from another project.	1.46.2	Uninstall
<input type="checkbox"/>	Copy project link plugin	1.5	Uninstall
<input type="checkbox"/>	CppNCSS plugin This plugin integrates Cpp NCSS reports to Jenkins. This plugin is up for adoption! We are looking for new maintainers. Visit our Adopt a Plugin initiative for more information.	1.2	Uninstall
<input type="checkbox"/>	Credentials Binding Plugin Allows credentials to be bound to environment variables for use from miscellaneous build steps.	1.27.1	Uninstall
<input checked="" type="checkbox"/>	Credentials Plugin This plugin allows you to store credentials in Jenkins.	2.6.1	Uninstall
<input type="checkbox"/>	Custom Tools Plugin A generic tool installer. You define how tools get installed, and the plugin will automatically install them when needed. This plugin is up for adoption! We are looking for new maintainers. Visit our Adopt a Plugin initiative for more information.	0.8	Uninstall
<input type="checkbox"/>	Customized Build Message Plugin This plugin allows users to customize messages in build badge & description in build history & status.	1.1	Uninstall
<input type="checkbox"/>	CVS Plug-in Integrates Jenkins with CVS version control system using a modified version of the Netbeans cvsclient. This plugin is up for	2.19	Uninstall

This plugin is up for adoption! We are looking for new maintainers. Visit our

Dashboard > **Plugin Manager**

Cygpath plugin



This plugin performs Cygpath path conversion on Windows slaves so that the path of tools in the cluster remains the consistent across platforms.

1.5

Uninstall

Cygwin Process Killer



Plugin implements termination of Cygwin processes on Jenkins nodes.

This plugin is up for adoption! We are looking for new maintainers. Visit our [Adopt a Plugin](#) initiative for more information.

0.2

Uninstall

Dashboard View



Customizable dashboard that can present various views of job information.

2.18

Uninstall

DataTables.net API Plugin



Provides jQuery DataTables for Jenkins plugins.

1.11.3-6

Uninstall

Delivery Pipeline Plugin



This plugin visualize Delivery Pipelines (Jobs with upstream/downstream dependencies)

1.4.2

Uninstall

Dependency Graph Viewer Plugin



This plugin shows a dependency graph of the projects. It uses dot (from graphviz) or jsPlumb for drawing.

1.0.5

Uninstall

Description Column Plugin



Add the Description column.

Warning: The currently installed plugin version may not be safe to use. Please review the following security notices:

- [Stored XSS vulnerability](#)

1.3

Uninstall

description setter plugin



This plugin sets the description for each build based upon a

1.10

Uninstall

Dashboard > Plugin Manager

Device Watcher



This plugin is used to monitor devices that may be needed for Jenkins tasks i.e. embedded devices

0.9

Uninstall

disk-usage plugin

This plugin counts disk usage.



This plugin is up for adoption! We are looking for new maintainers. Visit our [Adopt a Plugin](#) initiative for more information.

0.28

Uninstall

Display URL API



Provides the DisplayURLProvider extension point to provide alternate URLs for use in notifications

2.3.5

Uninstall

Docker API Plugin

This plugin provides [docker-java](#) API for other plugins.



This plugin is up for adoption! We are looking for new maintainers. Visit our [Adopt a Plugin](#) initiative for more information.

3.1.5.2

Uninstall

Docker Commons



Provides the common shared functionality for various Docker-related plugins.

1.18

Uninstall

Docker Pipeline



Build and use Docker containers from pipelines.

1.27

Uninstall

Docker plugin



This plugin integrates Jenkins with [Docker](#)

1.2.6

Uninstall



Downstream build view

This plug-in allows you to view the full status all the

1.9

downstream builds so that we can graphically see that everything for this build has

Uninstall

been completed successfully.

This plugin is up for

Dashboard ▶ **Plugin Manager**

[Adopt a Plugin](#) initiative for more information.

<input type="checkbox"/>	Downstream-Ext This plugin provides extended options for triggering downstream projects.	1.8	Uninstall
<input type="checkbox"/>	Doxygen Plug-in This plugin publishes the reports generated by the Doxygen tool. This plugin is up for adoption! We are looking for new maintainers. Visit our Adopt a Plugin initiative for more information.	0.18	Uninstall
<input type="checkbox"/>	Dry Run Plug-in This plug-in makes it possible to execute a dry-run for the job.	0.9	Uninstall
<input type="checkbox"/>	DTKit 2 API. This plugin exposes the DTKit 2 APIs to other Jenkins plugins.	3.0.0	Uninstall
<input type="checkbox"/>	Durable Task Plugin Library offering an extension point for processes which can run outside of Jenkins yet be monitored.	493.v195aefbb0ff2	Uninstall
<input type="checkbox"/>	Dynamic Axis Define a matrix build axis with values dynamically populated from an environment variable at build time.	1.0.3	Uninstall
<input type="checkbox"/>	Dynamic Extended Choice Parameter Plug-In This plugin is a sample plugin to explain how to write a Hudson plugin. Warning: The currently installed plugin version may not be safe to use. Please review the following security notices: <ul style="list-style-type: none">• Password stored in plain	1.0.1	Uninstall

[Issues listed in plugin text](#)

Dashboard > Plugin Manager

<input checked="" type="checkbox"/>	ECharts API Plugin Provides ECharts for Jenkins plugins.	5.2.2-2	Uninstall
<input type="checkbox"/>	Elastic Axis Plugin Adds an axis for matrix jobs that accepts the name of a label and will run the job on all nodes with that label.	1.4.5	Uninstall
<input type="checkbox"/>	Email Extension This plugin is a replacement for Jenkins's email publisher. It allows to configure every aspect of email notifications: when an email is sent, who should receive it and what the email says	2.86	Uninstall
<input type="checkbox"/>	Email Extension Template Plugin This plugin allows administrators to create global templates for the Extended Email Publisher.	1.4	Uninstall
<input type="checkbox"/>	EnvInject API Plugin Stores shared logic for Environment Injection management <div style="border: 1px solid orange; padding: 5px; margin-top: 10px;">This plugin is up for adoption! We are looking for new maintainers. Visit our Adopt a Plugin initiative for more information.</div>	1.8	Uninstall
<input type="checkbox"/>	Environment File Plugin This plugin can be used to set environment variables from a file.	1.2	Uninstall
<input type="checkbox"/>	Environment Injector Plugin This plugin makes it possible to set an environment for the builds. <div style="border: 1px solid orange; padding: 5px; margin-top: 10px;">This plugin is up for adoption! We are looking for new maintainers. Visit our Adopt a Plugin initiative for more information.</div>	2.4.0	Uninstall
<input type="checkbox"/>	Environment Script Plugin Allows a script to be executed		

<input type="checkbox"/>	Allows a script to be executed before a build, printing environment variables to be set.	1.2.6	Uninstall
Dashboard ▶ Plugin Manager			
<input type="checkbox"/>	Adds extended functionality to Choice parameter	0.82	Uninstall
Extended Read Permission Plugin			
<input type="checkbox"/>	This plugin enables various Extended Read permissions in Jenkins for jobs, system configuration, etc.	3.2	Uninstall
External Monitor Job Type			
<input type="checkbox"/>	Adds the ability to monitor the result of externally executed jobs	1.7	Uninstall
Extra Columns Plugin			
<input type="checkbox"/>	This is a general listview-column plugin that contains columns like: Test Result, Configure Project button, Disable/Enable Project button, Project Description, Build Description, SCM Type & Cron Trigger.	1.25	Uninstall
eXtreme Feedback Panel			
<input type="checkbox"/>	Adds an eXtreme Feedback View intended to be used on large panels to monitor the status of the selected jobs.	2.0.1	Uninstall
Fail The Build Plugin			
<input type="checkbox"/>	Change the build result to help testing job configuration	1.0	Uninstall
Favorite			
<input type="checkbox"/>	This plugin allows users to favorite a job.	2.3.3	Uninstall
Fingerprint Plugin			
<input type="checkbox"/>	Adds the ability to fingerprint files as build steps.	1.2	Uninstall
FLOW Plugin			
<input type="checkbox"/>	Adds integration to FLOW - http://startflowing.net	1.3	Uninstall
Folders Plugin			
<input type="checkbox"/>	This plugin allows users to create "folders" to organize jobs. Users can define custom taxonomies (like by project type, organization type etc). Folders are nestable and you can define views within folders. Maintained by CloudBees, Inc.	6.17	Uninstall

<input checked="" type="checkbox"/>	Font Awesome API Provides the free fonts of Font Awesome for Jenkins plugins.	5.15.4-5	Uninstall
Dashboard ▶ Plugin Manager			
<input type="checkbox"/>	Defines an API for Jenkins to mine and analyze data from a source code repository.	1.7.0	Uninstall
Git Changelog			
<input type="checkbox"/>	Creates a highly configurable changelog, or relasenotes, from Git.	3.0	Uninstall
Git client plugin			
<input type="checkbox"/>	Utility plugin for Git support in Jenkins	3.11.0	Uninstall
Git Parameter Plug-In			
<input type="checkbox"/>	Adds ability to choose branches, tags or revisions from git repositories configured in project.	0.9.14	Uninstall
Git plugin			
<input type="checkbox"/>	This plugin integrates Git with Jenkins.	4.10.3	Uninstall
GIT server Plugin			
<input type="checkbox"/>	Allows Jenkins to act as a Git server.	1.10	Uninstall
Gradle			
<input type="checkbox"/>	This plugin allows Jenkins to invoke Gradle build scripts directly.	1.36	Uninstall
graphiteIntegrator			
<input type="checkbox"/>	This plugin allows you to send these metrics : number of tests, tests skipped, tests failed, build duration, cobertura total line coverage and cobertura total branch coverage to one or more graphite servers. If you don't have a graphite server you can use : https://www.hostedgraphite.com to test. For cobertura metrics you need to install cobertura plugin and run <code>cobertura:cobertura</code> in goals section. Be sure to run jenkins in a Jdk 7, because the plugin only works with this version of jdk.	1.2	Uninstall
<input type="checkbox"/>	Green Balls Because green is better than blue! For color blind support	1.15.1	Uninstall

configure user property.

Groovy

Dashboard > Plugin Manager

coae.

<input type="checkbox"/>	Groovy Postbuild Groovy postbuild task.	2.5	Uninstall
<input type="checkbox"/>	HTML Publisher plugin This plugin publishes HTML reports.	1.25	Uninstall
<input type="checkbox"/>	HTTP Request This plugin sends a http request to an url with some parameters	1.13	Uninstall
<input type="checkbox"/>	Hudson Personal View This plugin provides a view where the selection of jobs to this view is attached to a user	1.8	Uninstall
<input type="checkbox"/>	Hudson SCP publisher plugin This plugin uploads build artifacts to repository sites using SCP (SSH) protocol. <div style="border: 1px solid red; padding: 5px; margin-top: 10px;"><p>Warning: The currently installed plugin version may not be safe to use. Please review the following security notices:</p><ul style="list-style-type: none">Insecure credential storage and transmission</div>	1.8	Uninstall
<input type="checkbox"/>	instant-messaging This plugin provides abstract support for build notification via instant-messaging.	1.38	Uninstall
<input type="checkbox"/>	Ivy Plugin This plugin allows Jenkins to automatically configure project dependencies using the Ivy dependency management system.	2.1	Uninstall
<input checked="" type="checkbox"/>	Jackson 2 API Plugin This plugin exposes the Jackson 2 JSON APIs to other Jenkins plugins.	2.13.1-246.va8a9f3eaf46a	Uninstall
<input checked="" type="checkbox"/>	JavaBeans Activation Framework (JAF) API This plugin provides the JavaBeans Activation	1.2.0-2	Uninstall

[Framework \(JAF\)](#), API for other plugins.

Dashboard

Plugin Manager

This plugin adds JavaDoc support to Jenkins.

2.17.0-2020-02-19-24_

Uninstall

JavaMail API



This plugin provides the [JavaMail](#) API for other plugins.

1.6.2-5

Uninstall

JavaScript GUI Lib: ACE Editor bundle plugin



JavaScript GUI Lib: ACE Editor bundle plugin.

1.1

Uninstall

JavaScript GUI Lib: Handlebars bundle plugin



JavaScript GUI Lib: Handlebars bundle plugin.

3.0.8

Uninstall

JavaScript GUI Lib: jQuery bundles (jQuery and jQuery UI) plugin



JavaScript GUI Lib: jQuery bundles (jQuery and jQuery UI) plugin.

1.2.1

Uninstall

JavaScript GUI Lib: Moment.js bundle plugin



JavaScript GUI Lib: Moment.js bundle plugin.

1.1.1

Uninstall

JAXB plugin



JAXB packaging for more transparent Java 9+ compatibility

2.3.0.1

Uninstall

Jira Issue Updater

This plugin can update Jira issues by changing their workflow status and adding comments.



Warning: The currently installed plugin version may not be safe to use. Please review the following security notices:

- [Credentials stored in plain text](#)

1.18

Uninstall

JIRA Pipeline Steps



JIRA Pipeline Steps

1.6.0

Uninstall

Jira plugin



This plugin integrates Jenkins to [Atlassian Jira](#).

3.6

Uninstall

<input type="checkbox"/>	JIRA Trigger Plugin <small>JIRA Trigger</small>	1.0.1	Uninstall
Dashboard ▶ Plugin Manager <small>JIRA Trigger Plugin</small>			
<input type="checkbox"/>	A plugin for Jenkins CI to update JIRA tickets in an extensible way: both what to update and how to up date are exposed as Extension Points	0.9	Uninstall
<input type="checkbox"/>	Job DSL This plugin allows Jobs and Views to be defined via DSLs	1.78.3	Uninstall
<input type="checkbox"/>	Job Import Plugin The Job Import Plugin lets you import jobs from another Jenkins instance.	3.4	Uninstall
<input type="checkbox"/>	Job Restrictions Plugin Allows restricting execution of jobs on nodes depending on criterias like name pattern, ownership, etc. Also can restrict job triggering by other jobs and users.	0.8	Uninstall
	<div style="border: 1px solid orange; padding: 5px;"> <p>This plugin is up for adoption! We are looking for new maintainers. Visit our Adopt a Plugin initiative for more information.</p> </div>		
<input type="checkbox"/>	Join plugin Triggering a job after a group of jobs finish	1.21	Uninstall
<input type="checkbox"/>	jQuery plugin This plugin provides an stable version of jQuery Javascript Library	1.12.4-1	Uninstall
<input checked="" type="checkbox"/>	JQuery3 API Plugin Provides jQuery 3.x for Jenkins plugins.	3.6.0-2	Uninstall
<input checked="" type="checkbox"/>	JSch dependency plugin Jenkins plugin that brings the JSch library as a plugin dependency, and provides an SSHAuthenticatorFactory for using JSch with the ssh-credentials plugin.	0.155.2	Uninstall
<input checked="" type="checkbox"/>	JUnit Plugin Allows JUnit-format test results to be published	1.53	Uninstall

to be published.

Label Linked Jobs Plugin

Dashboard > Plugin Manager

numerous/complex labels.

LDAP Email Plugin

This plugin resolves user email addresses from an LDAP directory. It is not needed if Jenkins uses LDAP as its authentication source and user records have a standard "mail" attribute.



Warning: The currently installed plugin version may not be safe to use. Please review the following security notices:

- [Plain text password shown in configuration form](#)

0.8

Uninstall

LDAP Plugin



Adds LDAP authentication to Jenkins

2.7

Uninstall

Least Load



Changes Jenkins to use a LoadBalancer that prefers least loaded nodes.

2.0.1

Uninstall

Lockable Resources



This plugin allows to define external resources (such as printers, phones, computers) that can be locked by builds. If a build requires an external resource which is already locked, it will wait for the resource to be free.

2.13

Uninstall



Mail Map Resolver

This plugin is a sample to explain how to write a Jenkins plugin.

This plugin is up for adoption! We are looking for new maintainers. Visit our [Adopt a Plugin](#) initiative for more information.

0.2

Uninstall

Mailer Plugin

This plugin allows you to

<input checked="" type="checkbox"/>	This plugin allows you to configure email notifications for build results.	408.vd726a_1130320	Uninstall
Dashboard ▶ Plugin Manager			
<input type="checkbox"/>	This plugin provides a shared dependency on the MapDB library so that other plugins can co-operate when using this library.	1.0.9.0	Uninstall
Mask Passwords Plugin			
<input type="checkbox"/>	This plugin allows masking passwords that may appear in the console. The plugin also provides a non-stored password parameter.	3.0	Uninstall
	This plugin is up for adoption! We are looking for new maintainers. Visit our Adopt a Plugin initiative for more information.		
Matrix Authorization Strategy			
<input type="checkbox"/>	Offers matrix-based security authorization strategies (global and per-project).	3.0	Uninstall
Matrix Combinations Plugin			
<input type="checkbox"/>	Adds a new parameter type called Matrix Combinations Parameter which allows the user to choose which matrix combinations he wants to run	1.3.1	Uninstall
Matrix Project Plugin			
<input checked="" type="checkbox"/>	Multi-configuration (matrix) project type.	1.20	Uninstall
Matrix Reloaded Plugin			
<input type="checkbox"/>	The Matrix Reloaded plugin. Used for rebuilding a subset of a matrix' configurations, reusing the rest.	1.1.3	Uninstall
Matrix sorter plugin			
<input type="checkbox"/>		1.3	Uninstall
Maven Integration plugin			
<input checked="" type="checkbox"/>	This plug-in provides, for better and for worse, a deep integration of Jenkins and Maven: Automatic triggers between projects depending on	3.16	Uninstall
	SNAPSHOTS, automated configuration of various Jenkins publishers (JUnit, ...).		

<input type="checkbox"/>	<p>Metrics Plugin</p> <p>This plugin exposes the Metrics</p>	4.0.2.8.1	Uninstall
<p>Dashboard ▶ Plugin Manager</p>			
<p>Monitoring</p>			
<input type="checkbox"/>	<p>Jenkins' monitoring with JavaMelody. Open report after installation.</p>	1.90.0	Uninstall
<p>Multi-Branch Project Plugin (DEPRECATED)</p> <p>This plugin is deprecated. Please move to the Multibranch Pipeline job type.</p> <p>Important: Read the upgrade notes before proceeding with any upgrade! Migration from versions prior to 0.5.x are not supported.</p> <div style="border: 1px solid orange; padding: 5px; margin-top: 10px;"> <p>This plugin is deprecated. In general, this means that it is either obsolete, no longer being developed, or may no longer work. Learn more.</p> </div>			
<input type="checkbox"/>	<p>Multibranch Pipeline</p> <p>This plugin is deprecated. Please move to the Multibranch Pipeline job type.</p>	0.7	Uninstall
<input type="checkbox"/>	<p>Multijob</p> <p>This plugin is a MultiJob plugin.</p>	1.33	Uninstall
<input type="checkbox"/>	<p>Multiline Views TabBar Plugin</p> <p>Provides a multi-line tab bar for views.</p>	1.1	Uninstall
<input type="checkbox"/>	<p>Naginator</p> <p>This plugin reschedules failed jobs.</p>	1.18.1	Uninstall
<input type="checkbox"/>	<p>Nested View</p> <p>View type to allow grouping job views into multiple levels instead of one big list of tabs.</p>	1.22	Uninstall
<input type="checkbox"/>	<p>next-executions</p>	1.0.15	Uninstall
<input type="checkbox"/>	<p>Node and Label parameter plugin</p> <p>The node and label parameter plugin allows to dynamically select the node on which a job should be executed.</p>	1.10.3	Uninstall
<input type="checkbox"/>	<p>Node Iterator API Plugin</p> <p>This plugin provides support for iterating through all the Node instances that are in use by</p>	1.5.1	Uninstall

Jenkins, even those Node instances that are not traditionally attached to Jenkins.

Dashboard ▶ Plugin Manager

plugins to identify unused provisioned resource.

<input type="checkbox"/>	OfflineOnFailure This plugin allows you to take nodes offline immediately when a job reports FAILURE.	1.0	Uninstall
<input type="checkbox"/>	Oracle Java SE Development Kit Installer Plugin Allows the Oracle Java SE Development Kit (JDK) to be installed via download from Oracle's website.	1.5	Uninstall
<input type="checkbox"/>	OWASP Markup Formatter Plugin Uses the OWASP Java HTML Sanitizer to allow safe-seeming HTML markup to be entered in project descriptions and the like.	2.7	Uninstall
<input type="checkbox"/>	PAM Authentication plugin Adds Unix Pluggable Authentication Module (PAM) support to Jenkins	1.6.1	Uninstall
<input type="checkbox"/>	Parameterized Trigger plugin The Jenkins Plugins Parent POM Project <div style="border: 1px solid orange; padding: 5px; margin-top: 10px;">This plugin is up for adoption! We are looking for new maintainers. Visit our Adopt a Plugin initiative for more information.</div>	2.43	Uninstall
<input type="checkbox"/>	Performance This plugin allows tracking performance KPIs, based on results read from popular testing tools (Apache JMeter , JUnit , Taurus). <div style="border: 1px solid red; padding: 5px; margin-top: 10px;">Warning: The currently installed plugin version may not be safe to use. Please review the following security notices:<ul style="list-style-type: none">• XXE vulnerability.</div>	3.17	Uninstall
	Performance Publisher plugin This plugin will save log files		

This plugin will parse log files from multiple type of tests.

Dashboard

▸ **Plugin Manager**

new maintainers. Visit our [Adopt a Plugin](#) initiative for more information.

<input type="checkbox"/>	Permissive Script Security Plugin Do not install unless you know what you are doing. Turns on permissive mode of Script Security Plugin. Problematic signatures will be logged but access will not be rejected.	0.7	<input type="button" value="Uninstall"/>
<input type="checkbox"/>	Pipeline A suite of plugins that lets you orchestrate automation, simple or complex. See Pipeline as Code with Jenkins for more details.	2.6	<input type="button" value="Uninstall"/>
<input type="checkbox"/>	Pipeline Aggregator View Full screen dashboard to view stages of the pipeline as a build history.	1.11	<input type="button" value="Uninstall"/>
<input type="checkbox"/>	Pipeline Graph Analysis Plugin Provides a REST API to access pipeline and pipeline run data.	1.11	<input type="button" value="Uninstall"/>
<input type="checkbox"/>	Pipeline Remote Loader Plugin Allows loading Pipeline script from remote locations (enhanced version of the built-in load command)	1.5	<input type="button" value="Uninstall"/>
<input type="checkbox"/>	Pipeline Utility Steps Utility steps for pipeline jobs.	2.11.0	<input type="button" value="Uninstall"/>
<input checked="" type="checkbox"/>	Pipeline: API Plugin that defines Pipeline API.	1136.v7f5f1759dc16	<input type="button" value="Uninstall"/>
<input type="checkbox"/>	Pipeline: AWS Steps This plugins adds Jenkins pipeline steps to interact with the AWS API	1.43	<input type="button" value="Uninstall"/>
<input type="checkbox"/>	Pipeline: Basic Steps Commonly used steps for Pipelines.	2.24	<input type="button" value="Uninstall"/>
<input type="checkbox"/>	Pipeline: Build Step Adds the Pipeline step build to trigger builds of other jobs.	2.15	<input type="button" value="Uninstall"/>

Pipeline: Declarative		1.9.3	Uninstall
<input type="checkbox"/>	<p>Dashboard > Plugin Manager</p> <p>Pipeline: Declarative Agent API</p> <p>Replaced by Pipeline: Declarative Extension Points API plugin.</p> <div style="border: 1px solid orange; padding: 5px; margin: 5px 0;"> <p>This plugin is deprecated. In general, this means that it is either obsolete, no longer being developed, or may no longer work. Learn more.</p> </div>	1.1.1	Uninstall
<input type="checkbox"/>	<p>Pipeline: Declarative Extension Points API</p> <p>APIs for extension points used in Declarative Pipelines.</p>	1.9.3	Uninstall
<input type="checkbox"/>	<p>Pipeline: GitHub Groovy Libraries</p> <p>Allows Pipeline Groovy libraries to be loaded on the fly from GitHub.</p>	1.0	Uninstall
<input type="checkbox"/>	<p>Pipeline: Groovy</p> <p>Pipeline execution engine based on continuation passing style transformation of Groovy scripts.</p>	2648.va9433432b33c	Uninstall
<input type="checkbox"/>	<p>Pipeline: Input Step</p> <p>Adds the Pipeline step input to wait for human input or approval.</p>	446.vf27b_0b_83500e	Uninstall
<input type="checkbox"/>	<p>Pipeline: Job</p> <p>Defines a new job type for pipelines and provides their generic user interface.</p>	1145.v7f2433caa07f	Uninstall
<input type="checkbox"/>	<p>Pipeline: Milestone Step</p> <p>Plugin that provides the milestone step</p>	1.3.2	Uninstall
<input type="checkbox"/>	<p>Pipeline: Model API</p> <p>Model API for Declarative Pipeline.</p>	1.9.3	Uninstall
<input type="checkbox"/>	<p>Pipeline: Multibranch</p> <p>Enhances Pipeline plugin to handle branches better by automatically grouping builds from different branches.</p>	706.vd43c65dec013	Uninstall
<input type="checkbox"/>	<p>Pipeline: Nodes and Processes</p> <p>Pipeline steps locking agents and workspaces, and running</p>	2.40	Uninstall

external processes that may survive a Jenkins restart or agent reconnection

Dashboard > Plugin Manager

<input type="checkbox"/>	Provides a REST API to access pipeline and pipeline run data.	2.20	Uninstall
Pipeline: SCM Step			
<input type="checkbox"/>	Adds a Pipeline step to check out or update working sources from various SCMs (version control).	2.13	Uninstall
Pipeline: Shared Groovy Libraries			
<input type="checkbox"/>	Shared libraries for Pipeline scripts.	2.21	Uninstall
Pipeline: Stage Step			
<input type="checkbox"/>	Adds the Pipeline step stage to delineate portions of a build.	291.vf0a8a7aeeb50	Uninstall
Pipeline: Stage Tags Metadata			
<input type="checkbox"/>	Library plugin for Pipeline stage tag metadata.	1.9.3	Uninstall
Pipeline: Stage View			
<input type="checkbox"/>	Pipeline Stage View Plugin.	2.20	Uninstall
<input checked="" type="checkbox"/>	API for asynchronous build step primitive.	622.vb_8e7c15b_c95a_	Uninstall
<input checked="" type="checkbox"/>	Common utility implementations to build Pipeline Plugin	813.vb_d7c3d2984a_0	Uninstall
Plain Credentials			
<input type="checkbox"/>	Allows use of plain strings and files as credentials.	1.7	Uninstall
Plugin Usage - Plugin			
<input type="checkbox"/>	This plugin provides the possibility to analyze how often a plugin is being used in your jobs.	2.1	Uninstall
Plugin Utilities API			
<input checked="" type="checkbox"/>	Provides several utility classes that can be used to accelerate plugin development.	2.12.0	Uninstall
<input checked="" type="checkbox"/>	Provides Popper.js 2.x for Jenkins plugins.	2.11.2-1	Uninstall
<input checked="" type="checkbox"/>	Provides Popper.js for Jenkins plugins	1.16.1-2	Uninstall

Post build task

Dashboard ▶ Plugin Manager

output.

	Plugin Name	Version	Action
<input type="checkbox"/>	PostBuildScript Plugin A plugin for the Jenkins CI to run several configurable actions after a build, depending on the build result.	3.0.0	Uninstall
<input type="checkbox"/>	Prism API Provides Prism JS Source Code Highlighting for Jenkins plugins.	1.25.0-2	Uninstall
<input type="checkbox"/>	Python Plugin Adds the ability to execute python scripts as build steps.	1.3	Uninstall
<input type="checkbox"/>	Rebuilder This plugin is for rebuilding a job using the same parameters.	1.33	Uninstall
<input type="checkbox"/>	Regex Email Plugin This plugin resolves user email addresses using regular expressions.	0.3	Uninstall
<input type="checkbox"/>	Resource Disposer Plugin Dispose resources asynchronously. Utility plugin for resources that require more retries or take a long time to delete.	0.17	Uninstall
<input type="checkbox"/>	Robot Framework plugin This publisher stores Robot Framework test reports for builds and shows summaries of them in project and build views along with trend graph.	3.0.1	Uninstall
<input type="checkbox"/>	Role-based Authorization Strategy Enables user authorization using a Role-Based strategy. Roles can be defined globally or for particular jobs or nodes selected by regular expressions.	3.2.0	Uninstall
<input checked="" type="checkbox"/>	Run Condition Plugin Define conditions for the execution of build steps	1.5	Uninstall

This plugin is up for adoption! We are looking for new maintainers. Visit our

new maintainers. Visit our [Adopt a Plugin](#) initiative for more information.

Dashboard > Plugin Manager

<input type="checkbox"/>	Safe Restart Plugin This plugin allows you to restart Jenkins safely.	0.3	Uninstall
<input checked="" type="checkbox"/>	SCM API Plugin This plugin provides a new enhanced API for interacting with SCM systems.	595.vd5a_df5eb_0e39	Uninstall
<input checked="" type="checkbox"/>	Script Security Plugin Allows Jenkins administrators to control what in-process scripts can be run by less-privileged users.	1131.v8b_b_5eda_c328e	Uninstall
<input type="checkbox"/>	Sectioned View Plugin Adds a new view that can be organised into different sections.	1.25	Uninstall
<input type="checkbox"/>	Security Inspector Plugin Allows checking user permissions for particular jobs and nodes. The plugin can create various reports upon the request by Jenkins administrators.	0.5	Uninstall
<input type="checkbox"/>	Sidebar Link Add links in the sidebar of the Jenkins main page, view tabs and project pages.	1.12.1	Uninstall
<input type="checkbox"/>	Slave Monitor for system load average This plugin checks the slaves system load average.	1.2	Uninstall
<input type="checkbox"/>	slave-status Visit a url like http://myslave:3141 to see an XML document giving the slave's status. Use automated tools like curl or nagios to check this data periodically, if you want to.	1.6	Uninstall
<input checked="" type="checkbox"/>	Snakeyaml API Plugin This plugin provides Snakeyaml for other plugins.	1.29.1	Uninstall
<input type="checkbox"/>	SSH Agent Plugin This plugin allows you to provide SSH credentials to	1.24.1	Uninstall

builds via a ssh-agent in Jenkins

SSH Build Agents plugin

Dashboard

Plugin Manager

SSH, using a Java implementation of the SSH protocol.

1.55.0

Uninstall

SSH Credentials Plugin



Allows storage of SSH credentials in Jenkins

1.19

Uninstall

SSH Pipeline Steps



SSH Pipeline Steps

2.0.0

Uninstall

SSH plugin



This plugin executes shell commands remotely using SSH protocol.

2.6.1

Uninstall

SSH server



Adds SSH server functionality to Jenkins, exposing CLI commands through it

3.1.0

Uninstall

Startup Trigger



This plugin allows you to trigger a build when job nodes (master/slave) start.

2.9.3

Uninstall

Static Analysis Utilities

This plug-in provides utilities for the static code analysis plug-ins.

Warning: The currently installed plugin version may not be safe to use. Please review the following security notices:

- [Stored XSS vulnerability](#).



1.96

Uninstall

This plugin is deprecated. In general, this means that it is either obsolete, no longer being developed, or may no longer work. [Learn more.](#)



Status Monitor Plugin

1.3

This plugin shows all specified jobs on a single screen overview, that could be used to present

the state of hudson to a teams visually.

Uninstall

Strict Crumb Issuer Plugin

Strict Crumb Issuer Plugin



A strict crumb issuer with capacities such session ID check, 2.1.0

Uninstall

Dashboard > Plugin Manager

Structs Plugin



Library plugin for DSL plugins that need names for Jenkins objects. 308.v852b473a2b8c

Uninstall

Subversion Plug-in



The Jenkins Plugins Parent POM Project 2.15.2

Uninstall

Subversion Release Manager plugin

This plugin provides a way to keep track of builds by revision for subversion managed projects.



Warning: The currently installed plugin version may not be safe to use. Please review the following security notices:

- [XSS vulnerability](#).

1.2

Uninstall

Subversion Tagging Plugin

This plugin automatically performs Subversion tagging (or copy) on successful build.

Warning: The currently installed plugin version may not be safe to use. Please review the following security notices:

- [Arbitrary code execution vulnerability](#).



1.18

Uninstall

This plugin is deprecated. In general, this means that it is either obsolete, no longer being developed, or may no longer work. [Learn more.](#)



SVN Publisher plugin 0.1

This plugin allows you to upload artifacts to a subversion repository. This is done via a delete/import of the items requested.

Uninstall



swarm

3.29

Uninstall

Test stability history

Dashboard > Plugin Manager

history of failed tests.

TestNG Results Plugin



This plugin integrates [TestNG](#) [test reports](#) to Jenkins.

554.va4a552116332

Uninstall

Text Finder



This plugin is used to search for strings in workspace files. The outcome of this search can be used to downgrade the build status.

1.18

Uninstall

Text Finder Run Condition Plugin



This plugin is used to search for strings in workspace files. The outcome of this search allows a conditional action.

0.1

Uninstall

Timestamper



Adds timestamps to the Console Output

1.16

Uninstall

Token Macro



This plug-in adds reusable macro expansion capability for other plug-ins to use.

270.v8c2ce50dc4fc

Uninstall



Tracking SVN Plugin

1.1

Uninstall



Translation Assistance plugin

1.16

Uninstall

Trilead API Plugin



Trilead API Plugin provides the Trilead library to any dependent plugins in an easily update-able manner.

1.0.13

Uninstall



Valgrind Plug-in

0.28

Uninstall

Calls valgrind with your executables and collects information about memory leaks and errors.

Warning: The currently installed plugin version may not be safe to use. Please review the following security notices:

- [Stored XSS vulnerability](#)
- [XXE vulnerability](#)

<input type="checkbox"/>	This user-invisible library plugin allows other multi-modal	1.3	Uninstall
--------------------------	-------------------------------------------------------------	-----	---------------------------

Dashboard ▶ **Plugin Manager**

View Job Filters

<input type="checkbox"/>	Create smart views with exactly the jobs you want. Your smart views can automatically include or exclude jobs by using things like the SCM path or type, the job type, build statuses or trends or triggers, relevance to the logged-in user, email recipients, Maven configuration, job parameterization, and user permissions. Mix and match filters to narrow down to exactly what you want.	2.3	Uninstall
--------------------------	-------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	---------------------------

ViewVC Plugin

<input type="checkbox"/>	This plugin integrates ViewVC browser interface for CVS and Subversion to Hudson. Entries in change logs will be hyperlinked to the specified files/diffs in ViewVC.	1.7	Uninstall
--------------------------	--------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	-----	---------------------------

Warnings Next Generation Plugin

<input type="checkbox"/>	This plugin collects compiler warnings or issues reported by static analysis tools and visualizes the results. It has built-in support for many compilers (cpp, clang, java, ...) and tools (spotbugs, pmd, checkstyle, eslint, phpstan, ...), see the list of supported report formats .	9.11.0	Uninstall
--------------------------	-----------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------	--------	---------------------------

WMI Windows Agents

<input type="checkbox"/>	Allows you to connect to Windows machines and start slave agents on them.	1.0	Uninstall
--------------------------	---------------------------------------------------------------------------	-----	---------------------------

This plugin is up for adoption! We are looking for new maintainers. Visit our [Adopt a Plugin](#) initiative for more information.

Workspace Cleanup Plugin

<input type="checkbox"/>	This plugin deletes the project workspace when invoked.	0.40	Uninstall
--------------------------	---------------------------------------------------------	------	---------------------------

<input type="checkbox"/>	XML Job to Job DSL Plugin Use this plugin to convert your jobs into DSL Groovy scripts	0.1.13	Uninstall
--------------------------	--------------------------------------------------------------------------------------------------	--------	---------------------------

xUnit plugin



This plugin makes it possible to

3.0.5

Uninstall

Dashboard ▶ **Plugin Manager**